



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C12N 15/12, C07K 14/47, C12Q 1/68, A61K 39/395, G01N 33/68, 33/574, C07K 16/30, C12N 15/62, 5/02 // A61P 35/00		A2	(11) International Publication Number: WO 00/04149
			(43) International Publication Date: 27 January 2000 (27.01.00)
(21) International Application Number: PCT/US99/15838		(74) Agents: MAKI, David, J. et al.; Seed and Berry LLP, 6300 Columbia, 701 Fifth Avenue, Seattle, WA 98104-7092 (US).	
(22) International Filing Date: 14 July 1999 (14.07.99)			
(30) Priority Data:			
09/115,453 14 July 1998 (14.07.98) US 09/116,134 14 July 1998 (14.07.98) US 09/159,822 23 September 1998 (23.09.98) US 09/159,812 23 September 1998 (23.09.98) US 09/232,880 15 January 1999 (15.01.99) US 09/232,149 15 January 1999 (15.01.99) US 09/288,946 9 April 1999 (09.04.99) US			
(71) Applicant: CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(72) Inventors: DILLON, Davin, Clifford; 21607 N.E. 24th Street, Redmond, WA 98053 (US). HARLOCKER, Susan, Louise; 6203 20th Avenue N.W., Seattle, WA 98107 (US). YUQIU, Jiang; 5001 South 232nd Street, Kent, WA 98032 (US). XU, Jiangchun; 15805 S.E. 43rd Place, Bellevue, WA 98006 (US). MITCHAM, Jennifer, Lynn; 16677 Northeast 88th Street, Redmond, WA 98052 (US).			
Published <i>Without international search report and to be republished upon receipt of that report.</i>			
(54) Title: COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF PROSTATE CANCER			
(57) Abstract <p>Compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer, are disclosed. Compositions may comprise one or more prostate tumor proteins, immunogenic portions thereof, or polynucleotides that encode such portions. Alternatively, a therapeutic composition may comprise an antigen presenting cell that expresses a prostate tumor protein, or a T cell that is specific for cells expressing such a protein. Such compositions may be used, for example, for the prevention and treatment of diseases such as prostate cancer. Diagnostic methods based on detecting a prostate tumor protein, or mRNA encoding such a protein, in a sample are also provided.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF PROSTATE CANCER

TECHNICAL FIELD

The present invention relates generally to therapy and diagnosis of cancer, such as prostate cancer. The invention is more specifically related to polypeptides comprising at least a portion of a prostate tumor protein, and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for prevention and treatment of prostate cancer, and for the diagnosis and monitoring of such cancers.

BACKGROUND OF THE INVENTION

Prostate cancer is the most common form of cancer among males, with an estimated incidence of 30% in men over the age of 50. Overwhelming clinical evidence shows that human prostate cancer has the propensity to metastasize to bone, and the disease appears to progress inevitably from androgen dependent to androgen refractory status, leading to increased patient mortality. This prevalent disease is currently the second leading cause of cancer death among men in the U.S.

In spite of considerable research into therapies for the disease, prostate cancer remains difficult to treat. Commonly, treatment is based on surgery and/or radiation therapy, but these methods are ineffective in a significant percentage of cases. Two previously identified prostate specific proteins - prostate specific antigen (PSA) and prostatic acid phosphatase (PAP) - have limited therapeutic and diagnostic potential. For example, PSA levels do not always correlate well with the presence of prostate cancer, being positive in a percentage of non-prostate cancer cases, including benign prostatic hyperplasia (BPH). Furthermore, PSA measurements correlate with prostate volume, and do not indicate the level of metastasis.

In spite of considerable research into therapies for these and other cancers, prostate cancer remains difficult to diagnose and treat effectively. Accordingly, there is a need in the art for improved methods for detecting and treating such cancers. The present invention fulfills these needs and further provides other related advantages.

SUMMARY OF THE INVENTION

Briefly stated, the present invention provides compositions and methods for the diagnosis and therapy of cancer, such as prostate cancer. In one aspect, the present

invention provides polypeptides comprising at least a portion of a prostate tumor protein, or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with antigen-specific antisera is not substantially diminished. Within certain embodiments, the polypeptide comprises at least an immunogenic portion of a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of: (a) sequences recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; (b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and (c) complements of any of the sequence of (a) or (b). In certain specific embodiments, such a polypeptide comprises at least a portion, or variant thereof, of a tumor protein that includes an amino acid sequence selected from the group consisting of sequences recited in any one of SEQ ID NO: 112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380 and 383.

The present invention further provides polynucleotides that encode a polypeptide as described above, or a portion thereof (such as a portion encoding at least 15 amino acid residues of a prostate tumor protein), expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical compositions comprising a polypeptide or polynucleotide as described above and a physiologically acceptable carrier.

Within a related aspect of the present invention, vaccines are provided. Such vaccines comprise a polypeptide or polynucleotide as described above and a non-specific immune response enhancer.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a prostate tumor protein; and (b) a physiologically acceptable carrier.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a non-specific immune response enhancer.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.

Within related aspects, pharmaceutical compositions comprising a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, that comprise a fusion protein, or a polynucleotide encoding a fusion protein, in combination with a non-specific immune response enhancer.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate tumor protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated as described above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a prostate tumor protein, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a polypeptide; under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Isolated T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a prostate tumor protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient.

Within further aspects, the present invention provides methods for determining the presence or absence of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that binds to a polypeptide as recited

above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within preferred embodiments, the binding agent is an antibody, more preferably a monoclonal antibody. The cancer may be prostate cancer.

The present invention also provides, within other aspects, methods for monitoring the progression of a cancer in a patient. Such methods comprise the steps of: (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a polypeptide as recited above; (b) detecting in the sample an amount of polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polypeptide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein; (b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amount of polynucleotide detected in step (c) with the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

Within further aspects, the present invention provides antibodies, such as monoclonal antibodies, that bind to a polypeptide as described above, as well as diagnostic

kits comprising such antibodies. Diagnostic kits comprising one or more oligonucleotide probes or primers as described above are also provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

BRIEF DESCRIPTION OF THE DRAWINGS AND SEQUENCE IDENTIFIERS

Figure 1 illustrates the ability of T cells to kill fibroblasts expressing the representative prostate tumor polypeptide P502S, as compared to control fibroblasts. The percentage lysis is shown as a series of effector:target ratios, as indicated.

Figures 2A and 2B illustrate the ability of T cells to recognize cells expressing the representative prostate tumor polypeptide P502S. In each case, the number of γ -interferon spots is shown for different numbers of responders. In Figure 2A, data is presented for fibroblasts pulsed with the P2S-12 peptide, as compared to fibroblasts pulsed with a control E75 peptide. In Figure 2B, data is presented for fibroblasts expressing P502S, as compared to fibroblasts expressing HER-2/*neu*.

Figure 3 represents a peptide competition binding assay showing that the P1S#10 peptide, derived from P501S, binds HLA-A2. Peptide P1S#10 inhibits HLA-A2 restricted presentation of fluM58 peptide to CTL clone D150M58 in TNF release bioassay. D150M58 CTL is specific for the HLA-A2 binding influenza matrix peptide fluM58.

Figure 4 illustrates the ability of T cell lines generated from P1S#10 immunized mice to specifically lyse P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat A2Kb targets, as compared to EGFP-transduced Jurkat A2Kb. The percent lysis is shown as a series of effector to target ratios, as indicated.

Figure 5 illustrates the ability of a T cell clone to recognize and specifically lyse Jurkat A2Kb cells expressing the representative prostate tumor polypeptide P501S, thereby demonstrating that the P1S#10 peptide may be a naturally processed epitope of the P501S polypeptide.

Figures 6A and 6B are graphs illustrating the specificity of a CD8⁺ cell line (3A-1) for a representative prostate tumor antigen (P501S). Figure 6A shows the results of a ⁵¹Cr release assay. The percent specific lysis is shown as a series of effector:target ratios, as indicated. Figure 6B shows the production of interferon-gamma by 3A-1 cells stimulated with autologous B-LCL transduced with P501S, at varying effector:target ratios as indicated.

SEQ ID NO: 1 is the determined cDNA sequence for F1-13

SEQ ID NO: 2 is the determined 3' cDNA sequence for F1-12

SEQ ID NO: 3 is the determined 5' cDNA sequence for F1-12
SEQ ID NO: 4 is the determined 3' cDNA sequence for F1-16
SEQ ID NO: 5 is the determined 3' cDNA sequence for H1-1
SEQ ID NO: 6 is the determined 3' cDNA sequence for H1-9
SEQ ID NO: 7 is the determined 3' cDNA sequence for H1-4
SEQ ID NO: 8 is the determined 3' cDNA sequence for J1-17
SEQ ID NO: 9 is the determined 5' cDNA sequence for J1-17
SEQ ID NO: 10 is the determined 3' cDNA sequence for L1-12
SEQ ID NO: 11 is the determined 5' cDNA sequence for L1-12
SEQ ID NO: 12 is the determined 3' cDNA sequence for N1-1862
SEQ ID NO: 13 is the determined 5' cDNA sequence for N1-1862
SEQ ID NO: 14 is the determined 3' cDNA sequence for J1-13
SEQ ID NO: 15 is the determined 5' cDNA sequence for J1-13
SEQ ID NO: 16 is the determined 3' cDNA sequence for J1-19
SEQ ID NO: 17 is the determined 5' cDNA sequence for J1-19
SEQ ID NO: 18 is the determined 3' cDNA sequence for J1-25
SEQ ID NO: 19 is the determined 5' cDNA sequence for J1-25
SEQ ID NO: 20 is the determined 5' cDNA sequence for J1-24
SEQ ID NO: 21 is the determined 3' cDNA sequence for J1-24
SEQ ID NO: 22 is the determined 5' cDNA sequence for K1-58
SEQ ID NO: 23 is the determined 3' cDNA sequence for K1-58
SEQ ID NO: 24 is the determined 5' cDNA sequence for K1-63
SEQ ID NO: 25 is the determined 3' cDNA sequence for K1-63
SEQ ID NO: 26 is the determined 5' cDNA sequence for L1-4
SEQ ID NO: 27 is the determined 3' cDNA sequence for L1-4
SEQ ID NO: 28 is the determined 5' cDNA sequence for L1-14
SEQ ID NO: 29 is the determined 3' cDNA sequence for L1-14
SEQ ID NO: 30 is the determined 3' cDNA sequence for J1-12
SEQ ID NO: 31 is the determined 3' cDNA sequence for J1-16
SEQ ID NO: 32 is the determined 3' cDNA sequence for J1-21
SEQ ID NO: 33 is the determined 3' cDNA sequence for K1-48
SEQ ID NO: 34 is the determined 3' cDNA sequence for K1-55
SEQ ID NO: 35 is the determined 3' cDNA sequence for L1-2
SEQ ID NO: 36 is the determined 3' cDNA sequence for L1-6
SEQ ID NO: 37 is the determined 3' cDNA sequence for N1-1858
SEQ ID NO: 38 is the determined 3' cDNA sequence for N1-1860
SEQ ID NO: 39 is the determined 3' cDNA sequence for N1-1861

SEQ ID NO: 40 is the determined 3' cDNA sequence for N1-1864
SEQ ID NO: 41 is the determined cDNA sequence for P5
SEQ ID NO: 42 is the determined cDNA sequence for P8
SEQ ID NO: 43 is the determined cDNA sequence for P9
SEQ ID NO: 44 is the determined cDNA sequence for P18
SEQ ID NO: 45 is the determined cDNA sequence for P20
SEQ ID NO: 46 is the determined cDNA sequence for P29
SEQ ID NO: 47 is the determined cDNA sequence for P30
SEQ ID NO: 48 is the determined cDNA sequence for P34
SEQ ID NO: 49 is the determined cDNA sequence for P36
SEQ ID NO: 50 is the determined cDNA sequence for P38
SEQ ID NO: 51 is the determined cDNA sequence for P39
SEQ ID NO: 52 is the determined cDNA sequence for P42
SEQ ID NO: 53 is the determined cDNA sequence for P47
SEQ ID NO: 54 is the determined cDNA sequence for P49
SEQ ID NO: 55 is the determined cDNA sequence for P50
SEQ ID NO: 56 is the determined cDNA sequence for P53
SEQ ID NO: 57 is the determined cDNA sequence for P55
SEQ ID NO: 58 is the determined cDNA sequence for P60
SEQ ID NO: 59 is the determined cDNA sequence for P64
SEQ ID NO: 60 is the determined cDNA sequence for P65
SEQ ID NO: 61 is the determined cDNA sequence for P73
SEQ ID NO: 62 is the determined cDNA sequence for P75
SEQ ID NO: 63 is the determined cDNA sequence for P76
SEQ ID NO: 64 is the determined cDNA sequence for P79
SEQ ID NO: 65 is the determined cDNA sequence for P84
SEQ ID NO: 66 is the determined cDNA sequence for P68
SEQ ID NO: 67 is the determined cDNA sequence for P80
SEQ ID NO: 68 is the determined cDNA sequence for P82
SEQ ID NO: 69 is the determined cDNA sequence for U1-3064
SEQ ID NO: 70 is the determined cDNA sequence for U1-3065
SEQ ID NO: 71 is the determined cDNA sequence for V1-3692
SEQ ID NO: 72 is the determined cDNA sequence for 1A-3905
SEQ ID NO: 73 is the determined cDNA sequence for V1-3686
SEQ ID NO: 74 is the determined cDNA sequence for R1-2330
SEQ ID NO: 75 is the determined cDNA sequence for 1B-3976
SEQ ID NO: 76 is the determined cDNA sequence for V1-3679

SEQ ID NO: 77 is the determined cDNA sequence for 1G-4736
SEQ ID NO: 78 is the determined cDNA sequence for 1G-4738
SEQ ID NO: 79 is the determined cDNA sequence for 1G-4741
SEQ ID NO: 80 is the determined cDNA sequence for 1G-4744
SEQ ID NO: 81 is the determined cDNA sequence for 1G-4734
SEQ ID NO: 82 is the determined cDNA sequence for 1H-4774
SEQ ID NO: 83 is the determined cDNA sequence for 1H-4781
SEQ ID NO: 84 is the determined cDNA sequence for 1H-4785
SEQ ID NO: 85 is the determined cDNA sequence for 1H-4787
SEQ ID NO: 86 is the determined cDNA sequence for 1H-4796
SEQ ID NO: 87 is the determined cDNA sequence for 1I-4807
SEQ ID NO: 88 is the determined cDNA sequence for 1I-4810
SEQ ID NO: 89 is the determined cDNA sequence for 1I-4811
SEQ ID NO: 90 is the determined cDNA sequence for 1J-4876
SEQ ID NO: 91 is the determined cDNA sequence for 1K-4884
SEQ ID NO: 92 is the determined cDNA sequence for 1K-4896
SEQ ID NO: 93 is the determined cDNA sequence for 1G-4761
SEQ ID NO: 94 is the determined cDNA sequence for 1G-4762
SEQ ID NO: 95 is the determined cDNA sequence for 1H-4766
SEQ ID NO: 96 is the determined cDNA sequence for 1H-4770
SEQ ID NO: 97 is the determined cDNA sequence for 1H-4771
SEQ ID NO: 98 is the determined cDNA sequence for 1H-4772
SEQ ID NO: 99 is the determined cDNA sequence for 1D-4297
SEQ ID NO: 100 is the determined cDNA sequence for 1D-4309
SEQ ID NO: 101 is the determined cDNA sequence for 1D.1-4278
SEQ ID NO: 102 is the determined cDNA sequence for 1D-4288
SEQ ID NO: 103 is the determined cDNA sequence for 1D-4283
SEQ ID NO: 104 is the determined cDNA sequence for 1D-4304
SEQ ID NO: 105 is the determined cDNA sequence for 1D-4296
SEQ ID NO: 106 is the determined cDNA sequence for 1D-4280
SEQ ID NO: 107 is the determined full length cDNA sequence for F1-12 (also referred to as P504S)
SEQ ID NO: 108 is the predicted amino acid sequence for F1-12
SEQ ID NO: 109 is the determined full length cDNA sequence for J1-17
SEQ ID NO: 110 is the determined full length cDNA sequence for L1-12
SEQ ID NO: 111 is the determined full length cDNA sequence for N1-1862
SEQ ID NO: 112 is the predicted amino acid sequence for J1-17

SEQ ID NO: 113 is the predicted amino acid sequence for L1-12
SEQ ID NO: 114 is the predicted amino acid sequence for N1-1862
SEQ ID NO: 115 is the determined cDNA sequence for P89
SEQ ID NO: 116 is the determined cDNA sequence for P90
SEQ ID NO: 117 is the determined cDNA sequence for P92
SEQ ID NO: 118 is the determined cDNA sequence for P95
SEQ ID NO: 119 is the determined cDNA sequence for P98
SEQ ID NO: 120 is the determined cDNA sequence for P102
SEQ ID NO: 121 is the determined cDNA sequence for P110
SEQ ID NO: 122 is the determined cDNA sequence for P111
SEQ ID NO: 123 is the determined cDNA sequence for P114
SEQ ID NO: 124 is the determined cDNA sequence for P115
SEQ ID NO: 125 is the determined cDNA sequence for P116
SEQ ID NO: 126 is the determined cDNA sequence for P124
SEQ ID NO: 127 is the determined cDNA sequence for P126
SEQ ID NO: 128 is the determined cDNA sequence for P130
SEQ ID NO: 129 is the determined cDNA sequence for P133
SEQ ID NO: 130 is the determined cDNA sequence for P138
SEQ ID NO: 131 is the determined cDNA sequence for P143
SEQ ID NO: 132 is the determined cDNA sequence for P151
SEQ ID NO: 133 is the determined cDNA sequence for P156
SEQ ID NO: 134 is the determined cDNA sequence for P157
SEQ ID NO: 135 is the determined cDNA sequence for P166
SEQ ID NO: 136 is the determined cDNA sequence for P176
SEQ ID NO: 137 is the determined cDNA sequence for P178
SEQ ID NO: 138 is the determined cDNA sequence for P179
SEQ ID NO: 139 is the determined cDNA sequence for P185
SEQ ID NO: 140 is the determined cDNA sequence for P192
SEQ ID NO: 141 is the determined cDNA sequence for P201
SEQ ID NO: 142 is the determined cDNA sequence for P204
SEQ ID NO: 143 is the determined cDNA sequence for P208
SEQ ID NO: 144 is the determined cDNA sequence for P211
SEQ ID NO: 145 is the determined cDNA sequence for P213
SEQ ID NO: 146 is the determined cDNA sequence for P219
SEQ ID NO: 147 is the determined cDNA sequence for P237
SEQ ID NO: 148 is the determined cDNA sequence for P239
SEQ ID NO: 149 is the determined cDNA sequence for P248

SEQ ID NO: 150 is the determined cDNA sequence for P251
SEQ ID NO: 151 is the determined cDNA sequence for P255
SEQ ID NO: 152 is the determined cDNA sequence for P256
SEQ ID NO: 153 is the determined cDNA sequence for P259
SEQ ID NO: 154 is the determined cDNA sequence for P260
SEQ ID NO: 155 is the determined cDNA sequence for P263
SEQ ID NO: 156 is the determined cDNA sequence for P264
SEQ ID NO: 157 is the determined cDNA sequence for P266
SEQ ID NO: 158 is the determined cDNA sequence for P270
SEQ ID NO: 159 is the determined cDNA sequence for P272
SEQ ID NO: 160 is the determined cDNA sequence for P278
SEQ ID NO: 161 is the determined cDNA sequence for P105
SEQ ID NO: 162 is the determined cDNA sequence for P107
SEQ ID NO: 163 is the determined cDNA sequence for P137
SEQ ID NO: 164 is the determined cDNA sequence for P194
SEQ ID NO: 165 is the determined cDNA sequence for P195
SEQ ID NO: 166 is the determined cDNA sequence for P196
SEQ ID NO: 167 is the determined cDNA sequence for P220
SEQ ID NO: 168 is the determined cDNA sequence for P234
SEQ ID NO: 169 is the determined cDNA sequence for P235
SEQ ID NO: 170 is the determined cDNA sequence for P243
SEQ ID NO: 171 is the determined cDNA sequence for P703P-DE1
SEQ ID NO: 172 is the predicted amino acid sequence for P703P-DE1
SEQ ID NO: 173 is the determined cDNA sequence for P703P-DE2
SEQ ID NO: 174 is the determined cDNA sequence for P703P-DE6
SEQ ID NO: 175 is the determined cDNA sequence for P703P-DE13
SEQ ID NO: 176 is the predicted amino acid sequence for P703P-DE13
SEQ ID NO: 177 is the determined cDNA sequence for P703P-DE14
SEQ ID NO: 178 is the predicted amino acid sequence for P703P-DE14
SEQ ID NO: 179 is the determined extended cDNA sequence for 1G-4736
SEQ ID NO: 180 is the determined extended cDNA sequence for 1G-4738
SEQ ID NO: 181 is the determined extended cDNA sequence for 1G-4741
SEQ ID NO: 182 is the determined extended cDNA sequence for 1G-4744
SEQ ID NO: 183 is the determined extended cDNA sequence for 1H-4774
SEQ ID NO: 184 is the determined extended cDNA sequence for 1H-4781
SEQ ID NO: 185 is the determined extended cDNA sequence for 1H-4785
SEQ ID NO: 186 is the determined extended cDNA sequence for 1H-4787

SEQ ID NO: 187 is the determined extended cDNA sequence for 1H-4796
SEQ ID NO: 188 is the determined extended cDNA sequence for 1I-4807
SEQ ID NO: 189 is the determined 3' cDNA sequence for 1I-4810
SEQ ID NO: 190 is the determined 3' cDNA sequence for 1I-4811
SEQ ID NO: 191 is the determined extended cDNA sequence for 1J-4876
SEQ ID NO: 192 is the determined extended cDNA sequence for 1K-4884
SEQ ID NO: 193 is the determined extended cDNA sequence for 1K-4896
SEQ ID NO: 194 is the determined extended cDNA sequence for 1G-4761
SEQ ID NO: 195 is the determined extended cDNA sequence for 1G-4762
SEQ ID NO: 196 is the determined extended cDNA sequence for 1H-4766
SEQ ID NO: 197 is the determined 3' cDNA sequence for 1H-4770
SEQ ID NO: 198 is the determined 3' cDNA sequence for 1H-4771
SEQ ID NO: 199 is the determined extended cDNA sequence for 1H-4772
SEQ ID NO: 200 is the determined extended cDNA sequence for 1D-4309
SEQ ID NO: 201 is the determined extended cDNA sequence for 1D.1-4278
SEQ ID NO: 202 is the determined extended cDNA sequence for 1D-4288
SEQ ID NO: 203 is the determined extended cDNA sequence for 1D-4283
SEQ ID NO: 204 is the determined extended cDNA sequence for 1D-4304
SEQ ID NO: 205 is the determined extended cDNA sequence for 1D-4296
SEQ ID NO: 206 is the determined extended cDNA sequence for 1D-4280
SEQ ID NO: 207 is the determined cDNA sequence for 10-d8fwd
SEQ ID NO: 208 is the determined cDNA sequence for 10-H10con
SEQ ID NO: 209 is the determined cDNA sequence for 11-C8rev
SEQ ID NO: 210 is the determined cDNA sequence for 7.g6fwd
SEQ ID NO: 211 is the determined cDNA sequence for 7.g6rev
SEQ ID NO: 212 is the determined cDNA sequence for 8-b5fwd
SEQ ID NO: 213 is the determined cDNA sequence for 8-b5rev
SEQ ID NO: 214 is the determined cDNA sequence for 8-b6fwd
SEQ ID NO: 215 is the determined cDNA sequence for 8-b6 rev
SEQ ID NO: 216 is the determined cDNA sequence for 8-d4fwd
SEQ ID NO: 217 is the determined cDNA sequence for 8-d9rev
SEQ ID NO: 218 is the determined cDNA sequence for 8-g3fwd
SEQ ID NO: 219 is the determined cDNA sequence for 8-g3rev
SEQ ID NO: 220 is the determined cDNA sequence for 8-h11rev
SEQ ID NO: 221 is the determined cDNA sequence for g-f12fwd
SEQ ID NO: 222 is the determined cDNA sequence for g-f3rev
SEQ ID NO: 223 is the determined cDNA sequence for P509S

SEQ ID NO: 224 is the determined cDNA sequence for P510S
SEQ ID NO: 225 is the determined cDNA sequence for P703DE5
SEQ ID NO: 226 is the determined cDNA sequence for 9-A11
SEQ ID NO: 227 is the determined cDNA sequence for 8-C6
SEQ ID NO: 228 is the determined cDNA sequence for 8-H7
SEQ ID NO: 229 is the determined cDNA sequence for JPTPN13
SEQ ID NO: 230 is the determined cDNA sequence for JPTPN14
SEQ ID NO: 231 is the determined cDNA sequence for JPTPN23
SEQ ID NO: 232 is the determined cDNA sequence for JPTPN24
SEQ ID NO: 233 is the determined cDNA sequence for JPTPN25
SEQ ID NO: 234 is the determined cDNA sequence for JPTPN30
SEQ ID NO: 235 is the determined cDNA sequence for JPTPN34
SEQ ID NO: 236 is the determined cDNA sequence for PTPN35
SEQ ID NO: 237 is the determined cDNA sequence for JPTPN36
SEQ ID NO: 238 is the determined cDNA sequence for JPTPN38
SEQ ID NO: 239 is the determined cDNA sequence for JPTPN39
SEQ ID NO: 240 is the determined cDNA sequence for JPTPN40
SEQ ID NO: 241 is the determined cDNA sequence for JPTPN41
SEQ ID NO: 242 is the determined cDNA sequence for JPTPN42
SEQ ID NO: 243 is the determined cDNA sequence for JPTPN45
SEQ ID NO: 244 is the determined cDNA sequence for JPTPN46
SEQ ID NO: 245 is the determined cDNA sequence for JPTPN51
SEQ ID NO: 246 is the determined cDNA sequence for JPTPN56
SEQ ID NO: 247 is the determined cDNA sequence for PTPN64
SEQ ID NO: 248 is the determined cDNA sequence for JPTPN65
SEQ ID NO: 249 is the determined cDNA sequence for JPTPN67
SEQ ID NO: 250 is the determined cDNA sequence for JPTPN76
SEQ ID NO: 251 is the determined cDNA sequence for JPTPN84
SEQ ID NO: 252 is the determined cDNA sequence for JPTPN85
SEQ ID NO: 253 is the determined cDNA sequence for JPTPN86
SEQ ID NO: 254 is the determined cDNA sequence for JPTPN87
SEQ ID NO: 255 is the determined cDNA sequence for JPTPN88
SEQ ID NO: 256 is the determined cDNA sequence for JP1F1
SEQ ID NO: 257 is the determined cDNA sequence for JP1F2
SEQ ID NO: 258 is the determined cDNA sequence for JP1C2
SEQ ID NO: 259 is the determined cDNA sequence for JP1B1
SEQ ID NO: 260 is the determined cDNA sequence for JP1B2

SEQ ID NO: 261 is the determined cDNA sequence for JP1D3
SEQ ID NO: 262 is the determined cDNA sequence for JP1A4
SEQ ID NO: 263 is the determined cDNA sequence for JP1F5
SEQ ID NO: 264 is the determined cDNA sequence for JP1E6
SEQ ID NO: 265 is the determined cDNA sequence for JP1D6
SEQ ID NO: 266 is the determined cDNA sequence for JP1B5
SEQ ID NO: 267 is the determined cDNA sequence for JP1A6
SEQ ID NO: 268 is the determined cDNA sequence for JP1E8
SEQ ID NO: 269 is the determined cDNA sequence for JP1D7
SEQ ID NO: 270 is the determined cDNA sequence for JP1D9
SEQ ID NO: 271 is the determined cDNA sequence for JP1C10
SEQ ID NO: 272 is the determined cDNA sequence for JP1A9
SEQ ID NO: 273 is the determined cDNA sequence for JP1F12
SEQ ID NO: 274 is the determined cDNA sequence for JP1E12
SEQ ID NO: 275 is the determined cDNA sequence for JP1D11
SEQ ID NO: 276 is the determined cDNA sequence for JP1C11
SEQ ID NO: 277 is the determined cDNA sequence for JP1C12
SEQ ID NO: 278 is the determined cDNA sequence for JP1B12
SEQ ID NO: 279 is the determined cDNA sequence for JP1A12
SEQ ID NO: 280 is the determined cDNA sequence for JP8G2
SEQ ID NO: 281 is the determined cDNA sequence for JP8H1
SEQ ID NO: 282 is the determined cDNA sequence for JP8H2
SEQ ID NO: 283 is the determined cDNA sequence for JP8A3
SEQ ID NO: 284 is the determined cDNA sequence for JP8A4
SEQ ID NO: 285 is the determined cDNA sequence for JP8C3
SEQ ID NO: 286 is the determined cDNA sequence for JP8G4
SEQ ID NO: 287 is the determined cDNA sequence for JP8B6
SEQ ID NO: 288 is the determined cDNA sequence for JP8D6
SEQ ID NO: 289 is the determined cDNA sequence for JP8F5
SEQ ID NO: 290 is the determined cDNA sequence for JP8A8
SEQ ID NO: 291 is the determined cDNA sequence for JP8C7
SEQ ID NO: 292 is the determined cDNA sequence for JP8D7
SEQ ID NO: 293 is the determined cDNA sequence for P8D8
SEQ ID NO: 294 is the determined cDNA sequence for JP8E7
SEQ ID NO: 295 is the determined cDNA sequence for JP8F8
SEQ ID NO: 296 is the determined cDNA sequence for JP8G8
SEQ ID NO: 297 is the determined cDNA sequence for JP8B10

SEQ ID NO: 298 is the determined cDNA sequence for JP8C10
SEQ ID NO: 299 is the determined cDNA sequence for JP8E9
SEQ ID NO: 300 is the determined cDNA sequence for JP8E10
SEQ ID NO: 301 is the determined cDNA sequence for JP8F9
SEQ ID NO: 302 is the determined cDNA sequence for JP8H9
SEQ ID NO: 303 is the determined cDNA sequence for JP8C12
SEQ ID NO: 304 is the determined cDNA sequence for JP8E11
SEQ ID NO: 305 is the determined cDNA sequence for JP8E12
SEQ ID NO: 306 is the amino acid sequence for the peptide PS2#12
SEQ ID NO: 307 is the determined cDNA sequence for P711P
SEQ ID NO: 308 is the determined cDNA sequence for P712P
SEQ ID NO: 309 is the determined cDNA sequence for CLONE23
SEQ ID NO: 310 is the determined cDNA sequence for P774P
SEQ ID NO: 311 is the determined cDNA sequence for P775P
SEQ ID NO: 312 is the determined cDNA sequence for P715P
SEQ ID NO: 313 is the determined cDNA sequence for P710P
SEQ ID NO: 314 is the determined cDNA sequence for P767P
SEQ ID NO: 315 is the determined cDNA sequence for P768P
SEQ ID NO: 316-325 are the determined cDNA sequences of previously isolated genes
SEQ ID NO: 326 is the determined cDNA sequence for P703PDE5
SEQ ID NO: 327 is the predicted amino acid sequence for P703PDE5
SEQ ID NO: 328 is the determined cDNA sequence for P703P6.26
SEQ ID NO: 329 is the predicted amino acid sequence for P703P6.26
SEQ ID NO: 330 is the determined cDNA sequence for P703PX-23
SEQ ID NO: 331 is the predicted amino acid sequence for P703PX-23
SEQ ID NO: 332 is the determined full length cDNA sequence for P509S
SEQ ID NO: 333 is the determined extended cDNA sequence for P707P (also referred to as 11-C9)
SEQ ID NO: 334 is the determined cDNA sequence for P714P
SEQ ID NO: 335 is the determined cDNA sequence for P705P (also referred to as 9-F3)
SEQ ID NO: 336 is the predicted amino acid sequence for P705P
SEQ ID NO: 337 is the amino acid sequence of the peptide P1S#10
SEQ ID NO: 338 is the amino acid sequence of the peptide p5
SEQ ID NO: 339 is the predicted amino acid sequence of P509S
SEQ ID NO: 340 is the determined cDNA sequence for P778P
SEQ ID NO: 341 is the determined cDNA sequence for P786P
SEQ ID NO: 342 is the determined cDNA sequence for P789P

SEQ ID NO: 343 is the determined cDNA sequence for a clone showing homology to Homo sapiens MM46 mRNA

SEQ ID NO: 344 is the determined cDNA sequence for a clone showing homology to Homo sapiens TNF-alpha stimulated ABC protein (ABC50) mRNA

SEQ ID NO: 345 is the determined cDNA sequence for a clone showing homology to Homo sapiens mRNA for E-cadherin

SEQ ID NO: 346 is the determined cDNA sequence for a clone showing homology to Human nuclear-encoded mitochondrial serine hydroxymethyltransferase (SHMT)

SEQ ID NO: 347 is the determined cDNA sequence for a clone showing homology to Homo sapiens natural resistance-associated macrophage protein2 (NRAMP2)

SEQ ID NO: 348 is the determined cDNA sequence for a clone showing homology to Homo sapiens phosphoglucomutase-related protein (PGMRP)

SEQ ID NO: 349 is the determined cDNA sequence for a clone showing homology to Human mRNA for proteasome subunit p40

SEQ ID NO: 350 is the determined cDNA sequence for P777P

SEQ ID NO: 351 is the determined cDNA sequence for P779P

SEQ ID NO: 352 is the determined cDNA sequence for P790P

SEQ ID NO: 353 is the determined cDNA sequence for P784P

SEQ ID NO: 354 is the determined cDNA sequence for P776P

SEQ ID NO: 355 is the determined cDNA sequence for P780P

SEQ ID NO: 356 is the determined cDNA sequence for P544S

SEQ ID NO: 357 is the determined cDNA sequence for P745S

SEQ ID NO: 358 is the determined cDNA sequence for P782P

SEQ ID NO: 359 is the determined cDNA sequence for P783P

SEQ ID NO: 360 is the determined cDNA sequence for unknown 17984

SEQ ID NO: 361 is the determined cDNA sequence for P787P

SEQ ID NO: 362 is the determined cDNA sequence for P788P

SEQ ID NO: 363 is the determined cDNA sequence for unknown 17994

SEQ ID NO: 364 is the determined cDNA sequence for P781P

SEQ ID NO: 365 is the determined cDNA sequence for P785P

SEQ ID NO: 366-375 are the determined cDNA sequences for splice variants of B305D.

SEQ ID NO: 376 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 366.

SEQ ID NO: 377 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 372.

SEQ ID NO: 378 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 373.

SEQ ID NO: 379 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 374.

SEQ ID NO: 380 is the predicted amino acid sequence encoded by the sequence of SEQ ID NO: 375.

SEQ ID NO: 381 is the determined cDNA sequence for B716P.

SEQ ID NO: 382 is the determined full-length cDNA sequence for P711P.

SEQ ID NO: 383 is the predicted amino acid sequence for P711P.

SEQ ID NO: 384 is the cDNA sequence for P1000C.

SEQ ID NO: 385 is the cDNA sequence for CGI-82.

SEQ ID NO:386 is the cDNA sequence for 23320.

SEQ ID NO:387 is the cDNA sequence for CGI-69.

SEQ ID NO:388 is the cDNA sequence for L-idoitol-2-dehydrogenase.

SEQ ID NO:389 is the cDNA sequence for 23379.

SEQ ID NO:390 is the cDNA sequence for 23381.

SEQ ID NO:391 is the cDNA sequence for KIAA0122.

SEQ ID NO:392 is the cDNA sequence for 23399.

SEQ ID NO:393 is the cDNA sequence for a previously identified gene.

SEQ ID NO:394 is the cDNA sequence for HCLBP.

SEQ ID NO:395 is the cDNA sequence for transglutaminase.

SEQ ID NO:396 is the cDNA sequence for a previously identified gene.

SEQ ID NO:397 is the cDNA sequence for PAP.

SEQ ID NO:398 is the cDNA sequence for Ets transcription factor PDEF.

SEQ ID NO:399 is the cDNA sequence for hTGR.

SEQ ID NO:400 is the cDNA sequence for KIAA0295.

SEQ ID NO:401 is the cDNA sequence for 22545.

SEQ ID NO:402 is the cDNA sequence for 22547.

SEQ ID NO:403 is the cDNA sequence for 22548.

SEQ ID NO:404 is the cDNA sequence for 22550.

SEQ ID NO:405 is the cDNA sequence for 22551.

SEQ ID NO:406 is the cDNA sequence for 22552.

SEQ ID NO:407 is the cDNA sequence for 22553.

SEQ ID NO:408 is the cDNA sequence for 22558.

SEQ ID NO:409 is the cDNA sequence for 22562.

SEQ ID NO:410 is the cDNA sequence for 22565.

SEQ ID NO:411 is the cDNA sequence for 22567.

SEQ ID NO:412 is the cDNA sequence for 22568.

SEQ ID NO:413 is the cDNA sequence for 22570.

SEQ ID NO:414 is the cDNA sequence for 22571.
SEQ ID NO:415 is the cDNA sequence for 22572.
SEQ ID NO:416 is the cDNA sequence for 22573.
SEQ ID NO:417 is the cDNA sequence for 22573.
SEQ ID NO:418 is the cDNA sequence for 22575.
SEQ ID NO:419 is the cDNA sequence for 22580.
SEQ ID NO:420 is the cDNA sequence for 22581.
SEQ ID NO:421 is the cDNA sequence for 22582.
SEQ ID NO:422 is the cDNA sequence for 22583.
SEQ ID NO:423 is the cDNA sequence for 22584.
SEQ ID NO:424 is the cDNA sequence for 22585.
SEQ ID NO:425 is the cDNA sequence for 22586.
SEQ ID NO:426 is the cDNA sequence for 22587.
SEQ ID NO:427 is the cDNA sequence for 22588.
SEQ ID NO:428 is the cDNA sequence for 22589.
SEQ ID NO:429 is the cDNA sequence for 22590.
SEQ ID NO:430 is the cDNA sequence for 22591.
SEQ ID NO:431 is the cDNA sequence for 22592.
SEQ ID NO:432 is the cDNA sequence for 22593.
SEQ ID NO:433 is the cDNA sequence for 22594.
SEQ ID NO:434 is the cDNA sequence for 22595.
SEQ ID NO:435 is the cDNA sequence for 22596.
SEQ ID NO:436 is the cDNA sequence for 22847.
SEQ ID NO:437 is the cDNA sequence for 22848.
SEQ ID NO:438 is the cDNA sequence for 22849.
SEQ ID NO:439 is the cDNA sequence for 22851.
SEQ ID NO:440 is the cDNA sequence for 22852.
SEQ ID NO:441 is the cDNA sequence for 22853.
SEQ ID NO:442 is the cDNA sequence for 22854.
SEQ ID NO:443 is the cDNA sequence for 22855.
SEQ ID NO:444 is the cDNA sequence for 22856.
SEQ ID NO:445 is the cDNA sequence for 22857.
SEQ ID NO:446 is the cDNA sequence for 23601.
SEQ ID NO:447 is the cDNA sequence for 23602.
SEQ ID NO:448 is the cDNA sequence for 23605.
SEQ ID NO:449 is the cDNA sequence for 23606.
SEQ ID NO:450 is the cDNA sequence for 23612.

SEQ ID NO:451 is the cDNA sequence for 23614.
SEQ ID NO:452 is the cDNA sequence for 23618.
SEQ ID NO:453 is the cDNA sequence for 23622.
SEQ ID NO:454 is the cDNA sequence for folate hydrolase.
SEQ ID NO:455 is the cDNA sequence for LIM protein.
SEQ ID NO:456 is the cDNA sequence for a known gene.
SEQ ID NO:457 is the cDNA sequence for a known gene.
SEQ ID NO:458 is the cDNA sequence for a previously identified gene.
SEQ ID NO:459 is the cDNA sequence for 23045.
SEQ ID NO:460 is the cDNA sequence for 23032.
SEQ ID NO:461 is the cDNA sequence for 23054.
SEQ ID NOs:462-467 are cDNA sequences for known genes.
SEQ ID NOs:468-471 are cDNA sequences for P710P.
SEQ ID NO:472 is a cDNA sequence for P1001C.

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer. The compositions described herein may include prostate tumor polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (e.g., T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic portion) of a prostate tumor protein or a variant thereof. A "prostate tumor protein" is a protein that is expressed in prostate tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a normal tissue, as determined using a representative assay provided herein. Certain prostate tumor proteins are tumor proteins that react detectably (within an immunoassay, such as an ELISA or Western blot) with antisera of a patient afflicted with prostate cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery of human prostate tumor proteins. Sequences of polynucleotides encoding certain tumor proteins, or portions thereof, are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472. Sequences of polypeptides comprising at least a portion of a tumor protein are provided in SEQ ID NOs:112-114, 172, 176, 178, 327, 329, 331, 336, 339, 376-380 and 383.

PROSTATE TUMOR PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a prostate tumor protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a prostate tumor protein. More preferably, a polynucleotide encodes an immunogenic portion of a prostate tumor protein. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a prostate tumor protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the encoded polypeptide is not diminished, relative to a native tumor protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native prostate tumor protein or a portion thereof.

Two polynucleotide or polypeptide sequences are said to be "identical" if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A "comparison window" as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50,

in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) Unified Approach to Alignment and Phylogenesis pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad. Sci. USA* 80:726-730.

Preferably, the “percentage of sequence identity” is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (*i.e.*, gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (*i.e.*, the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native prostate tumor protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to

the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that is at least five fold greater in a prostate tumor than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as prostate tumor cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

An amplified portion may be used to isolate a full length gene from a suitable library (*e.g.*, a prostate tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (*e.g.*, by nick-translation or end-labeling with ^{32}P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (*see* Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using

standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids. Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs may be used to generate a contiguous full length sequence.

Certain nucleic acid sequences of cDNA molecules encoding at least a portion of a prostate tumor protein are provided in SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472. Isolation of these

polynucleotides is described below. Each of these prostate tumor proteins was overexpressed in prostate tumor tissue.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a prostate tumor protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (e.g., by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a prostate tumor polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a tumor protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In Huber and Carr, Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (e.g., promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such

as inosine, queosine and wybutosine, as well as acetyl-, methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (*e.g.*, avian pox virus). Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

PROSTATE TUMOR POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a prostate tumor protein or a variant thereof, as described herein. As noted above, a "prostate tumor protein" is a protein that is expressed by prostate tumor cells. Proteins that are prostate tumor proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with prostate cancer. Polypeptides as described herein may be of any length. Additional sequences derived from

the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of a protein that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a prostate tumor protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may contain a small N- and/or C-terminal deletion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native prostate tumor protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ¹²⁵I-labeled Protein A.

As noted above, a composition may comprise a variant of a native prostate tumor protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native prostate tumor protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide is not substantially diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein.

Preferred variants include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein. Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydrophathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydrophathic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (*e.g.*, poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast and higher eukaryotic cells. Preferably, the host cells employed are

E. coli, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at least one polypeptide as described herein and an unrelated sequence, such as a known tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into

the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see*, for example, Stoute et al. *New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza* B (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as

amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

BINDING AGENTS

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to a prostate tumor protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a prostate tumor protein if it reacts at a detectable level (within, for example, an ELISA) with a prostate tumor protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about 10^3 L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as prostate cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a prostate tumor protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (*e.g.*, blood, sera, urine and/or tumor biopsies) from

patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. See, e.g., Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (e.g., mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (i.e., reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient

time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and

thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a prostate tumor protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the CEPRATE™ system, available from CellPro Inc., Bothell WA (*see also* U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a prostate tumor polypeptide, polynucleotide encoding a prostate tumor polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a prostate tumor polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a prostate tumor polypeptide if the T cells kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell proliferation can be detected by measuring an increased rate of DNA synthesis (*e.g.*, by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a prostate tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (*e.g.*, TNF or IFN-γ) is indicative of T cell activation (*see* Coligan et al., *Current Protocols in Immunology*, vol. 1, Wiley Interscience

(Greene 1998)). T cells that have been activated in response to a prostate tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4⁺ and/or CD8⁺. Prostate tumor protein-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4⁺ or CD8⁺ T cells that proliferate in response to a prostate tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a prostate tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a prostate tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of a prostate tumor protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and a non-specific immune response enhancer. A non-specific immune response enhancer may be any substance that enhances an immune response to an exogenous antigen. Examples of non-specific immune response enhancers include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998,

and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl. Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) and/or

preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of non-specific immune response enhancers may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- γ , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6, IL-10 and TNF- β) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt. MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT; see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555. Another preferred adjuvant is a saponin, preferably QS21, which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is

quenched with cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210. Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient.

The compositions described herein may be administered as part of a sustained release formulation (*i.e.*, a formulation such as a capsule or sponge that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained within a reservoir surrounded by a rate controlling membrane. Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (*see* Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*) and based on the lack of differentiation markers of B cells (CD19 and CD20), T cells (CD3), monocytes (CD14) and natural killer cells (CD56), as determined using standard assays. Dendritic cells may, of course, be engineered to express specific cell-

surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (*see* Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood, bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc γ receptor, mannose receptor and DEC-205 marker. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80 and CD86).

APCs may generally be transfected with a polynucleotide encoding a prostate tumor protein (or portion or other variant thereof) such that the prostate tumor polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the prostate tumor polypeptide, DNA (naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that

provides T cell help (e.g., a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as prostate cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8⁺ cytotoxic T lymphocytes and CD4⁺ T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein

may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example, antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see, for example, Cheever et al., Immunological Reviews 157:177, 1997*).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 100 μ g to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such

a response can be monitored by establishing an improved clinical outcome (e.g., more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a prostate tumor protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or more prostate tumor proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as prostate cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, a prostate tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. *See, e.g.,* Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding

agent. Suitable polypeptides for use within such assays include full length prostate tumor proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 μ g, and preferably about 100 ng to about 1 μ g, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.*, Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody. Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with prostate cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of a cancer, such as prostate cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred

embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent. Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use prostate tumor polypeptides to

detect antibodies that bind to such polypeptides in a biological sample. The detection of such prostate tumor protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a prostate tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4⁺ and/or CD8⁺ T cells isolated from a patient is incubated with a prostate tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with prostate tumor polypeptide (*e.g.*, 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of prostate tumor polypeptide to serve as a control. For CD4⁺ T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8⁺ T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a prostate tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a prostate tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (*i.e.*, hybridizes to) a polynucleotide encoding the prostate tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a prostate tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%, preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a prostate tumor protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers

comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NO: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375 and 381. Techniques for both PCR based assays and hybridization assays are well known in the art (*see, for example, Mullis et al., Cold Spring Harbor Symp. Quant. Biol., 51:263, 1987; Erlich ed., PCR Technology, Stockton Press, NY, 1989*).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor. One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple prostate tumor protein markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins provided herein may be combined with assays for other known tumor antigens.

DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a prostate tumor protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding a prostate tumor protein in a biological sample. Such kits generally comprise at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a prostate tumor protein. Such an oligonucleotide may be used, for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a prostate tumor protein.

The following Examples are offered by way of illustration and not by way of limitation.

EXAMPLES

EXAMPLE 1

ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES

This Example describes the isolation of certain prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library was constructed from prostate tumor poly A⁺ RNA using a Superscript Plasmid System for cDNA Synthesis and Plasmid Cloning kit (BRL Life Technologies, Gaithersburg, MD 20897) following the manufacturer's protocol. Specifically, prostate tumor tissues were homogenized with polytron (Kinematica, Switzerland) and total RNA was extracted using Trizol reagent (BRL Life Technologies) as directed by the manufacturer. The poly A⁺ RNA was then purified using a Qiagen oligotex spin column mRNA purification kit (Qiagen, Santa Clarita, CA 91355) according to the manufacturer's protocol. First-strand cDNA was synthesized using the NotI/Oligo-dT18 primer. Double-stranded cDNA was synthesized, ligated with EcoRI/BAXI adaptors (Invitrogen, San Diego, CA) and digested with NotI. Following size fractionation with Chroma Spin-1000 columns (Clontech, Palo Alto, CA), the cDNA was ligated into the EcoRI/NotI site of pCDNA3.1 (Invitrogen) and transformed into ElectroMax *E. coli* DH10B cells (BRL Life Technologies) by electroporation.

Using the same procedure, a normal human pancreas cDNA expression library was prepared from a pool of six tissue specimens (Clontech). The cDNA libraries were characterized by determining the number of independent colonies, the percentage of clones that carried insert, the average insert size and by sequence analysis. The prostate tumor library contained 1.64×10^7 independent colonies, with 70% of clones having an insert and the average insert size being 1745 base pairs. The normal pancreas cDNA library contained 3.3×10^6 independent colonies, with 69% of clones having inserts and the average insert size being 1120 base pairs. For both libraries, sequence analysis showed that the majority of clones had a full length cDNA sequence and were synthesized from mRNA, with minimal rRNA and mitochondrial DNA contamination.

cDNA library subtraction was performed using the above prostate tumor and normal pancreas cDNA libraries, as described by Hara *et al.* (*Blood*, 84:189-199, 1994) with some modifications. Specifically, a prostate tumor-specific subtracted cDNA library was generated as follows. Normal pancreas cDNA library (70 µg) was digested with EcoRI, NotI, and SfuI, followed by a filling-in reaction with DNA polymerase Klenow fragment. After phenol-chloroform extraction and ethanol precipitation, the DNA was dissolved in 100 µl of

H₂O, heat-denatured and mixed with 100 µl (100 µg) of Photoprobe biotin (Vector Laboratories, Burlingame, CA). As recommended by the manufacturer, the resulting mixture was irradiated with a 270 W sunlamp on ice for 20 minutes. Additional Photoprobe biotin (50 µl) was added and the biotinylation reaction was repeated. After extraction with butanol five times, the DNA was ethanol-precipitated and dissolved in 23 µl H₂O to form the driver DNA.

To form the tracer DNA, 10 µg prostate tumor cDNA library was digested with BamHI and XhoI, phenol chloroform extracted and passed through Chroma spin-400 columns (Clontech). Following ethanol precipitation, the tracer DNA was dissolved in 5 µl H₂O. Tracer DNA was mixed with 15 µl driver DNA and 20 µl of 2 x hybridization buffer (1.5 M NaCl/10 mM EDTA/50 mM HEPES pH 7.5/0.2% sodium dodecyl sulfate), overlaid with mineral oil, and heat-denatured completely. The sample was immediately transferred into a 68 °C water bath and incubated for 20 hours (long hybridization [LH]). The reaction mixture was then subjected to a streptavidin treatment followed by phenol/chloroform extraction. This process was repeated three more times. Subtracted DNA was precipitated, dissolved in 12 µl H₂O, mixed with 8 µl driver DNA and 20 µl of 2 x hybridization buffer, and subjected to a hybridization at 68 °C for 2 hours (short hybridization [SH]). After removal of biotinylated double-stranded DNA, subtracted cDNA was ligated into BamHI/XhoI site of chloramphenicol resistant pBCSK⁺ (Stratagene, La Jolla, CA 92037) and transformed into ElectroMax *E. coli* DH10B cells by electroporation to generate a prostate tumor specific subtracted cDNA library (referred to as "prostate subtraction 1").

To analyze the subtracted cDNA library, plasmid DNA was prepared from 100 independent clones, randomly picked from the subtracted prostate tumor specific library and grouped based on insert size. Representative cDNA clones were further characterized by DNA sequencing with a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A (Foster City, CA). Six cDNA clones, hereinafter referred to as F1-13, F1-12, F1-16, H1-1, H1-9 and H1-4, were shown to be abundant in the subtracted prostate-specific cDNA library. The determined 3' and 5' cDNA sequences for F1-12 are provided in SEQ ID NO: 2 and 3, respectively, with determined 3' cDNA sequences for F1-13, F1-16, H1-1, H1-9 and H1-4 being provided in SEQ ID NO: 1 and 4-7, respectively.

The cDNA sequences for the isolated clones were compared to known sequences in the gene bank using the EMBL and GenBank databases (release 96). Four of the prostate tumor cDNA clones, F1-13, F1-16, H1-1, and H1-4, were determined to encode the following previously identified proteins: prostate specific antigen (PSA), human glandular kallikrein, human tumor expression enhanced gene, and mitochondria cytochrome C oxidase subunit II. H1-9 was found to be identical to a previously identified human

autonomously replicating sequence. No significant homologies to the cDNA sequence for F1-12 were found.

Subsequent studies led to the isolation of a full-length cDNA sequence for F1-12. This sequence is provided in SEQ ID NO: 107, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 108.

To clone less abundant prostate tumor specific genes, cDNA library subtraction was performed by subtracting the prostate tumor cDNA library described above with the normal pancreas cDNA library and with the three most abundant genes in the previously subtracted prostate tumor specific cDNA library: human glandular kallikrein, prostate specific antigen (PSA), and mitochondria cytochrome C oxidase subunit II. Specifically, 1 µg each of human glandular kallikrein, PSA and mitochondria cytochrome C oxidase subunit II cDNAs in pCDNA3.1 were added to the driver DNA and subtraction was performed as described above to provide a second subtracted cDNA library hereinafter referred to as the "subtracted prostate tumor specific cDNA library with spike".

Twenty-two cDNA clones were isolated from the subtracted prostate tumor specific cDNA library with spike. The determined 3' and 5' cDNA sequences for the clones referred to as J1-17, L1-12, N1-1862, J1-13, J1-19, J1-25, J1-24, K1-58, K1-63, L1-4 and L1-14 are provided in SEQ ID NOS: 8-9, 10-11, 12-13, 14-15, 16-17, 18-19, 20-21, 22-23, 24-25, 26-27 and 28-29, respectively. The determined 3' cDNA sequences for the clones referred to as J1-12, J1-16, J1-21, K1-48, K1-55, L1-2, L1-6, N1-1858, N1-1860, N1-1861, N1-1864 are provided in SEQ ID NOS: 30-40, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to three of the five most abundant DNA species, (J1-17, L1-12 and N1-1862; SEQ ID NOS: 8-9, 10-11 and 12-13, respectively). Of the remaining two most abundant species, one (J1-12; SEQ ID NO:30) was found to be identical to the previously identified human pulmonary surfactant-associated protein, and the other (K1-48; SEQ ID NO:33) was determined to have some homology to *R. norvegicus* mRNA for 2-arylpropionyl-CoA epimerase. Of the 17 less abundant cDNA clones isolated from the subtracted prostate tumor specific cDNA library with spike, four (J1-16, K1-55, L1-6 and N1-1864; SEQ ID NOS:31, 34, 36 and 40, respectively) were found to be identical to previously identified sequences, two (J1-21 and N1-1860; SEQ ID NOS: 32 and 38, respectively) were found to show some homology to non-human sequences, and two (L1-2 and N1-1861; SEQ ID NOS: 35 and 39, respectively) were found to show some homology to known human sequences. No significant homologies were found to the polypeptides J1-13, J1-19, J1-24, J1-25, K1-58, K1-63, L1-4, L1-14 (SEQ ID NOS: 14-15, 16-17, 20-21, 18-19, 22-23, 24-25, 26-27, 28-29, respectively).

Subsequent studies led to the isolation of full length cDNA sequences for J1-17, L1-12 and N1-1862 (SEQ ID NOS: 109-111, respectively). The corresponding predicted

amino acid sequences are provided in SEQ ID NOS: 112-114. L1-12 is also referred to as P501S.

In a further experiment, four additional clones were identified by subtracting a prostate tumor cDNA library with normal prostate cDNA prepared from a pool of three normal prostate poly A+ RNA (referred to as "prostate subtraction 2"). The determined cDNA sequences for these clones, hereinafter referred to as U1-3064, U1-3065, V1-3692 and 1A-3905, are provided in SEQ ID NO: 69-72, respectively. Comparison of the determined sequences with those in the gene bank revealed no significant homologies to U1-3065.

A second subtraction with spike (referred to as "prostate subtraction spike 2") was performed by subtracting a prostate tumor specific cDNA library with spike with normal pancreas cDNA library and further spiked with PSA, J1-17, pulmonary surfactant-associated protein, mitochondrial DNA, cytochrome c oxidase subunit II, N1-1862, autonomously replicating sequence, L1-12 and tumor expression enhanced gene. Four additional clones, hereinafter referred to as V1-3686, R1-2330, 1B-3976 and V1-3679, were isolated. The determined cDNA sequences for these clones are provided in SEQ ID NO: 73-76, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to V1-3686 and R1-2330.

Further analysis of the three prostate subtractions described above (prostate subtraction 2, subtracted prostate tumor specific cDNA library with spike, and prostate subtraction spike 2) resulted in the identification of sixteen additional clones, referred to as 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1G-4734, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4810, 1I-4811, 1J-4876, 1K-4884 and 1K-4896. The determined cDNA sequences for these clones are provided in SEQ ID NOS: 77-92, respectively. Comparison of these sequences with those in the gene bank as described above, revealed no significant homologies to 1G-4741, 1G-4734, 1I-4807, 1J-4876 and 1K-4896 (SEQ ID NOS: 79, 81, 87, 90 and 92, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4736, 1G-4738, 1G-4741, 1G-4744, 1H-4774, 1H-4781, 1H-4785, 1H-4787, 1H-4796, 1I-4807, 1J-4876, 1K-4884 and 1K-4896, provided in SEQ ID NOS: 179-188 and 191-193, respectively, and to the determination of additional partial cDNA sequences for 1I-4810 and 1I-4811, provided in SEQ ID NOS: 189 and 190, respectively.

Additional studies with prostate subtraction spike 2 resulted in the isolation of three more clones. Their sequences were determined as described above and compared to the most recent GenBank. All three clones were found to have homology to known genes, which are Cysteine-rich protein, KIAA0242, and KIAA0280 (SEQ ID NO: 317, 319, and 320, respectively). Further analysis of these clones by Synteni microarray (Synteni, Palo Alto, CA) demonstrated that all three clones were over-expressed in most prostate tumors and

prostate BPH, as well as in the majority of normal prostate tissues tested, but low expression in all other normal tissues.

An additional subtraction was performed by subtracting a normal prostate cDNA library with normal pancreas cDNA (referred to as "prostate subtraction 3"). This led to the identification of six additional clones referred to as 1G-4761, 1G-4762, 1H-4766, 1H-4770, 1H-4771 and 1H-4772 (SEQ ID NOS: 93-98). Comparison of these sequences with those in the gene bank revealed no significant homologies to 1G-4761 and 1H-4771 (SEQ ID NOS: 93 and 97, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1G-4761, 1G-4762, 1H-4766 and 1H-4772 provided in SEQ ID NOS: 194-196 and 199, respectively, and to the determination of additional partial cDNA sequences for 1H-4770 and 1H-4771, provided in SEQ ID NOS: 197 and 198, respectively.

Subtraction of a prostate tumor cDNA library, prepared from a pool of polyA+ RNA from three prostate cancer patients, with a normal pancreas cDNA library (prostate subtraction 4) led to the identification of eight clones, referred to as 1D-4297, 1D-4309, 1D.1-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280 (SEQ ID NOS: 99-107). These sequences were compared to those in the gene bank as described above. No significant homologies were found to 1D-4283 and 1D-4304 (SEQ ID NOS: 103 and 104, respectively). Further analysis of the isolated clones led to the determination of extended cDNA sequences for 1D-4309, 1D.1-4278, 1D-4288, 1D-4283, 1D-4304, 1D-4296 and 1D-4280, provided in SEQ ID NOS: 200-206, respectively.

cDNA clones isolated in prostate subtraction 1 and prostate subtraction 2, described above, were colony PCR amplified and their mRNA expression levels in prostate tumor, normal prostate and in various other normal tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification products were dotted onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. This intensity correlates with the hybridization intensity. Two clones (referred to as P509S and P510S) were found to be over-expressed in prostate tumor and normal prostate and expressed at low levels in all other normal tissues tested (liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon). The determined cDNA sequences for P509S and P510S are provided in SEQ ID NO: 223 and 224, respectively. Comparison of these sequences with those in the gene bank as described above, revealed some homology to previously identified ESTs.

Additional, studies led to the isolation of the full-length cDNA sequence for P509S. This sequence is provided in SEQ ID NO: 332, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 339.

EXAMPLE 2

DETERMINATION OF TISSUE SPECIFICITY OF PROSTATE TUMOR POLYPEPTIDES

Using gene specific primers, mRNA expression levels for the representative prostate tumor polypeptides F1-16, H1-1, J1-17 (also referred to as P502S), L1-12 (also referred to as P501S), F1-12 (also referred to as P504S) and N1-1862 (also referred to as P503S) were examined in a variety of normal and tumor tissues using RT-PCR.

Briefly, total RNA was extracted from a variety of normal and tumor tissues using Trizol reagent as described above. First strand synthesis was carried out using 1-2 μ g of total RNA with SuperScript II reverse transcriptase (BRL Life Technologies) at 42 °C for one hour. The cDNA was then amplified by PCR with gene-specific primers. To ensure the semi-quantitative nature of the RT-PCR, β -actin was used as an internal control for each of the tissues examined. First, serial dilutions of the first strand cDNAs were prepared and RT-PCR assays were performed using β -actin specific primers. A dilution was then chosen that enabled the linear range amplification of the β -actin template and which was sensitive enough to reflect the differences in the initial copy numbers. Using these conditions, the β -actin levels were determined for each reverse transcription reaction from each tissue. DNA contamination was minimized by DNase treatment and by assuring a negative PCR result when using first strand cDNA that was prepared without adding reverse transcriptase.

mRNA Expression levels were examined in four different types of tumor tissue (prostate tumor from 2 patients, breast tumor from 3 patients, colon tumor, lung tumor), and sixteen different normal tissues, including prostate, colon, kidney, liver, lung, ovary, pancreas, skeletal muscle, skin, stomach, testes, bone marrow and brain. F1-16 was found to be expressed at high levels in prostate tumor tissue, colon tumor and normal prostate, and at lower levels in normal liver, skin and testes, with expression being undetectable in the other tissues examined. H1-1 was found to be expressed at high levels in prostate tumor, lung tumor, breast tumor, normal prostate, normal colon and normal brain, at much lower levels in normal lung, pancreas, skeletal muscle, skin, small intestine, bone marrow, and was not detected in the other tissues tested. J1-17 (P502S) and L1-12 (P501S) appear to be specifically over-expressed in prostate, with both genes being expressed at high levels in prostate tumor and normal prostate but at low to undetectable levels in all the other tissues examined. N1-1862 (P503S) was found to be over-expressed in 60% of prostate tumors and detectable in normal colon and kidney. The RT-PCR results thus indicate that

F1-16, H1-1, J1-17 (P502S), N1-1862 (P503S) and L1-12 (P501S) are either prostate specific or are expressed at significantly elevated levels in prostate.

Further RT-PCR studies showed that F1-12 (P504S) is over-expressed in 60% of prostate tumors, detectable in normal kidney but not detectable in all other tissues tested. Similarly, R1-2330 was shown to be over-expressed in 40% of prostate tumors, detectable in normal kidney and liver, but not detectable in all other tissues tested. U1-3064 was found to be over-expressed in 60% of prostate tumors, and also expressed in breast and colon tumors, but was not detectable in normal tissues.

RT-PCR characterization of R1-2330, U1-3064 and 1D-4279 showed that these three antigens are over-expressed in prostate and/or prostate tumors.

Northern analysis with four prostate tumors, two normal prostate samples, two BPH prostates, and normal colon, kidney, liver, lung, pancreas, skeletal muscle, brain, stomach, testes, small intestine and bone marrow, showed that L1-12 (P501S) is over-expressed in prostate tumors and normal prostate, while being undetectable in other normal tissues tested. J1-17 (P502S) was detected in two prostate tumors and not in the other tissues tested. N1-1862 (P503S) was found to be over-expressed in three prostate tumors and to be expressed in normal prostate, colon and kidney, but not in other tissues tested. F1-12 (P504S) was found to be highly expressed in two prostate tumors and to be undetectable in all other tissues tested.

The microarray technology described above was used to determine the expression levels of representative antigens described herein in prostate tumor, breast tumor and the following normal tissues: prostate, liver, pancreas, skin, bone marrow, brain, breast, adrenal gland, bladder, testes, salivary gland, large intestine, kidney, ovary, lung, spinal cord, skeletal muscle and colon. L1-12 (P501S) was found to be over-expressed in normal prostate and prostate tumor, with some expression being detected in normal skeletal muscle. Both J1-12 and F1-12 (P504S) were found to be over-expressed in prostate tumor, with expression being lower or undetectable in all other tissues tested. N1-1862 (P503S) was found to be expressed at high levels in prostate tumor and normal prostate, and at low levels in normal large intestine and normal colon, with expression being undetectable in all other tissues tested. R1-2330 was found to be over-expressed in prostate tumor and normal prostate, and to be expressed at lower levels in all other tissues tested. 1D-4279 was found to be over-expressed in prostate tumor and normal prostate, expressed at lower levels in normal spinal cord, and to be undetectable in all other tissues tested.

Further microarray analysis to specifically address the extent to which P501S (SEQ ID NO: 110) was expressed in breast tumor revealed moderate over-expression not only in breast tumor, but also in metastatic breast tumor (2/31), with negligible to low expression

in normal tissues. This data suggests that P501S may be over-expressed in various breast tumors as well as in prostate tumors.

The expression levels of 32 ESTs (expressed sequence tags) described by Vasmatzis *et al.* (*Proc. Natl. Acad. Sci. USA* 95:300-304, 1998) in a variety of tumor and normal tissues were examined by microarray technology as described above. Two of these clones (referred to as P1000C and P1001C) were found to be over-expressed in prostate tumor and normal prostate, and expressed at low to undetectable levels in all other tissues tested (normal aorta, thymus, resting and activated PBMC, epithelial cells, spinal cord, adrenal gland, fetal tissues, skin, salivary gland, large intestine, bone marrow, liver, lung, dendritic cells, stomach, lymph nodes, brain, heart, small intestine, skeletal muscle, colon and kidney. The determined cDNA sequences for P1000C and P1001C are provided in SEQ ID NO: 384 and 472, respectively. The sequence of P1001C was found to show some homology to the previously isolated Human mRNA for JM27 protein. No significant homologies were found to the sequence of P1000C.

The expression of the polypeptide encoded by the full length cDNA sequence for F1-12 (also referred to as P504S; SEQ ID NO: 108) was investigated by immunohistochemical analysis. Rabbit-anti-P504S polyclonal antibodies were generated against the full length P504S protein by standard techniques. Subsequent isolation and characterization of the polyclonal antibodies were also performed by techniques well known in the art. Immunohistochemical analysis showed that the P504S polypeptide was expressed in 100% of prostate carcinoma samples tested (n=5).

The rabbit-anti-P504S polyclonal antibody did not appear to label benign prostate cells with the same cytoplasmic granular staining, but rather with light nuclear staining. Analysis of normal tissues revealed that the encoded polypeptide was found to be expressed in some, but not all normal human tissues. Positive cytoplasmic staining with rabbit-anti-P504S polyclonal antibody was found in normal human kidney, liver, brain, colon and lung-associated macrophages, whereas heart and bone marrow were negative.

This data indicates that the P504S polypeptide is present in prostate cancer tissues, and that there are qualitative and quantitative differences in the staining between benign prostatic hyperplasia tissues and prostate cancer tissues, suggesting that this polypeptide may be detected selectively in prostate tumors and therefore be useful in the diagnosis of prostate cancer.

EXAMPLE 3

ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA subtraction library, containing cDNA from normal prostate subtracted with ten other normal tissue cDNAs (brain, heart, kidney, liver, lung, ovary, placenta, skeletal muscle, spleen and thymus) and then submitted to a first round of PCR amplification, was purchased from Clontech. This library was subjected to a second round of PCR amplification, following the manufacturer's protocol. The resulting cDNA fragments were subcloned into the vector pT7 Blue T-vector (Novagen, Madison, WI) and transformed into XL-1 Blue MRF' *E. coli* (Stratagene). DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division Automated Sequencer Model 373A.

Fifty-nine positive clones were sequenced. Comparison of the DNA sequences of these clones with those in the gene bank, as described above, revealed no significant homologies to 25 of these clones, hereinafter referred to as P5, P8, P9, P18, P20, P30, P34, P36, P38, P39, P42, P49, P50, P53, P55, P60, P64, P65, P73, P75, P76, P79 and P84. The determined cDNA sequences for these clones are provided in SEQ ID NO: 41-45, 47-52 and 54-65, respectively. P29, P47, P68, P80 and P82 (SEQ ID NO: 46, 53 and 66-68, respectively) were found to show some degree of homology to previously identified DNA sequences. To the best of the inventors' knowledge, none of these sequences have been previously shown to be present in prostate.

Further studies using the PCR-based methodology described above resulted in the isolation of more than 180 additional clones, of which 23 clones were found to show no significant homologies to known sequences. The determined cDNA sequences for these clones are provided in SEQ ID NO: 115-123, 127, 131, 137, 145, 147-151, 153, 156-158 and 160. Twenty-three clones (SEQ ID NO: 124-126, 128-130, 132-136, 138-144, 146, 152, 154, 155 and 159) were found to show some homology to previously identified ESTs. An additional ten clones (SEQ ID NO: 161-170) were found to have some degree of homology to known genes. Larger cDNA clones containing the P20 sequence represent splice variants of a gene referred to as P703P. The determined DNA sequence for the variants referred to as DE1, DE13 and DE14 are provided in SEQ ID NOS: 171, 175 and 177, respectively, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 172, 176 and 178, respectively. The determined cDNA sequence for an extended spliced form of P703 is provided in SEQ ID NO: 225. The DNA sequences for the splice variants referred to as DE2 and DE6 are provided in SEQ ID NOS: 173 and 174, respectively.

mRNA Expression levels for representative clones in tumor tissues (prostate (n=5), breast (n=2), colon and lung) normal tissues (prostate (n=5), colon, kidney, liver, lung (n=2), ovary (n=2), skeletal muscle, skin, stomach, small intestine and brain), and activated

and non-activated PBMC was determined by RT-PCR as described above. Expression was examined in one sample of each tissue type unless otherwise indicated.

P9 was found to be highly expressed in normal prostate and prostate tumor compared to all normal tissues tested except for normal colon which showed comparable expression. P20, a portion of the P703P gene, was found to be highly expressed in normal prostate and prostate tumor, compared to all twelve normal tissues tested. A modest increase in expression of P20 in breast tumor (n=2), colon tumor and lung tumor was seen compared to all normal tissues except lung (1 of 2). Increased expression of P18 was found in normal prostate, prostate tumor and breast tumor compared to other normal tissues except lung and stomach. A modest increase in expression of P5 was observed in normal prostate compared to most other normal tissues. However, some elevated expression was seen in normal lung and PBMC. Elevated expression of P5 was also observed in prostate tumors (2 of 5), breast tumor and one lung tumor sample. For P30, similar expression levels were seen in normal prostate and prostate tumor, compared to six of twelve other normal tissues tested. Increased expression was seen in breast tumors, one lung tumor sample and one colon tumor sample, and also in normal PBMC. P29 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to the majority of normal tissues. However, substantial expression of P29 was observed in normal colon and normal lung (2 of 2). P80 was found to be over-expressed in prostate tumor (5 of 5) and normal prostate (5 of 5) compared to all other normal tissues tested, with increased expression also being seen in colon tumor.

Further studies resulted in the isolation of twelve additional clones, hereinafter referred to as 10-d8, 10-h10, 11-c8, 7-g6, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3, 8-h11, 9-f12 and 9-f3. The determined DNA sequences for 10-d8, 10-h10, 11-c8, 8-d4, 8-d9, 8-h11, 9-f12 and 9-f3 are provided in SEQ ID NO: 207, 208, 209, 216, 217, 220, 221 and 222, respectively. The determined forward and reverse DNA sequences for 7-g6, 8-b5, 8-b6 and 8-g3 are provided in SEQ ID NO: 210 and 211; 212 and 213; 214 and 215; and 218 and 219, respectively. Comparison of these sequences with those in the gene bank revealed no significant homologies to the sequence of 9-f3. The clones 10-d8, 11-c8 and 8-h11 were found to show some homology to previously isolated ESTs, while 10-h10, 8-b5, 8-b6, 8-d4, 8-d9, 8-g3 and 9-f12 were found to show some homology to previously identified genes. Further characterization of 7-G6 and 8-G3 showed identity to the known genes PAP and PSA, respectively.

mRNA expression levels for these clones were determined using the micro-array technology described above. The clones 7-G6, 8-G3, 8-B5, 8-B6, 8-D4, 8-D9, 9-F3, 9-F12, 9-H3, 10-A2, 10-A4, 11-C9 and 11-F2 were found to be over-expressed in prostate tumor and normal prostate, with expression in other tissues tested being low or undetectable.

Increased expression of 8-F11 was seen in prostate tumor and normal prostate, bladder, skeletal muscle and colon. Increased expression of 10-H10 was seen in prostate tumor and normal prostate, bladder, lung, colon, brain and large intestine. Increased expression of 9-B1 was seen in prostate tumor, breast tumor, and normal prostate, salivary gland, large intestine and skin, with increased expression of 11-C8 being seen in prostate tumor, and normal prostate and large intestine.

An additional cDNA fragment derived from the PCR-based normal prostate subtraction, described above, was found to be prostate specific by both micro-array technology and RT-PCR. The determined cDNA sequence of this clone (referred to as 9-A11) is provided in SEQ ID NO: 226. Comparison of this sequence with those in the public databases revealed 99% identity to the known gene HOXB13.

Further studies led to the isolation of the clones 8-C6 and 8-H7. The determined cDNA sequences for these clones are provided in SEQ ID NO: 227 and 228, respectively. These sequences were found to show some homology to previously isolated ESTs.

PCR and hybridization-based methodologies were employed to obtain longer cDNA sequences for clone P20 (also referred to as P703P), yielding three additional cDNA fragments that progressively extend the 5' end of the gene. These fragments, referred to as P703PDE5, P703P6.26, and P703PX-23 (SEQ ID NO: 326, 328 and 330, with the predicted corresponding amino acid sequences being provided in SEQ ID NO: 327, 329 and 331, respectively) contain additional 5' sequence. P703PDE5 was recovered by screening of a cDNA library (#141-26) with a portion of P703P as a probe. P703P6.26 was recovered from a mixture of three prostate tumor cDNAs and P703PX_23 was recovered from cDNA library (#438-48). Together, the additional sequences include all of the putative mature serine protease along with part of the putative signal sequence. Further studies using a PCR-based subtraction library of a prostate tumor pool subtracted against a pool of normal tissues (referred to as JP: PCR subtraction) resulted in the isolation of thirteen additional clones, seven of which did not share any significant homology to known GenBank sequences. The determined cDNA sequences for these seven clones (P711P, P712P, novel 23, P774P, P775P, P710P and P768P) are provided in SEQ ID NO: 307-311, 313 and 315, respectively. The remaining six clones (SEQ ID NO: 316 and 321-325) were shown to share some homology to known genes. By microarray analysis, all thirteen clones showed three or more fold over-expression in prostate tissues, including prostate tumors, BPH and normal prostate as compared to normal non-prostate tissues. Clones P711P, P712P, novel 23 and P768P showed over-expression in most prostate tumors and BPH tissues tested (n=29), and in the majority of normal prostate tissues (n=4), but background to low expression levels in all normal tissues.

Clones P774P, P775P and P710P showed comparatively lower expression and expression in fewer prostate tumors and BPH samples, with negative to low expression in normal prostate.

The full-length cDNA for P711P was obtained by employing the partial sequence of SEQ ID NO: 307 to screen a prostate cDNA library. Specifically, a directionally cloned prostate cDNA library was prepared using standard techniques. One million colonies of this library were plated onto LB/Amp plates. Nylon membrane filters were used to lift these colonies, and the cDNAs which were picked up by these filters were denatured and cross-linked to the filters by UV light. The P711P cDNA fragment of SEQ ID NO: 307 was radio-labeled and used to hybridize with these filters. Positive clones were selected, and cDNAs were prepared and sequenced using an automatic Perkin Elmer/Applied Biosystems sequencer. The determined full-length sequence of P711P is provided in SEQ ID NO: 382, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 383.

Using PCR and hybridization-based methodologies, additional cDNA sequence information was derived for two clones described above, 11-C9 and 9-F3, herein after referred to as P707P and P714P, respectively (SEQ ID NO: 333 and 334). After comparison with the most recent GenBank, P707P was found to be a splice variant of the known gene HoxB13. In contrast, no significant homologies to P714P were found.

Clones 8-B3, P89, P98, P130 and P201 (as disclosed in U.S. Patent Application No. 09/020,956, filed February 9, 1998) were found to be contained within one contiguous sequence, referred to as P705P (SEQ ID NO: 335, with the predicted amino acid sequence provided in SEQ ID NO: 336), which was determined to be a splice variant of the known gene NKX 3.1.

EXAMPLE 4

SYNTHESIS OF POLYPEPTIDES

Polypeptides may be synthesized on a Perkin Elmer/Applied Biosystems 430A peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following

lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

EXAMPLE 5

FURTHER ISOLATION AND CHARACTERIZATION OF PROSTATE TUMOR POLYPEPTIDES BY PCR-BASED SUBTRACTION

A cDNA library generated from prostate primary tumor mRNA as described above was subtracted with cDNA from normal prostate. The subtraction was performed using a PCR-based protocol (Clontech), which was modified to generate larger fragments. Within this protocol, tester and driver double stranded cDNA were separately digested with five restriction enzymes that recognize six-nucleotide restriction sites (MluI, MscI, PvuII, Sall and StuI). This digestion resulted in an average cDNA size of 600 bp, rather than the average size of 300 bp that results from digestion with RsaI according to the Clontech protocol. This modification did not affect the subtraction efficiency. Two tester populations were then created with different adapters, and the driver library remained without adapters.

The tester and driver libraries were then hybridized using excess driver cDNA. In the first hybridization step, driver was separately hybridized with each of the two tester cDNA populations. This resulted in populations of (a) unhybridized tester cDNAs, (b) tester cDNAs hybridized to other tester cDNAs, (c) tester cDNAs hybridized to driver cDNAs and (d) unhybridized driver cDNAs. The two separate hybridization reactions were then combined, and rehybridized in the presence of additional denatured driver cDNA. Following this second hybridization, in addition to populations (a) through (d), a fifth population (e) was generated in which tester cDNA with one adapter hybridized to tester cDNA with the second adapter. Accordingly, the second hybridization step resulted in enrichment of differentially expressed sequences which could be used as templates for PCR amplification with adaptor-specific primers.

The ends were then filled in, and PCR amplification was performed using adaptor-specific primers. Only population (e), which contained tester cDNA that did not hybridize to driver cDNA, was amplified exponentially. A second PCR amplification step was then performed, to reduce background and further enrich differentially expressed sequences.

This PCR-based subtraction technique normalizes differentially expressed cDNAs so that rare transcripts that are overexpressed in prostate tumor tissue may be recoverable. Such transcripts would be difficult to recover by traditional subtraction methods.

In addition to genes known to be overexpressed in prostate tumor, seventy-seven further clones were identified. Sequences of these partial cDNAs are provided in SEQ ID NO: 29 to 305. Most of these clones had no significant homology to database sequences. Exceptions were JPTPN23 (SEQ ID NO: 231; similarity to pig valosin-containing protein), JPTPN30 (SEQ ID NO: 234; similarity to rat mRNA for proteasome subunit), JPTPN45 (SEQ ID NO: 243; similarity to rat *norvegicus* cytosolic NADP-dependent isocitrate dehydrogenase), JPTPN46 (SEQ ID NO: 244; similarity to human subclone H8 4 d4 DNA sequence), JP1D6 (SEQ ID NO: 265; similarity to *G. gallus* dynein light chain-A), JP8D6 (SEQ ID NO: 288; similarity to human BAC clone RG016J04), JP8F5 (SEQ ID NO: 289; similarity to human subclone H8 3 b5 DNA sequence), and JP8E9 (SEQ ID NO: 299; similarity to human Alu sequence).

Additional studies using the PCR-based subtraction library consisting of a prostate tumor pool subtracted against a normal prostate pool (referred to as PT-PN PCR subtraction) yielded three additional clones. Comparison of the cDNA sequences of these clones with the most recent release of GenBank revealed no significant homologies to the two clones referred to as P715P and P767P (SEQ ID NO: 312 and 314). The remaining clone was found to show some homology to the known gene KIAA0056 (SEQ ID NO: 318). Using microarray analysis to measure mRNA expression levels in various tissues, all three clones were found to be over-expressed in prostate tumors and BPH tissues. Specifically, clone P715P was over-expressed in most prostate tumors and BPH tissues by a factor of three or greater, with elevated expression seen in the majority of normal prostate samples and in fetal tissue, but negative to low expression in all other normal tissues. Clone P767P was over-expressed in several prostate tumors and BPH tissues, with moderate expression levels in half of the normal prostate samples, and background to low expression in all other normal tissues tested.

Further analysis, by microarray as described above, of the PT-PN PCR subtraction library and of a DNA subtraction library containing cDNA from prostate tumor subtracted with a pool of normal tissue cDNAs, led to the isolation of 27 additional clones (SEQ ID NO: 340-365 and 381) which were determined to be over-expressed in prostate tumor. The clones of SEQ ID NO: 341, 342, 345, 347, 348, 349, 351, 355-359, 361, 362 and 364 were also found to be expressed in normal prostate. Expression of all 26 clones in a variety of normal tissues was found to be low or undetectable, with the exception of P544S (SEQ ID NO: 356) which was found to be expressed in small intestine. Of the 26 clones, 10 (SEQ ID NO: 340-349) were found to show some homology to previously identified sequences. No significant homologies were found to the clones of SEQ ID NO: 350-365.

EXAMPLE 6

PEPTIDE PRIMING OF MICE AND PROPAGATION OF CTL LINES

6.1. This Example illustrates the preparation of a CTL cell line specific for cells expressing the P502S gene.

Mice expressing the transgene for human HLA A2.1 (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with P2S#12 peptide (VLGWVAEL; SEQ ID NO: 306), which is derived from the P502S gene (also referred to herein as J1-17, SEQ ID NO: 8), as described by Theobald et al., *Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995 with the following modifications. Mice were immunized with 100µg of P2S#12 and 120µg of an I-A^b binding peptide derived from hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and using a nylon mesh single cell suspensions prepared. Cells were then resuspended at 6×10^6 cells/ml in complete media (RPMI-1640; Gibco BRL, Gaithersburg, MD) containing 10% FCS, 2mM Glutamine (Gibco BRL), sodium pyruvate (Gibco BRL), non-essential amino acids (Gibco BRL), 2×10^{-5} M 2-mercaptoethanol, 50U/ml penicillin and streptomycin, and cultured in the presence of irradiated (3000 rads) P2S#12-pulsed (5mg/ml P2S#12 and 10mg/ml β 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7µg/ml dextran sulfate and 25µg/ml LPS for 3 days). Six days later, cells (5×10^5 /ml) were restimulated with 2.5×10^6 /ml peptide pulsed irradiated (20,000 rads) EL4A2Kb cells (Sherman et al, *Science* 258:815-818, 1992) and 3×10^6 /ml A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20U/ml IL-2. Cells continued to be restimulated on a weekly basis as described, in preparation for cloning the line.

P2S#12 line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells (1×10^4 cells/ well) as stimulators and A2 transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were

restimulated as before. On day 21, clones that were growing were isolated and maintained in culture. Several of these clones demonstrated significantly higher reactivity (lysis) against human fibroblasts (HLA A2.1 expressing) transduced with P502S than against control fibroblasts. An example is presented in Figure 1.

This data indicates that P2S #12 represents a naturally processed epitope of the P502S protein that is expressed in the context of the human HLA A2.1 molecule.

6.2. This Example illustrates the preparation of murine CTL lines and CTL clones specific for cells expressing the P501S gene.

This series of experiments were performed similarly to that described above. Mice were immunized with the P1S#10 peptide (SEQ ID NO: 337), which is derived from the P501S gene (also referred to herein as L1-12, SEQ ID NO: 110). The P1S#10 peptide was derived by analysis of the predicted polypeptide sequence for P501S for potential HLA-A2 binding sequences as defined by published HLA-A2 binding motifs (Parker, KC, *et al*, *J. Immunol.*, 152:163, 1994). P1S#10 peptide was synthesized as described in Example 4, and empirically tested for HLA-A2 binding using a T cell based competition assay. Predicted A2 binding peptides were tested for their ability to compete HLA-A2 specific peptide presentation to an HLA-A2 restricted CTL clone (D150M58), which is specific for the HLA-A2 binding influenza matrix peptide fluM58. D150M58 CTL secretes TNF in response to self-presentation of peptide fluM58. In the competition assay, test peptides at 100-200 $\mu\text{g/ml}$ were added to cultures of D150M58 CTL in order to bind HLA-A2 on the CTL. After thirty minutes, CTL cultured with test peptides, or control peptides, were tested for their antigen dose response to the fluM58 peptide in a standard TNF bioassay. As shown in Figure 3, peptide P1S#10 competes HLA-A2 restricted presentation of fluM58, demonstrating that peptide P1S#10 binds HLA-A2.

Mice expressing the transgene for human HLA A2.1 were immunized as described by Theobald et al. (*Proc. Natl. Acad. Sci. USA* 92:11993-11997, 1995) with the following modifications. Mice were immunized with 62.5 μg of P1S #10 and 120 μg of an I-A^b binding peptide derived from Hepatitis B Virus protein emulsified in incomplete Freund's adjuvant. Three weeks later these mice were sacrificed and single cell suspensions prepared using a nylon mesh. Cells were then resuspended at 6×10^6 cells/ml in complete media (as described above) and cultured in the presence of irradiated (3000 rads) P1S#10-pulsed (2 $\mu\text{g/ml}$ P1S#10 and 10mg/ml β 2-microglobulin) LPS blasts (A2 transgenic spleens cells cultured in the presence of 7 $\mu\text{g/ml}$ dextran sulfate and 25 $\mu\text{g/ml}$ LPS for 3 days). Six days later cells ($5 \times 10^5/\text{ml}$) were restimulated with $2.5 \times 10^6/\text{ml}$ peptide-pulsed irradiated (20,000 rads) EL4A2Kb cells, as described above, and $3 \times 10^6/\text{ml}$ A2 transgenic spleen feeder cells. Cells were cultured in the presence of 20 U/ml IL-2. Cells were restimulated on a weekly

basis in preparation for cloning. After three rounds of *in vitro* stimulations, one line was generated that recognized P1S#10-pulsed Jurkat A2Kb targets and P501S-transduced Jurkat targets as shown in Figure 4.

A P1S#10-specific CTL line was cloned by limiting dilution analysis with peptide pulsed EL4 A2Kb tumor cells (1×10^4 cells/ well) as stimulators and A2 transgenic spleen cells as feeders (5×10^5 cells/ well) grown in the presence of 30U/ml IL-2. On day 14, cells were restimulated as before. On day 21, viable clones were isolated and maintained in culture. As shown in Figure 5, five of these clones demonstrated specific cytolytic reactivity against P501S-transduced Jurkat A2Kb targets. This data indicates that P1S#10 represents a naturally processed epitope of the P501S protein that is expressed in the context of the human HLA-A2.1 molecule.

EXAMPLE 7

ABILITY OF HUMAN T CELLS TO RECOGNIZE PROSTATE TUMOR POLYPEPTIDES

This Example illustrates the ability of T cells specific for a prostate tumor polypeptide to recognize human tumor.

Human CD8⁺ T cells were primed *in vitro* to the P2S-12 peptide (SEQ ID NO: 306) derived from P502S (also referred to as J1-17) using dendritic cells according to the protocol of Van Tsai et al. (*Critical Reviews in Immunology* 18:65-75, 1998). The resulting CD8⁺ T cell microcultures were tested for their ability to recognize the P2S-12 peptide presented by autologous fibroblasts or fibroblasts which were transduced to express the P502S gene in a γ -interferon ELISPOT assay (see Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). Briefly, titrating numbers of T cells were assayed in duplicate on 10^4 fibroblasts in the presence of 3 μ g/ml human β_2 -microglobulin and 1 μ g/ml P2S-12 peptide or control E75 peptide. In addition, T cells were simultaneously assayed on autologous fibroblasts transduced with the P502S gene or as a control, fibroblasts transduced with HER-2/*neu*. Prior to the assay, the fibroblasts were treated with 10 ng/ml γ -interferon for 48 hours to upregulate class I MHC expression. One of the microcultures (#5) demonstrated strong recognition of both peptide pulsed fibroblasts as well as transduced fibroblasts in a γ -interferon ELISPOT assay. Figure 2A demonstrates that there was a strong increase in the number of γ -interferon spots with increasing numbers of T cells on fibroblasts pulsed with the P2S-12 peptide (solid bars) but not with the control E75 peptide (open bars). This shows the ability of these T cells to specifically recognize the P2S-12 peptide. As shown in Figure 2B, this microculture also demonstrated an increase in the number of γ -interferon spots with increasing numbers of T

cells on fibroblasts transduced to express the P502S gene but not the HER-2/*neu* gene. These results provide additional confirmatory evidence that the P2S-12 peptide is a naturally processed epitope of the P502S protein. Furthermore, this also demonstrates that there exists in the human T cell repertoire, high affinity T cells which are capable of recognizing this epitope. These T cells should also be capable of recognizing human tumors which express the P502S gene.

EXAMPLE 8

PRIMING OF CTL *IN VIVO* USING NAKED DNA IMMUNIZATION WITH A PROSTATE ANTIGEN

The prostate tumor antigen L1-12, as described above, is also referred to as P501S. HLA A2Kb Tg mice (provided by Dr L. Sherman, The Scripps Research Institute, La Jolla, CA) were immunized with 100 µg VR10132-P501S either intramuscularly or intradermally. The mice were immunized three times, with a two week interval between immunizations. Two weeks after the last immunization, immune spleen cells were cultured with Jurkat A2Kb-P501S transduced stimulator cells. CTL lines were stimulated weekly. After two weeks of *in vitro* stimulation, CTL activity was assessed against P501S transduced targets. Two out of 8 mice developed strong anti-P501S CTL responses. These results demonstrate that P501S contains at least one naturally processed A2-restricted CTL epitope.

EXAMPLE 9

GENERATION OF HUMAN CTL *IN VITRO* USING WHOLE GENE PRIMING AND STIMULATION TECHNIQUES WITH PROSTATE TUMOR ANTIGEN

Using *in vitro* whole-gene priming with P501S-retrovirally transduced autologous fibroblasts (see, for example, Yee et al, *The Journal of Immunology*, 157(9):4079-86, 1996), human CTL lines were derived that specifically recognize autologous fibroblasts transduced with P501S (also known as L1-12), as determined by interferon-γ ELISPOT analysis as described above. Using a panel of HLA-mismatched fibroblast lines transduced with P501S, these CTL lines were shown to be restricted HLA-A2 class I allele. Specifically, dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by growing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, DC were infected overnight with recombinant P501S vaccinia virus at a multiplicity of infection (M.O.I) of five, and matured overnight by the addition of 3 µg/ml CD40 ligand. Virus was inactivated by UV irradiation. CD8+ T cells were isolated using a magnetic bead system, and

priming cultures were initiated using standard culture techniques. Cultures were restimulated every 7-10 days using autologous primary fibroblasts retrovirally transduced with P501S. Following four stimulation cycles, CD8+ T cell lines were identified that specifically produced interferon- γ when stimulated with P501S-transduced autologous fibroblasts. The P501S-specific activity could be sustained by the continued stimulation of the cultures with P501S-transduced fibroblasts in the presence of IL-15. A panel of HLA-mismatched fibroblast lines transduced with P501S were generated to define the restriction allele of the response. By measuring interferon- γ in an ELISPOT assay, the P501S specific response was shown to be restricted by HLA-A2. These results demonstrate that a CD8+ CTL response to P501S can be elicited.

EXAMPLE 10

IDENTIFICATION OF A NATURALLY PROCESSED CTL EPITOPE CONTAINED WITHIN A PROSTATE TUMOR ANTIGEN

The 9-mer peptide p5 (SEQ ID NO: 338) was derived from the P703P antigen (also referred to as P20). The p5 peptide is immunogenic in human HLA-A2 donors and is a naturally processed epitope. Antigen specific CD8+ T cells can be primed following repeated *in vitro* stimulations with monocytes pulsed with p5 peptide. These CTL specifically recognize p5-pulsed target cells in both ELISPOT (as described above) and chromium release assays. Additionally, immunization of HLA-A2 transgenic mice with p5 leads to the generation of CTL lines which recognize a variety of P703P transduced target cells expressing either HLA-A2Kb or HLA-A2. Specifically, HLA-A2 transgenic mice were immunized subcutaneously in the footpad with 100 μ g of p5 peptide together with 140 μ g of hepatitis B virus core peptide (a Th peptide) in Freund's incomplete adjuvant. Three weeks post immunization, spleen cells from immunized mice were stimulated *in vitro* with peptide-pulsed LPS blasts. CTL activity was assessed by chromium release assay five days after primary *in vitro* stimulation. Retrovirally transduced cells expressing the control antigen P703P and HLA-A2Kb were used as targets. CTL lines that specifically recognized both p5-pulsed targets as well as P703P-expressing targets were identified.

Human *in vitro* priming experiments demonstrated that the p5 peptide is immunogenic in humans. Dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal human donors by culturing for five days in RPMI medium containing 10% human serum, 50 ng/ml human GM-CSF and 30 ng/ml human IL-4. Following culture, the DC were pulsed with p5 peptide and cultured with GM-CSF and IL-4 together with CD8+ T cell enriched PBMC. CTL lines were restimulated on a weekly basis

with p5-pulsed monocytes. Five to six weeks after initiation of the CTL cultures, CTL recognition of p5-pulsed target cells was demonstrated.

EXAMPLE 11

EXPRESSION OF A BREAST TUMOR-DERIVED ANTIGEN IN PROSTATE

Isolation of the antigen B305D from breast tumor by differential display is described in US Patent Application No. 08/700,014, filed August 20, 1996. Several different splice forms of this antigen were isolated. The determined cDNA sequences for these splice forms are provided in SEQ ID NO: 366-375, with the predicted amino acid sequences corresponding to the sequences of SEQ ID NO: 292, 298 and 301-303 being provided in SEQ ID NO: 299-306, respectively.

The expression levels of B305D in a variety of tumor and normal tissues were examined by real time PCR and by Northern analysis. The results indicated that B305D is highly expressed in breast tumor, prostate tumor, normal prostate tumor and normal testes, with expression being low or undetectable in all other tissues examined (colon tumor, lung tumor, ovary tumor, and normal bone marrow, colon, kidney, liver, lung, ovary, skin, small intestine, stomach).

EXAMPLE 12

ELICITATION OF PROSTATE TUMOR ANTIGEN-SPECIFIC CTL RESPONSES IN HUMAN BLOOD

This Example illustrates the ability of a prostate tumor antigen to elicit a CTL response in blood of normal humans.

Autologous dendritic cells (DC) were differentiated from monocyte cultures derived from PBMC of normal donors by growth for five days in RPMI medium containing 10% human serum, 50 ng/ml GM-CSF and 30 ng/ml IL-4. Following culture, DC were infected overnight with recombinant P501S-expressing vaccinia virus at an M.O.I. of 5 and matured for 8 hours by the addition of 2 micrograms/ml CD40 ligand. Virus was inactivated by UV irradiation, CD8⁺ cells were isolated by positive selection using magnetic beads, and priming cultures were initiated in 24-well plates. Following five stimulation cycles, CD8⁺ lines were identified that specifically produced interferon-gamma when stimulated with autologous P501S-transduced fibroblasts. The P501S-specific activity of cell line 3A-1 could be maintained following additional stimulation cycles on autologous B-LCL transduced with P501S. Line 3A-1 was shown to specifically recognize autologous B-LCL transduced to

express P501S, but not EGFP-transduced autologous B-LCL, as measured by cytotoxicity assays (^{51}Cr release) and interferon-gamma production (Interferon-gamma Elispot; *see above* and Lalvani et al., *J. Exp. Med.* 186:859-865, 1997). The results of these assays are presented in Figures 6A and 6B.

EXAMPLE 13

IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of certain prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 372 clones were identified, and 319 were successfully sequenced. Table I presents a summary of these clones, which are shown in SEQ ID NOs:385-400. Of these sequences SEQ ID NOs:386, 389, 390 and 392 correspond to novel genes, and SEQ ID NOs: 393 and 396 correspond to previously identified sequences. The others (SEQ ID NOs:385, 387, 388, 391, 394, 395 and 397-400) correspond to known sequences, as shown in Table I.

Table I

Summary of Prostate Tumor Antigens

Known Genes	Previously identified Genes	Novel Genes
T-cell gamma chain	P504S	23379 (SEQ ID NO:389)
Kallikrein	P1000C	23399 (SEQ ID NO:392)
Vector	P501S	23320 (SEQ ID NO:386)
CGI-82 protein mRNA (23319; SEQ ID NO:385)	P503S	23381 (SEQ ID NO:390)
PSA	P510S	
Ald. 6 Dehyd.	P784P	
L-idoitol-2 dehydrogenase (23376; SEQ ID NO:388)	P502S	
Ets transcription factor PDEF (22672; SEQ ID NO:398)	P706P	
hTGR (22678; SEQ ID NO:399)	19142.2, bangur.seq (22621; SEQ ID NO:396)	
KIAA0295(22685; SEQ ID NO:400)	5566.1 Wang(23404; SEQ ID NO:393)	
Prostatic Acid Phosphatase(22655; SEQ ID NO:397)	P712P	

SUBSTITUTE SHEET (RULE 26)

transglutaminase (22611; SEQ ID NO:395)	P778P	
HDLBP (23508; SEQ ID NO:394)		
CGI-69 Protein(23367; SEQ ID NO:387)		
KIAA0122(23383; SEQ ID NO:391)		
TEEG		

CGI-82 showed 4.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 43% of prostate tumors, 25% normal prostate, not detected in other normal tissues tested. L-iditol-2 dehydrogenase showed 4.94 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 90% of prostate tumors, 100% of normal prostate, and not detected in other normal tissues tested. Ets transcription factor PDEF showed 5.55 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% prostate tumors, 25% normal prostate and not detected in other normal tissues tested. hTGR1 showed 9.11 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 63% of prostate tumors and is not detected in normal tissues tested including normal prostate. KIAA0295 showed 5.59 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 47% of prostate tumors, low to undetectable in normal tissues tested including normal prostate tissues. Prostatic acid phosphatase showed 9.14 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 67% of prostate tumors, 50% of normal prostate, and not detected in other normal tissues tested. Transglutaminase showed 14.84 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 30% of prostate tumors, 50% of normal prostate, and is not detected in other normal tissues tested. High density lipoprotein binding protein (HDLBP) showed 28.06 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% of normal prostate, and is undetectable in all other normal tissues tested. CGI-69 showed 3.56 fold over-expression in prostate tissues as compared to other normal tissues tested. It is a low abundant gene, detected in more than 90% of prostate tumors, and in 75% normal prostate tissues. The expression of this gene in normal tissues was very low. KIAA0122 showed 4.24 fold over-expression in prostate

tissues as compared to other normal tissues tested. It was over-expressed in 57% of prostate tumors, it was undetectable in all normal tissues tested including normal prostate tissues. 19142.2 bangur showed 23.25 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors and 100% of normal prostate. It was undetectable in other normal tissues tested. 5566.1 Wang showed 3.31 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 97% of prostate tumors, 75% normal prostate and was also over-expressed in normal bone marrow, pancreas, and activated PBMC. Novel clone 23379 showed 4.86 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in 97% of prostate tumors and 75% normal prostate and is undetectable in all other normal tissues tested. Novel clone 23399 showed 4.09 fold over-expression in prostate tissues as compared to other normal tissues tested. It was over-expressed in 27% of prostate tumors and was undetectable in all normal tissues tested including normal prostate tissues. Novel clone 23320 showed 3.15 fold over-expression in prostate tissues as compared to other normal tissues tested. It was detectable in all prostate tumors and 50% of normal prostate tissues. It was also expressed in normal colon and trachea. Other normal tissues do not express this gene at high level.

EXAMPLE 14

IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY ELECTRONIC SUBTRACTION

This Example describes the use of an electronic subtraction technique to identify prostate tumor antigens.

Potential prostate-specific genes present in the GenBank human EST database were identified by electronic subtraction (similar to that described by Vasmatizis et al., *Proc. Natl. Acad. Sci. USA* 95:300-304, 1998). The sequences of EST clones (43,482) derived from various prostate libraries were obtained from the GenBank public human EST database. Each prostate EST sequence was used as a query sequence in a BLASTN (National Center for Biotechnology Information) search against the human EST database. All matches considered identical (length of matching sequence >100 base pairs, density of identical matches over this region > 70%) were grouped (aligned) together in a cluster. Clusters containing more than 200 ESTs were discarded since they probably represented repetitive elements or highly expressed genes such as those for ribosomal proteins. If two or more clusters shared common ESTs, those clusters were grouped together into a "supercluster," resulting in 4,345 prostate superclusters.

Records for the 479 human cDNA libraries represented in the GenBank release were downloaded to create a database of these cDNA library records. These 479 cDNA libraries were grouped into three groups, Plus (normal prostate and prostate tumor libraries, and breast cell lines, in which expression was desired), Minus (libraries from other normal adult tissues, in which expression was not desirable), and Other (fetal tissue, infant tissue, tissues found only in women, non-prostate tumors and cell lines other than prostate cell lines, in which expression was considered to be irrelevant). A summary of these library groups is presented in Table II.

Table II
Prostate cDNA Libraries and ESTs

Library	# of Libraries	# of ESTs
Plus	25	43,482
Normal	11	18,875
Tumor	11	21,769
Cell lines	3	2,838
Minus	166	
Other	287	

Each supercluster was analyzed in terms of the ESTs within the supercluster. The tissue source of each EST clone was noted and used to classify the superclusters into four groups: Type 1- EST clones found in the Plus group libraries only; no expression detected in Minus or Other group libraries; Type 2- EST clones found in the Plus and Other group libraries only; no expression detected in the Minus group; Type 3- EST clones found in the Plus, Minus and Other group libraries, but the expression in the Plus group is higher than in either the Minus or Other groups; and Type 4- EST clones found in Plus, Minus and Other group libraries, but the expression in the Plus group is higher than the expression in the Minus group. This analysis identified 4,345 breast clusters (*see* Table III). From these clusters, 3,172 EST clones were ordered from Research Genetics, Inc., and were received as frozen glycerol stocks in 96-well plates.

Table III
Prostate Cluster Summary

Type	# of Superclusters	# of ESTs Ordered
1	688	677
2	2899	2484
3	85	11
4	673	0
Total	4345	3172

The inserts were PCR-amplified using amino-linked PCR primers for Synteni microarray analysis. When more than one PCR product was obtained for a particular clone, that PCR product was not used for expression analysis. In total, 2,528 clones from the electronic subtraction method were analyzed by microarray analysis to identify electronic subtraction breast clones that had high tumor vs. normal tissue mRNA. Such screens were performed using a Synteni (Palo Alto, CA) microarray, according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Within these analyses, the clones were arrayed on the chip, which was then probed with fluorescent probes generated from normal and tumor prostate cDNA, as well as various other normal tissues. The slides were scanned and the fluorescence intensity was measured.

Clones with an expression ratio greater than 3 (*i.e.*, the level in prostate tumor cDNA was at least three times the level in normal prostate cDNA) were identified as prostate tumor-specific sequences (Table IV). The sequences of these clones are provided in SEQ ID NOs:401-453, with certain novel sequences shown in SEQ ID NOs:407, 413, 416-419, 422, 426, 427 and 450.

Table IV
Prostate-tumor Specific Clones

SEQ ID NO.	Sequence Designation	Comments
401	22545	previously identified P1000C
402	22547	previously identified P704P

403	22548	known
404	22550	known
405	22551	PSA
406	22552	prostate secretory protein 94
407	22553	novel
408	22558	previously identified P509S
409	22562	glandular kallikrein
410	22565	previously identified P1000C
411	22567	PAP
412	22568	B1006C (breast tumor antigen)
413	22570	novel
414	22571	PSA
415	22572	previously identified P706P
416	22573	novel
417	22574	novel
418	22575	novel
419	22580	novel
420	22581	PAP
421	22582	prostatic secretory protein 94
422	22583	novel
423	22584	prostatic secretory protein 94
424	22585	prostatic secretory protein 94
425	22586	known
426	22587	novel
427	22588	novel
428	22589	PAP
429	22590	known
430	22591	PSA
431	22592	known
432	22593	Previously identified P777P
433	22594	T cell receptor gamma chain
434	22595	Previously identified P705P
435	22596	Previously identified P707P
436	22847	PAP
437	22848	known
438	22849	prostatic secretory protein 57

SUBSTITUTE SHEET (RULE 26)

439	22851	PAP
440	22852	PAP
441	22853	PAP
442	22854	previously identified P509S
443	22855	previously identified P705P
444	22856	previously identified P774P
445	22857	PSA
446	23601	previously identified P777P
447	23602	PSA
448	23605	PSA
449	23606	PSA
450	23612	novel
451	23614	PSA
452	23618	previously identified P1000C
453	23622	previously identified P705P

EXAMPLE 15

FURTHER IDENTIFICATION OF PROSTATE TUMOR ANTIGENS BY MICROARRAY ANALYSIS

This Example describes the isolation of additional prostate tumor polypeptides from a prostate tumor cDNA library.

A human prostate tumor cDNA expression library as described above was screened using microarray analysis to identify clones that display at least a three fold over-expression in prostate tumor and/or normal prostate tissue, as compared to non-prostate normal tissues (not including testis). 142 clones were identified and sequenced. Certain of these clones are shown in SEQ ID NOs:454-467. Of these sequences SEQ ID NOs:459-461 correspond to novel genes. The others (SEQ ID NOs:454-458 and 461-467) correspond to known sequences.

EXAMPLE 16

FURTHER CHARACTERIZATION OF PROSTATE TUMOR ANTIGEN P710P

This Example describes the full length cloning of P710P.

SUBSTITUTE SHEET (RULE 26)

The prostate cDNA library described above was screened with the P710P fragment described above. One million colonies were plated on LB/Ampicillin plates. Nylon membrane filters were used to lift these colonies, and the cDNAs picked up by these filters were then denatured and cross-linked to the filters by UV light. The P710P fragment was radiolabeled and used to hybridize with the filters. Positive cDNA clones were selected and their cDNAs recovered and sequenced by an automatic ABI Sequencer. Four sequences were obtained, and are presented in SEQ ID NOs:468-471.

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the present invention is not limited except as by the appended claims.

CLAIMS

1. An isolated polypeptide comprising at least an immunogenic portion of a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

- (a) sequences recited in any one of SEQ ID NOs: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472;
- (b) sequences that hybridize to any of the foregoing sequences under moderately stringent conditions; and
- (c) complements of any of the sequence of (a) or (b).

2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing polynucleotide sequences.

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 108, 112, 113, 114, 172, 176, 178, 327, 329, 331, 339 and 383.

4. An isolated polynucleotide encoding at least 15 amino acid residues of a prostate tumor protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOs: 2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434,

435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a prostate tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing sequences.

6. An isolated polynucleotide comprising a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

7. An isolated polynucleotide comprising a sequence that hybridizes, under moderately stringent conditions, to a sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.

9. An expression vector comprising a polynucleotide according to any one of claims 4-7.

10. A host cell transformed or transfected with an expression vector according to claim 9.

11. An expression vector comprising a polynucleotide according claim 8.

12. A host cell transformed or transfected with an expression vector according to claim 11.

13. A pharmaceutical composition comprising a polypeptide according to claim 1, in combination with a physiologically acceptable carrier.

14. A vaccine comprising a polypeptide according to claim 1, in combination with a non-specific immune response enhancer.

15. A vaccine according to claim 14, wherein the non-specific immune response enhancer is an adjuvant.

16. A vaccine according to claim 14, wherein the non-specific immune response enhancer induces a predominantly Type I response.

17. A pharmaceutical composition comprising a polynucleotide according to claim 4, in combination with a physiologically acceptable carrier.

18. A vaccine comprising a polynucleotide according to claim 4, in combination with a non-specific immune response enhancer.

19. A vaccine according to claim 18, wherein the non-specific immune response enhancer is an adjuvant.

20. A vaccine according to claim 18, wherein the non-specific immune response enhancer induces a predominantly Type I response.

21. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a prostate tumor protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472 or a complement of any of the foregoing polynucleotide sequences.

22. A pharmaceutical composition comprising an antibody or fragment thereof according to claim 18, in combination with a physiologically acceptable carrier.

23. A pharmaceutical composition comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

24. A pharmaceutical composition according to claim 23, wherein the antigen presenting cell is a dendritic cell or a macrophage.

25. A vaccine comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a non-specific immune response enhancer.

26. A vaccine according to claim 25, wherein the non-specific immune response enhancer is an adjuvant.

27. A vaccine according to claim 25, wherein the non-specific immune response enhancer induces a predominantly Type I response.

28. A vaccine according to claim 25, wherein the antigen-presenting cell is a dendritic cell.

29. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

30. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polynucleotide according to claim 4, and thereby inhibiting the development of a cancer in the patient.

31. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antibody or antigen-binding fragment thereof according to claim 21, and thereby inhibiting the development of a cancer in the patient.

32. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

33. A method according to claim 32, wherein the antigen-presenting cell is a dendritic cell.

34. A method according to any one of claims 29-32, wherein the cancer is prostate cancer.

35. A fusion protein comprising at least one polypeptide according to claim 1.

36. A fusion protein according to claim 35, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.

37. A fusion protein according to claim 35, wherein the fusion protein comprises a T helper epitope that is not present within the polypeptide of claim 1.

38. A fusion protein according to claim 35, wherein the fusion protein comprises an affinity tag.

39. An isolated polynucleotide encoding a fusion protein according to claim 35.

40. A pharmaceutical composition comprising a fusion protein according to claim 32, in combination with a physiologically acceptable carrier.

41. A vaccine comprising a fusion protein according to claim 35, in combination with a non-specific immune response enhancer.

42. A vaccine according to claim 41, wherein the non-specific immune response enhancer is an adjuvant.

43. A vaccine according to claim 41, wherein the non-specific immune response enhancer induces a predominantly Type I response.

44. A pharmaceutical composition comprising a polynucleotide according to claim 40, in combination with a physiologically acceptable carrier.

45. A vaccine comprising a polynucleotide according to claim 40, in combination with a non-specific immune response enhancer.

46. A vaccine according to claim 45, wherein the non-specific immune response enhancer is an adjuvant.

47. A vaccine according to claim 45, wherein the non-specific immune response enhancer induces a predominantly Type I response.

48. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 40 or claim 44.

49. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 41 or claim 45.

50. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; and

(ii) complements of the foregoing polynucleotides;
wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the prostate tumor protein from the sample.

51. A method according to claim 50, wherein the biological sample is blood or a fraction thereof.

52. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 50.

53. A method for stimulating and/or expanding T cells specific for a prostate tumor protein, comprising contacting T cells with one or more of:

- (i) a polypeptide according to claim 1;
 - (ii) a polypeptide encoded by a polynucleotide comprising a sequence provided in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;
 - (iii) a polynucleotide encoding a polypeptide of (i) or (ii); and/or
 - (iv) an antigen presenting cell that expresses a polypeptide of (i) or (ii);
- under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

54. An isolated T cell population, comprising T cells prepared according to the method of claim 53.

55. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 54.

56. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

- (a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:
 - (i) a polypeptide according to claim 1;
 - (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;
 - (iii) a polynucleotide encoding a polypeptide of (i) or (ii); or
 - (iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);such that T cells proliferate; and
- (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

57. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

- (i) a polypeptide according to claim 1;
- (ii) a polypeptide encoded by a polynucleotide comprising a sequence of any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472;
- (iii) a polynucleotide encoding a polypeptide of (i) or (ii); or
- (iv) an antigen-presenting cell that expresses a polypeptide of (i) or (ii);

such that T cells proliferate;

- (b) cloning at least one proliferated cell; and
- (c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

58. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with a binding agent that binds to a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs: 1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472; and

- (ii) complements of the foregoing polynucleotides;
- (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and
- (c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

59. A method according to claim 58, wherein the binding agent is an antibody.

60. A method according to claim 59, wherein the antibody is a monoclonal antibody.

61. A method according to claim 58, wherein the cancer is prostate cancer.

62. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

63. A method according to claim 62, wherein the binding agent is an antibody.

64. A method according to claim 63, wherein the antibody is a monoclonal antibody.

65. A method according to claim 62, wherein the cancer is a prostate cancer.

66. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

67. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

68. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

69. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:1-111, 115-171, 173-175, 177, 179-305, 307-315, 326, 328, 330, 332-335, 340-375, 381, 382 or 384-472, or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

70. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

71. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

72. A diagnostic kit, comprising:

- (a) one or more antibodies according to claim 21; and
- (b) a detection reagent comprising a reporter group.

73. A kit according to claim 72, wherein the antibodies are immobilized on a solid support.

74. A kit according to claim 73, wherein the solid support comprises nitrocellulose, latex or a plastic material.

75. A kit according to claim 72, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.


76. A kit according to claim 72, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups, enzymes, biotin and dye particles.

77. An oligonucleotide comprising 10 to 40 nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a prostate tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472, or a complement of any of the foregoing polynucleotides.



78. A oligonucleotide according to claim 77, wherein the oligonucleotide comprises 10-40 nucleotides recited in any one of SEQ ID NOs:2, 3, 8-29, 41-45, 47-52, 54-65, 70, 73-74, 79, 81, 87, 90, 92, 93, 97, 103, 104, 107, 109-111, 115-160, 171, 173-175, 177, 181, 188, 191, 193, 194, 198, 203, 204, 207, 209, 220, 222-225, 227-305, 307-315, 326, 328, 330, 332, 334, 350-365, 381, 382, 384, 386, 389, 390, 392, 393, 396, 401, 402, 407, 408, 410, 413, 415-419, 422, 426, 427, 432, 434, 435, 442-444, 446, 450, 452, 453, 459-461, 468-471 or 472.

79. A diagnostic kit, comprising:
(a) an oligonucleotide according to claim 77; and
(b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

1/5

*Fig. 1*

2/5

*Fig. 2A**Fig. 2B*

3/5








Fig. 3

4/5

*Fig. 4**Fig. 5*

SUBSTITUTE SHEET (RULE 26)

5/5

*Fig. 6**Fig. 7*

SUBSTITUTE SHEET (RULE 26)

SEQUENCE LISTING

<110> Corixa Corporation

<120> COMPOUNDS FOR IMMUNOTHERAPY AND DIAGNOSIS
OF PROSTATE CANCER AND METHODS FOR THEIR USE

<130> 210121.42701PC

<140> PCT

<141> 1999-07-08

<160> 472

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 814

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(814)

<223> n = A,T,C or G

<400> 1

tttttttttt	tttttcacag	tataacagct	ctttatttct	gtgagttcta	ctaggaaatc	60
atcaaactctg	agggttgtct	ggaggacttc	aatacacctc	cccccatagt	gaatcagctt	120
ccaggggggtc	cagtcctctc	ccttacttca	tccccatccc	atgccaaaagg	aagaccctcc	180
ctccttgggt	cacagccttc	tctaggcttc	ccagtgcctc	caggacagag	tgggttatgt	240
tttcagctcc	atccttgctg	tgagtgtctg	gtgcgttgtg	cctccagctt	ctgctcagtg	300
cttcatggac	agtgtccagc	acatgtcact	ctccactctc	tcagtgtgga	tccactagtt	360
ctagagcggc	cgccaccgcg	gtggagctcc	agcttttggt	cccttttagtg	agggttaatt	420
gcgcgcttgg	cgtaatcatg	gtcataactg	tttctgtgtg	gaaattgtta	tccgctcaca	480
attccacaca	acatacgagc	cggaagcata	aagtgtaaag	cctgggggtgc	ctaattgagtg	540
anctaactca	cattaattgc	gttgcgctca	ctgnccgctt	tccagtcngg	aaaactgtcg	600
tgccagctgc	attaatgaat	cggccaacgc	ncggggaaaa	gcggtttgcg	ttttgggggc	660
tcttccgctt	ctcgctcact	nantcctgcg	ctcggtcntt	cggctgcggg	gaacggtatc	720
actcctcaaa	ggnggtatta	cggttatccn	naaatcnggg	gatacccnng	aaaaaanttt	780
aacaaaaggg	cancaaaggg	cngaaacgta	aaaa			814

<210> 2

<211> 816

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(816)

<223> n = A,T,C or G

<400> 2

acagaaatgt	tggatgggtg	agcacctttc	tatacgactt	acaggacagc	agatggggaa	60
ttcatggctg	ttggagcaat	agaaccccag	ttctacgagc	tgctgatcaa	aggactrgga	120

ctaaagtctg	atgaacttcc	caatcagatg	agcatggatg	attggccaga	aatgaagaag	180
aagtttgacg	atgtatttgc	aaagaagacg	aaggcagagt	ggtgtcaa	ctttgacggc	240
acagatgcct	gtgtgactcc	ggttctgact	tttgaggagg	ttgttcatca	tgatcacaac	300
aaggaacggg	gctcgtttat	caccagtgag	gagcaggacg	tgagcccccg	ccctgcacct	360
ctgctgttaa	acaccccagc	catcccttct	ttcaaaagg	atccactagt	tctagaagcg	420
gccgccaccg	cgggtggagct	ccagcttttg	ttccctttag	tgagggttaa	ttgcgcgctt	480
ggcgtaata	tgggtcatagc	tgtttcctgt	gtgaaattgt	tatccgctca	caattccccc	540
aacatacgag	ccggaacata	aagtgttaag	cctgggggtgc	ctaatagantg	agctaactcn	600
cattaattgc	gttgcgctca	ctgcccgcct	tccagtcggg	aaaactgtcg	tgccactgcn	660
ttantgaatc	ngccaccccc	cgggaaaagg	cggttgcntt	ttgggcctct	tccgctttcc	720
tcgctcattg	atcctngcnc	cgggtcttcg	gctgcggnga	acggttccact	cctcaaaggc	780
ggtntnccgg	ttatccccaa	acnggggata	ccnga			816

<210> 3

<211> 773

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (773)

<223> n = A,T,C or G

<400> 3

cttttgaaag	aagggatggc	tggggtgttt	aacagcagag	gtgcagggcg	ggggctcacg	60
tcctgtctct	cactggatgat	aaacgagccc	cgttccttgt	tgtgatcatg	atgaacaacc	120
tcctcaaaag	tcagaaccgg	agtacacacg	gcatctgtgc	cgtcaaagat	ttgacaccac	180
tctgccttcg	tcttctttgc	aaatacatct	gcaaacttct	tcttcatttc	tggccaatca	240
tccatgctca	tctgattggg	aagttcatca	gacttttagtc	canntccttt	gatcagcagc	300
tcgtagaact	ggggttctat	tgtcccaaca	gccatgaatt	ccccatctgc	tgtcctgtaa	360
gtcgtataga	aagggtgctcc	accatccaac	atgttctgtc	ctcgaggggg	ggcccgggtac	420
ccaattcgcc	ctatantgag	tcgtattacg	cgcgctcact	ggccgtcggt	ttacaacgtc	480
gtgactggga	aaaccctggg	cgttaccac	ttaatcgctt	tgcagcacat	cccccttctg	540
ccagctgggc	gtaatancca	aaaggcccg	accgatcgcc	cttccaacag	ttgcgcacct	600
gaatgggnaa	atgggacccc	cctgttaccg	cgcattnaac	ccccgcnggg	tttngttgtt	660
acccccacnt	nnaccgctta	cactttgcca	gcgccttanc	gcccgcctccc	tttcnctttt	720
cttcccttcc	tttcnncncn	ctttcccccg	gggtttcccc	entcaaacc	cna	773

<210> 4

<211> 828

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (828)

<223> n = A,T,C or G

<400> 4

cctcctgagt	cctactgacc	tgtgctttct	ggtgtggagt	ccagggctgc	taggaaaagg	60
aatgggcaga	cacaggtgta	tgccaatgtt	tctgaaatgg	gtataatttc	gtcctctcct	120
tcggaacact	ggctgtctct	gaagacttct	cgctcagttt	cagtgaggac	acacacaaag	180
acgtgggtga	ccatgttgtt	tgtgggggtgc	agagatggga	gggggtgggg	ccaccctgga	240
agagtggaca	gtgacacaag	gtggacactc	tctacagatc	actgaggata	agctggagcc	300
acaatgcatg	aggcacacac	acagcaagga	tgacnctgta	aacatagccc	acgctgtcct	360

gnngggcactg	ggaagcctan	atnaggccgt	gagcanaaaag	aaggggagga	tccactagtt	420
ctanagcggc	cgccaccgcg	gtgganctcc	anctttttgtt	cccttttagtg	aggggttaatt	480
gcgcgcttgg	cntaatcatg	gtcatanctn	tttcctgtgt	gaaattgtta	tccgctcaca	540
attccacaca	acatacganc	cggaacata	aantgtaaac	ctggggtgcc	taatgantga	600
ctaactcaca	ttaattgcgt	tgcgctcact	gcccgccttc	caatcnggaa	acctgtcttg	660
ccncttgcat	tnatgaatcn	gccaaacccc	ggggaaaagc	gtttgcgttt	tgggcgctct	720
tccgcttctt	cntc cantta	ntccctncnc	tcggtcattc	cggctgcngc	aaaccgggtc	780
accnctcca	aagggggtat	tccggtttcc	ccnaatccgg	gganancc		828

<210> 5

<211> 834

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(834)

<223> n = A,T,C or G

<400> 5

tttttttttt	tttttactga	tagatggaat	ttattaagct	tttcacatgt	gatagcacat	60
agttttaatt	gcatccaaag	tactaacaaa	aactctagca	atcaagaatg	gcagcatggt	120
attttataac	aatcaacacc	tgtggccttt	aaaatttggt	tttcataaga	taattttatac	180
tgaagtaaat	ctagccatgc	ttttaaaaaa	tgcttttaggt	cactccaagc	ttggcagtta	240
acatttgga	taaacaataa	taaaacaatc	acaatttaat	aaataacaaa	tacaacattg	300
taggccataa	tcatatacag	tataaggaaa	aggtggtagt	gttgagtaag	cagttattag	360
aatagaatac	cttggcctct	atgcaaatat	gtctagacac	tttgattcac	tcagccctga	420
cattcagttt	tcaaagtagg	agacagggtc	tacagtatca	ttttacagtt	tccaacacat	480
tgaaaacaag	tagaaaatga	tgagttgatt	tttattaatg	cattacatcc	tcaagagtta	540
tcaccaaccc	ctcagttata	aaaaattttc	aagttatatt	agtcataata	cttgggtgtgc	600
ttattttaaa	ttagtgttaa	atggatttaag	tgaagacaac	aatgggtccc	taatgtgatt	660
gatattgggtc	atttttacca	gcttctaaat	ctnaactttc	aggcttttga	actggaacat	720
tgnatnacag	tggtccanag	ttncaaccta	ctggaacatt	acagtgtgct	tgattcaaaa	780
tgttatttttg	ttaaaaatta	aatttttaacc	tggtggaaaa	ataatttgaa	atna	834

<210> 6

<211> 818

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(818)

<223> n = A,T,C or G

<400> 6

tttttttttt	tttttttttt	aagaccctca	tcaatagatg	gagacataca	gaaatagtca	60
aaccacatct	acaaaatgcc	agtatcaggc	ggcggcttcg	aagccaaagt	gatgtttgga	120
tgtaaagtga	aatattagtt	ggcggatgaa	gcagatagtg	aggaaagttg	agccaataat	180
gacgtgaagt	ccgtggaagc	ctgtggctac	aaaaaatggt	gagccgtaga	tgccgtcgga	240
aatggtgaag	ggagactcga	agtactctga	ggcttgtagg	agggtaaaat	agagacccag	300
taaaattgta	ataagcagtg	cttgaattat	ttggtttcgg	ttgttttcta	ttagactatg	360
gtgagctcag	gtgattgata	ctcctgatgc	gagtaatacg	gatgtgttta	ggagtgggac	420
ttctagggga	tttagcgggg	tgatgcctgt	tggggggccag	tgccctccta	gttgggggggt	480
aggggctagg	ctggagtggg	aaaaggctca	gaaaaatcct	gcgaagaaaa	aaacttctga	540

ggtaataaat	aggattatcc	cgtatcgaag	gccttttttg	acaggtggtg	tgtggtggcc	600
ttggtatgtg	ctttctcgtg	ttacatcgcg	ccatcattgg	tatatggtta	gtgtgttggg	660
ttantanggc	ctantatgaa	gaacttttgg	antggaatta	aatcaatngc	ttggccggaa	720
gtcattanga	nggctnaaaa	ggccctgtta	ngggtctggg	ctnggtttta	cccnacccat	780
ggaatncncc	ccccggacna	ntgnatccct	attcttaa			818

<210> 7
 <211> 817
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(817)
 <223> n = A,T,C or G

<400> 7						
tttttttttt	tttttttttt	tggctctaga	gggggtagag	ggggtgctat	agggtaaata	60
cgggccctat	ttcaaagatt	tttaggggaa	ttaattctag	gacgatgggt	atgaaactgt	120
ggtttgctcc	acagatttca	gagcattgac	cgtagtatac	ccccggtcgt	gtagcgggtga	180
aagtggtttg	gttttagacgt	ccgggaattg	catctgtttt	taagcctaata	gtgggggacag	240
ctcatgagtg	caagacgtct	tgtgatgtaa	ttattatacn	aatgggggct	tcaatcgggga	300
gtactactcg	attgtcaacg	tcaaggagtc	gcaggtcgcc	tggttctagg	aataatgggg	360
gaagtatgta	ggaattgaag	attaatccgc	cgtagtcggt	gttctcctag	gttcaataacc	420
attggtggcc	aattgatttg	atggtaaggg	gagggatcgt	tgaactcgtc	tgttatgtaa	480
aggatncctt	ngggatggga	aggcnatnaa	ggactangga	tnaatggcgg	gcangatatt	540
tcaaacngtc	tctanttctt	gaaacgtctg	aaatgttaat	aanaattaan	tttngttatt	600
gaatnttnng	gaaaagggtc	tacaggacta	gaaaccaaata	angaaaanta	atnntaangg	660
cnttatcntn	aaaggtmata	accnctccta	tnatcccacc	caatngnatt	ccccacncnn	720
acnattggat	nccccanttc	canaaanggc	cnccccccg	tgnannccnc	cttttgttcc	780
cttnantgan	ggttattcnc	ccctngcntt	atcance			817

<210> 8
 <211> 799
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(799)
 <223> n = A,T,C or G

<400> 8						
catttccggg	tttactttct	aaggaaagcc	gagcgggaagc	tgctaactgtg	ggaatcggtg	60
cataaggaga	actttctgct	ggcacgcgct	agggacaagc	gggagagcga	ctccgagcgt	120
ctgaagcgca	cgtcccagaa	ggtggacttg	gcaactgaaac	agctgggaca	catccgcgag	180
tacgaacagc	gcctgaaagt	gctggagcgg	gaggtccagc	agtgtagccg	cgtcctgggg	240
tgggtggccg	angcctganc	cgtctgtcct	tgtgtccccc	angtgggccc	ccaccccctg	300
acctgcctgg	gtccaaacac	tgagccctgc	tggcggactt	caagganaac	ccccacangg	360
ggattttgct	cctanantaa	ggctcatctg	ggcctcggcc	cccccacctg	gttggccttg	420
tctttgagt	gagccccatg	tccatctggg	ccactgtcng	gaccaccttt	ngggagtgtt	480
ctccttaca	ccacannatg	cccggctcct	cccggaaacc	antcccancc	tgngaaggat	540
caagnccctg	atccactnnt	nctanaaccg	gcncncnccg	cngtggaaacc	cnccttntgt	600
tccttttct	tnagggttaa	tnncgccttg	gccttnccan	ngtcctncnc	nttttccnnt	660
gttnaaattg	ttangcnccc	nccnntcccn	cnnnnnnan	cccgaaccnn	annttnnann	720

ncctgggggt nccnnngat tgaccnnc nccctntant tgcnttnggg ncnntgccc 780
ctttccctct nggganncg 799

<210> 9
<211> 801
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(801)
<223> n = A,T,C or G

<400> 9
acgccttgat cctcccaggc tgggactggt tctgggagga gccgggcatg ctgtgggttg 60
taangatgac actcccaaag gtggtcctga cagtggccca gatggacatg gggctcacct 120
caaggacaag gccaccaggt gcggggggccg aagccacat gatccttact ctatgagcaa 180
aatccctgt gggggcttct ccttgaagtc cgccancagg gctcagtctt tggaccang 240
caggtcatgg ggttgtngnc caactggggg ccncaacgca aaanggcna gggcctcngn 300
cacccatccc angacgcggc tacactnctg gacctccnc tccaccactt tcatgcgctg 360
ttcntacccg cgnatntgtc ccanctgttt cngtgcncac tccancttct nggacgtgcg 420
ctacatacgc cgggancnc nctcccgtt tgtccctatc cacgtncan caacaaattt 480
cncctantg caccnattcc cacntttnc agntttccnc nncgngcttc cttntaaaag 540
ggttgancnc cggaaaatnc cccaaagggg gggggcngg tacccaactn cccctnata 600
gctgaantcc ccataccnn gnctcnatgg anccntcctt ttaannaen ttctnaactt 660
gggaananc ctcgnccntn ccccnnttaa tccnccttg cnangnnent ccccnntcc 720
ncccnntng gcntntnann cnaaaaaggc ccnnancaa tctcctnnen cctcanttgc 780
ccanccctcg aaatcgccn c 801

<210> 10
<211> 789
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(789)
<223> n = A,T,C or G

<400> 10
cagtctatnt ggccagtgtg gcagctttcc ctgtggctgc cgggtgccaca tgccctgtccc 60
acagtgtggc cgtgggtgaca gcttcagccg ccctcacccg gtccaccttc tcagccctgc 120
agatcctgcc ctacacactg gcctccctct accaccggga gaagcagggtg ttccctgccc 180
aataccgagg ggacactgga ggtgctagca gtgaggacag cctgatgacc agcttcctgc 240
cagggccctaa gcctggagct cccttcctta atggacacgt ggggtgctgga ggcagtggcc 300
tgcctcccacc tccaccgcg ctctgcgggg cctctgcttg tgatgtctcc gtacgtgtgg 360
tggtgggtga gccaccgan gccagggtgg ttccggggcc gggcatctgc ctggacctgc 420
ccatcctgga tagtgcttcc tgctgtccca ngtggccca tccctgttta tgggtccat 480
tgtccagctc agccagtctg tcaactgccta tatggtgtct gccgcaggcc tgggtctggt 540
cccatttact ttgtacaca ggtantattt gacaagaacg anttggccaa atactcagcg 600
ttaaaaaatt ccagcaacat tgggggtgga aggcctgcct cactgggtcc aactccccgc 660
tcctgttaac cccatggggc tgccggcttg gccgccaat tctgttgctg ccaaanatnat 720
gtggctctct gctgccacct gttgctggct gaagtgenta cngcncanct nggggggtng 780
ggngttccc 789

<210> 11
<211> 772
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(772)
<223> n = A,T,C or G

<400> 11
cccaccctac ccaaatatta gacaccaaca cagaaaagct agcaatggat tcccttctac 60
tttggttaaat aaataagtta aatattttaa tgccctgtgtc tctgtgatgg caacagaagg 120
accaacaggc cacatcctga taaaaggtaa gaggggggtg gatcagcaaa aagacagtgc 180
tgtgggctga ggggacctgg ttcttgtgtg ttgcccctca ggactcttcc cctacaaata 240
actttcatat gttcaaattcc catggaggag tgtttcatcc tagaaactcc catgcaagag 300
ctacattaaa cgaagctgca ggtaagggg cttanagatg ggaaaccagg tgactgagtt 360
tattcagctc ccaaaaaccc ttctctaggt gtgtctcaac taggaggcta gctgttaacc 420
ctgagcctgg gtaatccacc tgcagagtcc ccgcattcca gtgcatggaa cccttctggc 480
ctccctgtat aagtccagac tgaaaccccc ttggaaggnc tccagtcagg cagccctana 540
aactggggaa aaaagaaaag gacgccccan ccccagctg tgcanctacg cacctcaaca 600
gcacaggggtg gcagcaaaaa aaccacttta ctttggcaca aacaaaaact nggggggggca 660
acccgggcac cccnangggg gttaacagga ancngggnaa cntggaaccc aattnaggca 720
ggccccnccac ccnnaatntt gctgggaaat ttttctctcc ctaaattntt tc 772

<210> 12
<211> 751
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(751)
<223> n = A,T,C or G

<400> 12
gccccaatc cagctgccac accaccacag gtgactgcat tagttcggat gtcatacaaa 60
agctgattga agcaaccctc tacttttttg tctgtgagcct tttgcttggt gcaggtttca 120
ttggctgtgt tgggtgacgtt gtcattgcaa cagaatgggg gaaaggcact gttctctttg 180
aagtanggtg agtcttcaaa atccgtatag ttggtgaagc cacagcactt gagccctttc 240
atgggtggtg tccacacttg agtgaagtct tcctgggaac cataatcttt cttgatggca 300
ggcactacca gcaacgtcag ggaagtgtc agccattgtg gtgtacacca aggcgaccac 360
agcagctgcn acctcagcaa tgaagatgan gaggangatg aagaagaacg tcncgagggc 420
acacttgctc tcagtcttan caccatanca gcccntgaaa accaananca aagaccacna 480
cnccggctgc gatgaagaaa tnaccccneg ttgacaaact tgcattggcag tggganccac 540
agtggcccnna aaaatcttca aaaaggatgc cccatcnatt gaccccccaa atgcccactg 600
ccaacagggg ctgccccacn cncnnaacga tganccnatt gnacaagatc tncntggtct 660
tnatnaacnt gaaccctgcn tngtggctcc tgttcaggnc cnnngcctga cttctnaann 720
aangaactcn gaagncccca cngganannn g 751

<210> 13
<211> 729
<212> DNA
<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(729)
 <223> n = A,T,C or G

<400> 13

gagccaggcg	tccctctgcc	tgcccactca	gtggcaacac	ccgggagctg	ttttgtcctt	60
tgtggancct	cagcagtncc	ctctttcaga	actcantgcc	aaganccttg	aacaggagcc	120
accatgcagt	gcttcagctt	cattaagacc	atgatgatcc	tcttcaattt	gctcatcttt	180
ctgtgtggtg	cagccctggt	ggcagtgggc	atctgggtgt	caatcgatgg	ggcatccttt	240
ctgaagatct	tggggccact	gtcgtccagt	gccatgcagt	ttgtcaacgt	gggctacttc	300
ctcatcgcat	ccggcggtgt	ggtccttagct	ctaggtttcc	tgggctgcta	tggtgctaag	360
actgagagca	agtgtgccct	cgtgacgttc	ttcttcaccc	tcctcctcat	cttcattgct	420
gaggttgcaa	tgctgtggtc	gccttggtgt	acaccacaat	ggctgagcac	ttcctgacgt	480
tgctggtaat	gcctgccatc	aanaaaagat	tatgggttcc	caggaaanact	tcactcaagt	540
gttggaaacac	caccatgaaa	gggctcaagt	gctgtggctt	cnnccaacta	tacggatttt	600
gaagantcac	ctacttcaaa	gaaaaanagt	cctttccccc	atttctgttg	caattgacaa	660
acgtcccca	cacagccaat	tgaaaacctg	cacccaaccc	aaanggggtcc	ccaaccanaa	720
attnaaggg						729

<210> 14
 <211> 816
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(816)
 <223> n = A,T,C or G

<400> 14

tgctcttctt	caaagttggt	cttgttgcca	taacaaccac	cataggtaaa	gcgggagcag	60
tgctcgtga	aggggttgta	gtaccagcgc	gggatgctct	ccttgcagag	tcctgtgtct	120
ggcaggtcca	cgcagtcccc	tttgtcactg	gggaaatgga	tgcgctggag	ctcgtcaaa	180
ccactcgtgt	atctttcaca	ggcagcctcg	tccgacgcgt	cggggcagtt	gggggtgtct	240
tcacactcca	ggaaactgtc	natgcagcag	ccattgtctg	agcggaactg	ggtgggctga	300
cangtgccag	agcacactgg	atggcgccct	tccatgnnan	gggcctgng	ggaaagtccc	360
tganccecan	anctgcctct	caaangcccc	accttgcaca	ccccgacagg	ctagaatgga	420
atcttcttcc	cgaaaggtag	ttnttcttgt	tgcccaance	ancccntaa	acaaactctt	480
gcanatctgc	tccngggggg	tctantacc	ancgtgggaa	aagaacccca	ggcngcgaac	540
caancttggt	tggatnccga	gcnataatct	nctnttctgc	ttggtggaca	gcaccantna	600
ctgtnnanct	ttagnccntg	gtcctcntgg	gttgnncttg	aacctaatcn	ccnntcaact	660
gggacaagg	aantngccnt	cctttnaatt	cccnancntn	ccccctggtt	tgggggtttt	720
cncnctcta	ccccagaaan	nccgtgttcc	cccccaacta	ggggccnaaa	ccnnttnttc	780
cacaaccctn	ccccaccac	gggttcngnt	ggttng			816

<210> 15
 <211> 783
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(783)
 <223> n = A,T,C or G

<400> 15

ccaaggcctg	ggcaggcata	nacttgaagg	tacaacccca	ggaacccctg	gtgctgaagg	60
atgtggaaaa	cacagattgg	cgcctactgc	ggggtgacac	ggatgtcagg	gtagagagga	120
aagacccaaa	ccaggtggaa	ctgtggggac	tcaaggaang	cacctacctg	ttccagctga	180
cagtgactag	ctcagaccac	ccagaggaca	cggccaacgt	cacagtcact	gtgctgtcca	240
ccaagcagac	agaagactac	tgcctcgcac	ccaacaangt	gggtcgctgc	cggggctctt	300
tcccacgctg	gtactatgac	cccacggagc	agatctgcaa	gagtttcggt	tatggaggct	360
gcttgggcaa	caagaacaac	taccttcggg	aagaagagtg	cattctance	tgtcnggggtg	420
tgcaagggtg	gcctttgana	ngcanctctg	gggctcangc	gactttcccc	cagggccccc	480
ccatggaaag	gcgccatcca	ntgttctctg	gcacctgtca	gcccacccag	ttccgctgca	540
ncaatggctg	ctgcatcnac	antttcctng	aattgtgaca	acacccccca	ntgcccccaa	600
ccctcccaac	aaagcttccc	tgttnaaaaa	tacnccantt	ggcttttnac	aaacncccg	660
cncctccntt	ttccccnntn	aacaaagggc	ncnngcnttt	gaactgccc	aaccnnggaa	720
tctnccnngg	aaaaantncc	ccccctggtt	cctnnaancc	cctccnchna	anctncccc	780
ccc						783

<210> 16

<211> 801

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(801)

<223> n = A,T,C or G

<400> 16

gccccaatc	cagctgccac	accacccacg	gtgactgcat	tagttcggat	gtcatacaaa	60
agctgattga	agcaaccctc	tacttttttg	tcgtgagcct	tttgcttgg	gcaggtttca	120
ttggctgtgt	tggtgacgtt	gtcattgcaa	cagaatggg	gaaaggcact	gttctctttg	180
aagtaggggtg	agtccctcaa	atccgtatag	ttggtgaagc	cacagcactt	gagccctttc	240
atggtgggtg	tccacacttg	agtgaagtct	tcttggaac	cataatcttt	cttgatggca	300
ggcactacca	gcaacgtcag	gaagtgtca	gccattgtgg	tgtacacca	ggcgaccaca	360
gcagctgcaa	cctcagcaat	gaagatgagg	aggaggatga	agaagaacgt	cncgagggca	420
cacttgctct	ccgtcttagc	accatagcag	cccangaaac	caagagcaaa	gaccacaacg	480
ccngctgcga	atgaaagaaa	ntacccacgt	tgacaaactg	catggccact	ggacgacagt	540
tggcccgaa	atcttcagaa	aagggatgcc	ccatcgattg	aacacccana	tgcccactgc	600
cnacaggggt	gcnccnccn	gaaagaatga	gccattgaag	aaggatcttc	ntggtcttaa	660
tgaactgaaa	ccntgcatgg	tggccctctg	tcagggtctc	tggcagtga	ttctganaaa	720
aaggaacngc	ntnagcccc	ccaaangana	aaacaccccc	gggtgttgcc	ctgaattggc	780
ggccaaggan	ccctgccccn	g				801

<210> 17

<211> 740

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(740)

<223> n = A,T,C or G

<400> 17

gtgagagcca	ggcgtccctc	tgccctgccc	ctcagtgcca	acaccggga	gctgttttgt	60
------------	------------	------------	------------	-----------	------------	----

cctttgtgga	gcctcagcag	ttccctcttt	cagaactcac	tgccaagagc	cctgaacagg	120
agccaccatg	cagtgttca	gcttcattaa	gaccatgatg	atcctcttca	atttgctcat	180
ctttctgtgt	gggtgcagccc	tggtggcagt	gggcatctgg	gtgtcaatcg	atgggggcac	240
ctttctgaag	atcttcgggc	cactgtcgtc	cagtgccatg	cagtttgtca	acgtgggcta	300
cttcctcatc	gcagccggcg	ttgtggctct	tgtcttgggt	ttcctgggct	gctatgggtgc	360
taagacggag	agcaagtgtg	ccctcgtgac	gttcttcttc	atcctcctcc	tcattctcat	420
tgctgaagtt	gcagctgctg	tggtcgcctt	ggtgtacacc	acaatggctg	aaccattcct	480
gacgttgctg	gtantgcctg	ccatcaanaa	agattatggg	ttcccaggaa	aaattcactc	540
aantntggaa	caccnccatg	aaaagggctc	caatttctgn	tggcttcccc	aactataccg	600
gaattttgaa	agantcnccc	tacttccaaa	aaaaaanant	tgcccttncc	cccnttctgt	660
tgcaatgaaa	acntcccaan	acngccaatn	aaaacctgcc	cnnncaaaaa	ggntcncaaa	720
caaaaaaant	nnaagggtn					740

<210> 18

<211> 802

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(802)

<223> n = A,T,C or G

<400> 18

ccgctgggtg	cgctgggtcca	gngnagccac	gaagcacgtc	agcatacaca	gcctcaatca	60
caaggtcttc	cagctgccgc	acattacgca	gggcaagagc	ctccagcaac	actgcatatg	120
ggatacactt	tactttagca	gccagggtga	caactgagag	gtgtcgaagc	ttattcttct	180
gagcctctgt	tagtggagga	agattccggg	cttcagctaa	gtagtacgcg	tatgtcccat	240
aagcaaacac	tgtgagcagc	cggaaggtag	aggcaaagtc	actctcagcc	agctctctaa	300
cattgggcat	gtccagcagt	tctccaaaca	cgtagacacc	agnggcctcc	agcacctgat	360
ggatgagtg	ggccagcgct	gcccccttgg	ccgacttggc	taggagcaga	aattgctcct	420
ggttctgccc	tgtcaccttc	acttcgcgac	tcattactgc	actgagtgtg	ggggacttgg	480
gctcaggatg	tccagagacg	tggttcgcgc	ccctcnctta	atgacaccgn	ccanncaacc	540
gtcggctccc	gccgantng	ttcgtcgtnc	ctgggtcagg	gtctgctggc	cnctacttgc	600
aantctcgtc	nggccatgg	aattcacenc	accggaactn	gtangatcca	ctnnttctat	660
aaccgngcgc	caccgcnnt	ggaactccac	tcttnttnc	tttacttgag	ggttaaggtc	720
acccttnncg	ttaccttggt	ccaaacctn	ccntgtgtcg	anatngtnaa	tcngngccna	780
tnccancnc	atangaagcc	ng				802

<210> 19

<211> 731

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(731)

<223> n = A,T,C or G

<400> 19

cnaagcttcc	aggtnacggg	ccgcnaancc	tgacccnagg	tancanaang	cagnncgcgg	60
gagcccaccg	tcacngggng	gngtctttat	nggagggggc	ggagccacat	cnctggacnt	120
cntgacccca	actcccncc	ncncantgca	gtgatgagtg	cagaactgaa	ggtnacgtgg	180
caggaaccaa	gancaaannc	tgctccnntc	caagtccgcn	nagggggcgg	ggctggccac	240
gcncatccnt	cnagtgtctn	aaagcccenn	cctgtctact	tgtttgaga	acngcnnga	300

catgcccagn	ggtanataac	nggcngagag	tnantttgce	tctcccttcc	ggctgcgcan	360
cgngtntgct	tagnggacat	aacctgacta	cttaactgaa	cccnngaate	tnccnccct	420
ccactaagct	cagaacaaaa	aacttcgaca	ccactcantt	gtcacctgnc	tgctcaagta	480
aagtgtaccc	catncccaat	gtntgctnga	ngctctgncc	tgctttangt	tcggctcctgg	540
gaagacctat	caattnaagc	tatgtttctg	actgcctctt	gtcccttgna	acaancnacc	600
cnncnntcca	aggggggggnc	ggcccccaat	ccccccaacc	ntnaattnan	tttancccn	660
ccccngggc	cggcctttta	cnancntcnn	nnacngggna	aaaccnnngc	tttncccaac	720
nnaatccncc	t					731

<210> 20

<211> 754

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(754)

<223> n = A,T,C or G

<400> 20

tttttttttt	tttttttttt	taaaaacccc	ctccattnaa	tgnaaaacttc	cgaaattgtc	60
caacccccctc	ntccaaatnn	ccntttccgg	gnggggggttc	caaacccean	ttanntttgg	120
annttaaatt	aatnttntt	tgngngnnna	anccnaatgt	nangaaagtt	naaccanta	180
tnancttnaa	tncttgaaa	ccngtngntt	ccaaaaatnt	ttaaccctta	antccctccg	240
aaatngttna	nggaaaaccc	aantttctnt	aagggtgttt	gaaggntnaa	tnaaaanccc	300
nnccaattgt	ttttngccac	gcctgaatta	attggnttcc	gntgttttcc	nttaaaanaa	360
ggnnancccc	ggttantnaa	tcccccnnc	cccaattata	ccganttttt	ttngaattgg	420
gancccnccg	gaattaacgg	ggnnnttccc	tnntgggggg	cnggnncccc	ccccntccgg	480
ggttngggnc	aggncnnaat	tgtttaaggg	tccgaaaaat	ccctccnaga	aaaaaanctc	540
ccaggntgag	nntnggggtt	cccccccccc	cangggccct	ctcgnaaggt	tggggtttgg	600
ggggcctggg	attttntttc	ccctntttnc	tcccccccc	ccnggganag	aggttngngt	660
tttgntcnn	ggccccnccn	aaganctttt	ccganttnan	ttaaaccnt	gcctnggcga	720
agtcnttgn	aggntaaan	ggccccctnn	cggg			754

<210> 21

<211> 755

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(755)

<223> n = A,T,C or G

<400> 21

atcancccat	gacccnaac	nngggaccnc	tcancggnc	nnncnaccnc	cggcenatca	60
nngtnagnnc	actncnttn	natcacnccc	cncnactac	gcccnananc	cnacgcncta	120
nncanatncc	actganngcg	cgangtngan	ngagaaanct	nataccanag	ncaccanacn	180
ccagctgtcc	nanaangcct	nnnatacngg	nnnatccaat	ntgnancctc	cnaagtattn	240
nncnncan	gattttcctn	anccgattac	ccntncccc	tanccctcc	cccccaacna	300
cgaaggcnct	ggncnnaagg	nngcgncc	ccgctagntc	cccncaagt	cncncncccta	360
aactcanccn	nattacncgc	ttcntgagta	tactccccg	aatctcacc	tactcaactc	420
aaaaanatch	gatacaaaat	aatncaagcc	tgnttatnac	actntgactg	ggctcttatt	480
ttagnngtcc	ntnaancntc	ctaatacttc	cagctcncct	tcnccaattt	ccnaanggct	540
ctttcngaca	gcantttttg	gttcccnntt	gggttcttan	ngaattgcc	ttcntngaac	600

gggctcctct	tttccttcgg	ttancctggn	ttcnnccggc	cagttattat	ttcccntttt	660
aaattcctnc	cntttanttt	tggcnttcna	aacccccggc	cttgaaaacg	gccccctggt	720
aaaaggttgt	tttganaaaa	tttttgtttt	gttcc			755

<210> 22
 <211> 849
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(849)
 <223> n = A,T,C or G

<400> 22						
tttttttttt	tttttangtg	tngtcgtgca	ggtagaggct	tactacaant	gtgaanacgt	60
acgctnggan	taangcgacc	cganttcctag	gannccct	aaaatcanac	tgtgaagatn	120
atcctgnna	cggaanggtc	accggnngat	nntgctaggg	tgncctctcc	cannncnttn	180
cataactcng	nggcccctgcc	caccaccttc	ggcggcccng	ngnccgggcc	cgggtcattn	240
gnnttaaccn	cactnngcna	ncggtttccn	nccccnncng	accnnggcga	tccggggtn	300
tctgtcttcc	cctgnagncn	anaaantggg	ccnccgnccc	ctttaccct	nnacaagcca	360
cngccttcta	ncnccgccc	ccccctccant	nngggggact	gccnanngt	ccgttntctng	420
nnaccccnnn	gggtncctcg	gttgctcgant	cnaccgnang	ccanggatc	cnaaggaagg	480
tgcgttnttg	gcccctaccc	ttcgctncgg	nncacccttc	ccgacnanga	nccgtccccg	540
cnccnccngg	cctcncctcg	caacacccgc	nctcctcngt	ncggnnnccc	ccccacccgc	600
ncctcncnc	ngnccgnanc	ctcncncnc	gtctcannca	ccaccccgcc	ccgccaggcc	660
ntcanccacn	ggngacnng	nagcncnttc	gcnccgcgcn	gcgncnccct	cgccnengaa	720
ctnctcngg	ccantnnccg	tcaanccnna	cnaaacgccg	ctgcgcggcc	cgnagcgncc	780
ncctcncga	gtcctcccgn	cttccnacc	angnnttccn	cgaggacacn	nnaccccgcc	840
nncangcgg						849

<210> 23
 <211> 872
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(872)
 <223> n = A,T,C or G

<400> 23						
gcgcaaaacta	tacttcgctc	gnactcgtgc	gcctcgtctc	tcttttctctc	cgcaaccatg	60
tctgacnanc	ccgattnggc	ngatatcnan	aagntcganc	agtccaaact	gantaacaca	120
cacacnncan	aganaaatcc	nctgccttcc	anagtanacn	attgaacnng	agaaccangc	180
nggcgaatcg	taatnaggcg	tgcgcgcgcca	atntgtcncc	gtttattntn	ccagctcnc	240
ctnccnacc	tacntcttcn	nagctgtcnn	accctngtn	cgnaccccc	naggtcggga	300
tcgggttttn	nntgaccgng	cnccccctcc	ccccntccat	nacganccnc	ccgcaccacc	360
nanngcncgc	nccecgnnct	cttcgccncc	ctgtcctntn	cccctgtngc	ctggcncngn	420
accgcattga	ccctcgcenn	ctncnngaaa	ncgnanacgt	ccgggttggn	annancgctg	480
tgggnnnngc	tctgcncgc	gttccttccn	nenncttcca	ccatcttent	taengggctc	540
ccnccgcntc	tcnnncaenc	cctgggacgc	tntcctntgc	cccccttnac	teccccctt	600
cgncgtgncc	cgccccacc	ntcatttnca	nacgntcttc	acaannncc	ggntnnctcc	660
cnancngncn	gtcanccnag	ggaagggngg	ggnnccnntg	nttgacgttg	nggngangtc	720
cgaanantcc	tencntcan	cnctaccct	cggcgcnnet	ctcngttnc	aacttancaa	780

ntctcccccg ngngcnentc tcagcctcnc ccccccnct ctctgcantg tncctctgctc 840
tnaccnntac gantnttcgn cncctctttt cc 872

<210> 24
<211> 815
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(815)
<223> n = A,T,C or G

<400> 24
gcatgcaagc ttgagtattc tatagngtca cctaaatanc ttggcntaat catgggtcnta 60
nctgncttcc tgtgtcaaata gtatacnaaa tanatatgaa tctnatntga caaganngtg 120
tcntncattg gtaacaantg tntgtgccat cctgtcngan canattccca tnnattncgn 180
cgcattcncn gcnantatn taatngggaa ntcnntnnn ncaccnncat ctatcntncc 240
gcnccttgac tggagagat ggatnanttc tntnttgacc nacatgttca tcttggattn 300
aanancccc cgcngnccac cggttngnng cnagecnntc ccaagacctc ctgtggaggt 360
aacctgcgtc aganncatca aacntgggaa acccgcnnc angtnnaagt ngnnncanan 420
gateccgtec aggnntnacc atcccttcnc agcgcctcct ttngtgcctt anagnnagc 480
gtgtccnanc cncatcaacat ganacgcgcc agnccanccg caattnggca caatgtcgnc 540
gaacccccct ggggggantna tncaaanccc caggattgtc cncncangaa atcccnanc 600
ccnccctac ccncttttg gacngtgacc aantcccgga gtnccagtcc ggcngnctc 660
ccccaccggt nncntgggg ggggtgaant cngnntcanc cngncgaggn ntcgnaagga 720
accggnccn gngcgaann ancntcnga agngcnent cgtataaccc cccctcncca 780
nccnaengnt agntcccccc cngggtnccg aangg 815

<210> 25
<211> 775
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(775)
<223> n = A,T,C or G

<400> 25
ccgagatgtc tcgctccgtg gccttagctg tgctcgcgt actctctctt tctggcctgg 60
aggctatcca gcgtactcca aagattcagg tttactcacg tcatccagca gagaatggaa 120
agtcaaattt cctgaattgc tatgtgtctg ggtttcatcc atccgacatt gaanttgact 180
tactgaagaa tgganagaga attgaaaaag tggagcattc agacttgtct ttcagcaagg 240
actggtcttt ctatctctng tactacactg aattcacccc cactgaaaaa gatgagatg 300
cctgccgtgt gaaccatgtg actttgtcac agcccaagat agttaagtgg gatcgagaca 360
tgtaagcagn cncatggaa gtttgaagat gccgcatttg gattggatga attccaaatt 420
ctgcttgctt gcnttttaaat antgatatgc ntatacacc taccctttat gnceccaaat 480
tgtaggggtt acatnantgt tcnctnngga catgatcttc ctttataant ccnccnttcg 540
aattgcccgt cncengtnn ngaatgtttc cnaaaccacg gttggctccc ccaggtcncc 600
tcttacggaa gggcctgggc cnccttncaa gggtggggga accnaaaatt tcnctntgc 660
ccncccncca cnccttgng nncncanttt ggaacccttc cnattccctt tggectenna 720
nccttnncta anaaaacttn aaancgtngc naaantttt acttcccccc ttacc 775

<210> 26

<211> 820
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(820)
 <223> n = A,T,C or G

<400> 26
 anattantac agtgaatct tttcccagag gtgtgtanag ggaacggggc ctagaggcat 60
 cccanagata ncttatanca acagtgcctt gaccaagagc tgctgggcac atttcctgca 120
 gaaaagggtgg cggcccccat cactcctcct ctcccatagc catcccagag gggtagtag 180
 ccatcangcc ttcggtggga gggagtcang gaaacaacan accacagagc anacagacca 240
 ntgatgacca tgggcgggag cgagcctctt ccctgnaccg gggtaggana nganagccta 300
 nctgaggggt cacactataa acgttaacga ccnagatnan cacctgcttc aagtgcaccc 360
 ttcctacctg acnaccagng accnnnaact gcngcctggg gacagcctg ggancagcta 420
 acnnagcact cacctgcccc cccatggcgg tncgcntccc tggcctgnc aagggagct 480
 ccctgttgga attncgggga naccaaggga nccccctcct ccanctgtga aggaaaaann 540
 gatggaattt tnccttccg gccntcccc tcttcttta cagccccct nntactctc 600
 tccctctntt ntcctgncnc acttttnacc ccnnnatttc ccttnattga tcggannctn 660
 ganattccac tnnccctnc cntcnatcng naanacnaaa nactntctna cccnggggat 720
 gggnnccctg ntcatectct ctttttctct accncnntt ctttgcctct ccttngatca
 780tccaacctc gntggcctn ccccccnntt tcttttncct
 820

<210> 27
 <211> 818
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(818)
 <223> n = A,T,C or G

<400> 27
 tctgggtgat ggcctcttcc tcctcagggg cctctgactg ctctgggcca aagaatctct 60
 tgtttcttct ccgagcccca ggcagcgggtg attcagccct gcccaacctg attctgatga 120
 ctgcggatgc tgtgacggac ccaaggggca aatagggtcc cagggtccag ggaggggccc 180
 ctgctgagca cttccgcccc tcaccctgcc cagccctgc catgagctct gggctgggtc 240
 tccgcctcca gggttctgct ctccangca ngccancaa gggcgtggg ccacactggc 300
 ttcttctctg ccctcctctg gctctganc tctgtcttcc tgtcctgtgc angcnccttg 360
 gatctcagtt tccctcncctc anngaactct gtttctgann tcttcantta actntgantt 420
 tatnaccnan tggnetgtnc tgcnnactt taatgggccc gaccggctaa tccctcctc 480
 nctcccttcc anttcnnnna accngcttnc cntctctcc cctancccc ccngggaanc 540
 ctcttttgcc ctnaccangg gccnnnaccg ccctnnctn ggggggcnng gtnnctncnc 600
 ctgntnnccc cncctcncnt tncctcgtcc cnnnnnccn ngcannntc ncngtcccn 660
 tnnctctten ngntcgnaa ngntcncn tnnnnngncn ngntnntn tccctctcnc 720
 cnnntgnang tnnttnnnnc ncngnncccc nnnnnnnnn nggnntnnn tctnncncg 780
 cccnncccc ngnattaagg cctcncntct ccggccnc 818

<210> 28
 <211> 731
 <212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(731)

<223> n = A,T,C or G

<400> 28

aggaagggcg	gagggatatt	gtangggatt	gagggatagg	agnataangg	gggaggtgtg	60
tcccaacatg	anggtgnngt	tctcttttga	angaggggtg	ngtttttann	ccnggtgggt	120
gattnaaccc	cattgtatgg	agnnaaaggn	tttnagggat	ttttcggctc	ttatcagtat	180
ntanattcct	gtnaatcggg	aatnatntt	tcnncnggaa	aatnttgctc	ccatccgnaa	240
attnctcccc	ggtagtgcac	nttngggggg	cngccangtt	ttccaggctg	ctanaatcgt	300
actaaagntt	naagtgggan	tncaaataaa	aacctnnac	agagnatccn	tacccgactg	360
tnnnttncct	tcgcccctng	actctgcngg	agcccaatac	ccnngngnat	gtcncccnng	420
nnngcgnnc	tgaaannnnc	tcgnggctnn	gancatcang	gggtttcgca	tcaaaagcnn	480
cgtttcncat	naaggcactt	tnccctcctc	caaccnctng	ccctcnncca	tttngccgctc	540
nggttcncct	acgctnnntg	cncctnnntn	ganattttnc	ccgctngggg	naancctcct	600
gnaatgggta	gggncttntc	ttttnaccnn	gnggtntact	aatcnnctnc	acgcntnctt	660
tctcnacccc	cccccttttt	caatcccanc	ggcnaatggg	gtctccccnn	cgangggggg	720
nnnccannnc	c					731

<210> 29

<211> 822

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(822)

<223> n = A,T,C or G

<400> 29

actagtccag	tgtgggtggaa	ttccattgtg	ttggggncnc	ttctatgant	antnttagat	60
cgctcanacc	tcacancttc	ccnacnangc	ctataangaa	nannaataga	ncgtgncnnt	120
atntntacnc	tcatanncct	cnnnaccac	tcctctttaa	ccctactgtg	gcctatngcn	180
tnnctantct	ntgcgcctn	cnanccaccn	gtggggccnac	cncnngnatt	ctcnatctcc	240
tcnccatntn	gcctananta	ngtncatacc	ctatacctac	nceaatgcta	nnnctaancn	300
ttcatnantt	annntaacta	ccactgacnt	ngactttcnc	atnancctct	aatttgaatc	360
tactctgact	cccacngcct	annnattagc	ancntcccc	nacnatntct	caaccaaate	420
ntcaacaacc	tatctanctg	ttcnccaacc	nttncctccg	atccccnnac	aacccccctc	480
ccaaataccc	nccacctgac	ncctaaccnn	caccatcccc	gcaagccnan	ggncatttan	540
ccactggaat	cacnatngga	naaaaaaaaa	ccnaactctc	tancncnnat	ctccctaana	600
aatnctcctn	naattttactn	ncantnccat	caanccccacn	tgaaacnnaa	ccccgttttt	660
tanatccctt	ctttcgaaaa	ccnacccttt	annncccaac	ctttngggcc	cccccnctnc	720
ccnaatgaag	gncncccaat	cnangaaacg	ncnttgaaaa	ancnaggcna	anannntccg	780
canatcctat	cccttanttn	ggggnccttt	nccnngggcc	cc		822

<210> 30

<211> 787

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(787)

<223> n = A,T,C or G

<400> 30

cgcccgccctg	ctctggcaca	tgccctcctga	atggcatcaa	aagtgatgga	ctgcccattg	60
ctagagaaga	ccttctctcc	tactgtcatt	atggagccct	gcagactgag	ggctcccctt	120
gtctgcagga	tttgatgtct	gaagtcgtgg	agtgtggctt	ggagctcctc	atctacatna	180
gctggaagcc	ctggagggcc	tctctcgcca	gcctccccct	tctctccacg	ctctccangg	240
acaccagggg	ctccaggcag	cccattattc	ccagnangac	atgggtgtttc	tccacgcgga	300
cccatggggc	ctgnaaggcc	aggggtctcct	ttgacaccat	ctctcccgtc	ctgcctggca	360
ggccgtggga	tccactantt	ctanaacggn	cgccaccncg	gtgggagctc	cagcttttgt	420
tcccnttaat	gaaggttaat	tgcnegcttg	gcgtaatcat	nggtcanaac	tntttcctgt	480
gtgaaattgt	ttntcccctc	ncnattccnc	ncnacatacn	aacccggaan	cataaagtgt	540
taaagcctgg	gggtngcctn	nngaataaac	tnaactcaat	taattgcgtt	ggctcatggc	600
ccgctttccn	ttcnggaaaa	ctgtcntccc	ctgcnttntt	gaatcggcca	ccccccnggg	660
aaaagcggtt	tgcnttttng	ggggnctcct	ccncttcccc	cctcnctaan	ccctncgcct	720
cggtcgttnc	nggtngcggg	gaangggnat	nnnctccnc	naaggggng	agnnngntat	780
ccccaaa						787

<210> 31

<211> 799

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(799)

<223> n = A,T,C or G

<400> 31

tttttttttt	tttttttggc	gatgetactg	tttaattgca	ggaggtgggg	gtgtgtgtac	60
catgtaccag	ggctattaga	agcaagaagg	aaggagggag	ggcagagcgc	cctgctgagc	120
aacaaaggac	tcttgcagcc	ttctctgtct	gtctcttggc	gcaggcacat	ggggaggcct	180
cccgcagggt	gggggccacc	agtcagggg	tgggagcact	acanggggtg	ggagtgggtg	240
gtggctggtg	cnaatggcct	gncacanatc	cctacgattc	ttgacacctg	gatttcacca	300
ggggaccttc	tgttctccca	nggnaacttc	ntnnatctcn	aaagaacaca	actgtttctt	360
cngcanttct	ggctgttcat	ggaaagcaca	ggtgtccnat	ttnggctggg	acttgggtaca	420
tatggttccg	gcccacctct	cccntcnaa	aagtaattca	cccccccccn	ccntctnttg	480
cctgggcccct	taantaccca	caccggaact	canttantta	ttcatcttng	gntgggcttg	540
ntnatcncn	cctgaangcg	ccaagttgaa	aggccacgcc	gtncnccnctc	cccatagnan	600
ntttttnnct	canctaatgc	ccccccnggc	aacnatccaa	tccccccccn	tgggggcccc	660
agcccanggc	ccccgnctcg	ggnnnccngn	cncgnantcc	ccaggntctc	ccantcngnc	720
ccnnngcncc	cccgcacgca	gaacanaagg	ntngagccnc	cgcannnnnn	nggtnnncac	780
ctcgccccc	ccnnccngng					799

<210> 32

<211> 789

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(789)

<223> n = A,T,C or G

<400> 32

tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	tttttttttt	60
tttttncnag	ggcagggttta	ttgacaacct	cncgggacac	aancaggctg	gggacaggac	120
ggcaacaggc	tccggcgggc	gcggcgggcg	ccctacctgc	ggtaccaa	ntgcagcctc	180
cgctcccgc	tgatnttct	ctgcagctgc	aggatgcct	aaaacagggc	ctcggcctn	240
ggtgggcacc	ctgggatttn	aatttccacg	ggcacaatgc	ggtcgcancc	cctcaccacc	300
nattaggaat	agtggtnnta	ccnccnccg	ttggcncact	ccccntggaa	accacttntc	360
gcggctccgg	catctgggtc	taaaccttgc	aaacnctggg	gccctctttt	tggttantnt	420
nccngccaca	atcatnactc	agactggcnc	gggctggccc	caaaaaancn	ccccaaaacc	480
ggnccatgtc	ttnnccgggt	tgctgcnatn	tncatcacct	cccgggcnc	ncaggncaac	540
ccaaaagttc	ttngggcccn	caaaaaanct	ccggggggnc	ccagtttcaa	caaagtcac	600
ccccttggcc	cccaaatect	ccccccgntt	nctgggtttg	ggaaccacag	cctctnnctt	660
tggnnggcaa	gntggntccc	ccttcggggc	cccgggtggc	ccnntcttaa	ngaaaaacnc	720
ntcctnnnca	ccatcccccc	nngnnacgnc	tancaangna	tccctttttt	tanaaacggg	780
ccccccncc						789

<210> 33

<211> 793

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(793)

<223> n = A,T,C or G

<400> 33

gacagaacat	gttggatggt	ggagcacctt	tctatacgac	ttacaggaca	gcagatgggg	60
aattcatggc	tggtggagca	atanaacccc	agttctacga	gctgctgac	aaaggacttg	120
gactaaagtc	tgatgaactt	cccaatcaga	tgagcatgga	tgattggcca	gaaatgaana	180
agaagtttgc	agatgtattt	gcaaagaaga	cgaaggcaga	gtggtgtcaa	atctttgacg	240
gcacagatgc	ctgtgtgact	ccggttctga	cttttgagga	ggttggtcat	catgatcaca	300
acaangaacg	gggctcgttt	atcaccantg	aggagcagga	cgtgagcccc	cgccctgcac	360
ctctgctgtt	aaacacccca	gccatccctt	ctttcaaaaag	ggatccacta	cttctagagc	420
ggnccgccacc	gcgggtggagc	tccagctttt	gttcccttta	gtgaggggta	attgctgcgt	480
tggcgtaatc	atgggtcatan	ctgtttcctg	tgtgaaattg	ttatccgctc	acaattccac	540
acaacatacg	anccgggaagc	atnaaatttt	aaagcctggg	ggtngcctaa	tgantgaact	600
nactcacatt	aattggcttt	gcgctcactg	cccgttttcc	agtcgggaaa	acctgtcctt	660
gccagctgcc	nttaatgaat	cnggccaccc	cccggggaaa	aggcngtttg	cttnttgggg	720
cgcnetttcc	gctttctcgc	ttcctgaant	ccttcccccc	ggtctttcgg	cttgccggcna	780
acggtatcna	cct					793

<210> 34

<211> 756

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(756)

<223> n = A,T,C or G

<400> 34

gccgcgaccg	gcatgtacga	gcaactcaag	ggcgagtggg	accgtaaaaag	ccccaatctt	60
ancaagtgcg	gggaanagct	gggtcgactc	aagctagttc	ttctggagct	caacttcttg	120

ccaaccacag	ggaccaagct	gaccaaacag	cagctaattc	tggcccggtga	catactggag	180
atcgggggccc	aatggagcat	cctacgcaan	gacatccccct	ccttcgagcg	ctacatggcc	240
cagctcaaat	gctactactt	tgattacaan	gagcagctcc	ccgagtcagc	ctatatgcac	300
cagctcttgg	gcctcaacct	cctcttcctg	ctgtcccaga	accgggtggc	tgantnccac	360
acgganttgg	ancgggtgcc	tgcccaanga	catacanacc	aatgtctaca	tcnaccacca	420
gtgtcctgga	gcaatactga	tgganggcag	ctaccncaaa	gtnttcctgg	ccnagggtaa	480
catccccgcg	cgagagctac	accttcttca	ttgacatcct	gctcgacact	atcagggatg	540
aaaatcgcn	ggttgctcca	gaaaggctnc	aanaanatcc	tttctnctga	aggcccccg	600
atnctnctagt	nctagaatcg	gccccgccatc	gcggtgganc	ctccaacctt	tcgttnccct	660
ttactgaggg	ttnattgccc	cccttggcgt	tatcatggtc	acnccngttn	cctgtgttga	720
aattnttaac	cccccaaat	tccacgcena	cattng			756

<210> 35

<211> 834

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (834)

<223> n = A,T,C or G

<400> 35

ggggatctct	anatchnacct	gnatgcatgg	ttgtcggtgt	ggtcgctgtc	gatgaanatg	60
aacaggatct	tgcccttgaa	gctctcggt	gctgtnttta	agttgctcag	tctgccgtca	120
tagtcagaca	cnctcttggg	caaaaaacan	caggatntga	gtcttgattt	cacctccaat	180
aatcttcngg	gctgtctgct	cggtgaactc	gatgacnang	ggcagctggg	tgtgtntgat	240
aaantccanc	angttctcct	tggtgacctc	cccttcaaag	ttgttcgggc	cttcacataaa	300
cttctnnaan	angannancc	canctttgtc	gagctggnat	ttgganaaca	cgtcacctgtt	360
ggaaactgat	cccaaattgg	atgtcatcca	tcgcctctgc	tgccctgcaa	aaacttgctt	420
ggcncaaatc	cgactccccn	tccttgaaag	aagccnatca	cacccccctc	cctggactcc	480
nncaangact	ctnccgctnc	ccntccnng	cagggttggg	ggcannccgg	gcccntgcgc	540
ttcttcagcc	agttcacnat	nttcacacgc	ccctctgcca	gctgtnttat	tccttggggg	600
ggaanccgtc	tctcccttcc	tgaannaact	ttgaccgtng	gaatagccgc	gcntccnct	660
acntnctggg	ccgggttcaa	antccctccn	ttgncnntcn	cctcggggcca	ttctgggattt	720
ncnnaacttt	tctcttcccc	cncnccnccg	ngtttggnntt	tttcatnggg	ccccaaactct	780
gctnttggcc	antccctctg	gggcntntan	cncnccctnt	ggtcccntng	ggcc	834

<210> 36

<211> 814

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (814)

<223> n = A,T,C or G

<400> 36

cggnccgcttt	ccngccgcgc	cccggtttcca	tgacnaaggc	tcccttcang	ttaaatacn	60
cctagnaaac	attaatgggt	tgtctacta	atacatcata	cnaaccagta	agcctgcccc	120
naacgccaac	tcaggccatt	cctaccaaag	gaagaaaggc	tggtctctcc	acccccctgta	180
ggaaaggcct	gccttgtaag	acaccacaat	ncggctgaat	ctnaagtctt	gtgttttact	240
aatggaaaaa	aaaaataaac	aanagggttt	gttctcatgg	ctgccaccgc	cagcctggca	300
ctaaaacanc	ccagcgcetca	cttctgcttg	ganaaatatt	ctttgctctt	ttggacatca	360

ggcttgatgg	tatcactgcc	acntttccac	ccagctgggc	ncccttcccc	catntttgtc	420
antganctgg	aaggcctgaa	ncttagtctc	caaaagtctc	ngcccacaag	accggccacc	480
aggggangtc	ntttncagtg	gatctgccaa	anantaccn	tatcatcnnt	gaataaaaag	540
gcccctgaac	ganatgcttc	cancancctt	taagacccat	aatcctngaa	ccatgggtgcc	600
cttccgggtct	gatccnaaag	gaatgttctt	gggtcccant	ccctcctttg	tttcttacgt	660
tgtnttggac	ccntgctngn	atnacccaan	tganatcccc	ngaagcacc	tnccctggc	720
atgtganttt	cntaaattct	ctgcctacn	nctgaaagca	cnattccctn	ggcnccnaan	780
ggngaactca	agaaggtctn	ngaaaaacca	cncn			814

<210> 37
 <211> 760
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(760)
 <223> n = A,T,C or G

<400> 37						
gcatgtctgt	cttccctcaaa	gttgttcttg	ttgccataac	aaccaccata	ggtaaagcgg	60
gcgcagtgtt	cgctgaaggg	gttgtagtag	cagcgcgga	tgctctcctt	gcagagtcct	120
gtgtctggca	gggtccacgca	atgccctttg	tactgggga	aatggatgcg	ctggagctcg	180
tcnaanccac	tcgtgtat	ttcacangca	gcctcctccg	aagcntccgg	gcagttgggg	240
gtgtcgtcac	actccactaa	actgtcgatn	cancagccca	ttgctgcagc	ggaactgggt	300
gggctgacag	gtgccagaac	acactggatn	ggcctttcca	tggaagggcc	tgggggaaat	360
cncctnancc	caaactgcct	ctcaaaggcc	accttgacac	ccccgacagg	ctagaaatgc	420
actcttcttc	ccaaaggtag	ttgttcttgt	tgcccaagca	ncctccanca	aaccaaanc	480
ttgcaaaatc	tgctccgtgg	gggtcatnnn	taccanggtt	ggggaaanaa	acccggcngn	540
ganccnctt	gtttgaatgc	naaggnaata	atcctcctgt	cttgcttggg	tggaanagca	600
caattgaact	gttaacnttg	ggccnggttc	cncnnggtg	gtctgaaact	aatcacctgc	660
actggaaaaa	ggtangtgcc	ttccttgaat	tcccaaantt	cccctngntt	tggttntttt	720
ctcctctncc	ctaaaaatcg	tnttcccccc	ccntanggcg			760

<210> 38
 <211> 724
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(724)
 <223> n = A,T,C or G

<400> 38						
tttttttttt	tttttttttt	tttttttttt	tttttaaaaa	ccccctccat	tgaatgaaaa	60
cttccnaaat	tgtccaaccc	cctcnccaa	atnnccattt	ccgggggggg	gttccaaacc	120
caaattaatt	ttgganttta	aattaaatnt	tnattngggg	aanaanccaa	atgtnaagaa	180
aattttaaccc	attatnaact	taaatncctn	gaaaccctng	gnttccaaaa	atttttaacc	240
cttaaatccc	tccgaaattg	ntaanggaaa	accaaattcn	cctaaggctn	tttgaagggt	300
ngatttaaac	ccccttnant	tnttttnacc	cnnngctnaa	ntatttngnt	tccgggtgtt	360
tcctnttaan	cntnggtaac	tcccgnata	gaannncct	aanccaatta	aaccgaattt	420
tttttgaatt	ggaaattccn	ngggaattna	ccgggggttt	tcccttttgg	gggccaatnc	480
ccncttttcg	gggtttgggn	ntaggttgaa	tttttnnang	ncccaaaaaa	ncccccaana	540
aaaaaactcc	caagnnttaa	ttngaantnc	ccccttccca	ggccttttgg	gaaaggnggg	600

tttntggggg	ccngggantt	cnttccccc	ttncncccc	ccccccnggt	aaanggttat	660
ngnntttggt	ttttgggccc	cttnanggac	cttcgggatn	gaaattaaat	ccccgggncg	720
gccg						724

<210> 39
 <211> 751
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(751)
 <223> n = A,T,C or G

<400> 39						
tttttttttt	tttttctttg	ctcacattta	atttttattt	tgattttttt	taatgctgca	60
caacacaata	tttatttcat	ttgtttcttt	tatttcatat	tatttgtttg	ctgctgctgt	120
tttatttatt	tttactgaaa	gtgagaggga	acttttgttg	ccttttttcc	tttttctgta	180
ggccgcctta	agctttctaa	at ttggaaca	tctaagcaag	ctgaanggaa	aaggggggtt	240
cgcaaaatca	ctcgggggaa	nggaaagggt	gctttgttaa	tcagcccta	tggtgggtga	300
ttaactgctt	gtacaattac	ntttcacttt	taattaattg	tgctnaangc	tttaattana	360
cttgggggtt	ccctccccc	accaaccccn	ctgacaaaaa	gtgccngccc	tcaaatanatg	420
tcccggcnnt	cnttgaaaca	cacngcngaa	ngttctcatt	ntcccccnc	caggtnaaaa	480
tgaagggtta	ccatntttta	cnccacctcc	acntggcnnn	gcctgaatcc	tcnaaaaancn	540
ccctcaancn	aattnctnng	ccccggtcnc	gcntnngtc	cncccgggct	ccgggaantn	600
cacccccnga	anncnntnnc	naacnaaatt	ccgaaaatat	tcccnntcnc	tcaattcccc	660
cnnagactnt	cctcnncnan	cncaattttc	ttttnttcac	gaacncgnnc	cnnaaaaatgn	720
nnnnncctc	cncnngtcn	naatcnccan	c			751

<210> 40
 <211> 753
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(753)
 <223> n = A,T,C or G

<400> 40						
gtggtatttt	ctgtaagatc	agggtgttct	ccctcgtagg	tttagaggaa	acaccctcat	60
agatgaaaac	ccccccgaga	cagcagcact	gcaactgcca	agcagccggg	gtaggagggg	120
cgccctatgc	acagctgggc	ccttgagaca	gcagggttc	gatgtcaggc	tcgatgtcaa	180
tggtctggaa	gcggcggctg	tacctgcgta	ggggcacacc	gtcagggccc	accaggaact	240
tctcaaagtt	ccaggcaacn	tcgttgcgac	acaccggaga	ccagggtgatn	agcttgggggt	300
cggtcataan	cgcggtggcg	tcgtcgctgg	gagctggcag	ggcctccccg	aggaaggcna	360
ataaaaagggtg	cgcccccgca	ccgttcant	cgcacttctc	naanaccatg	angttgggct	420
cnaaccacc	accannccgg	acttccttga	nggaattccc	aaatctcttc	gntcttgggc	480
ttctnctgat	gccctanctg	gttgcccngn	atgccaanca	nccccaancc	ccgggggtcct	540
aaanaccn	cctcctcntt	tcactctgggt	tntntcccc	ggacntgggt	tcctctcaag	600
ggancccata	tctcnaccan	tactcacent	nccccccent	gnnaccanc	cttctanngn	660
ttccnccccg	ncctctggcc	cntcaaan	gcttnacna	cctgggtctg	ccttcccccc	720
tnccctatct	gnaccccn	ttgtctcan	tnt			753

<210> 41

<211> 341
 <212> DNA
 <213> Homo sapien

<400> 41
 actatatcca tcacaacaga catgcttcat cccatagact tcttgacata gcttcaaagt 60
 agtgaaccca tccttgattt atatacatat atgttctcag tattttggga gcctttccac 120
 ttctttaaac cttgttcatt atgaacactg aaaataggaa ttgtgaaga gttaaaaagt 180
 tatagcttgt ttacgtagta agtttttgaa gtctacattc aatccagaca cttagttgag 240
 tgttaaactg tgatttttaa aaaatatcat ttgagaatat tctttcagag gtattttcat 300
 ttttactttt tgattaattg tgttttatat attagggtag t 341

<210> 42
 <211> 101
 <212> DNA
 <213> Homo sapien

<400> 42
 acttactgaa ttttagttctg tgctcttctt tatttagtgt tgtatcataa atactttgat 60
 gtttcaaaca ttctaaataa ataattttca gtggcttcat a 101

<210> 43
 <211> 305
 <212> DNA
 <213> Homo sapien

<400> 43
 acatctttgt tacagtctaa gatgtgttct taaatcacca ttccttctctg gtcttcaccc 60
 tccagggtgg tctcacactg taattagagc tattgaggag tctttacagc aaattaagat 120
 tcagatgcct tgctaagtct agagttctag agttatgttt cagaaagtct aagaaaccca 180
 cctcttgaga ggctcagtaaa gaggacttaa tatttcatat ctacaaaatg accacaggat 240
 tggatacaga acgagagtta tcctggataa ctcagagctg agtacctgcc cgggggccgc 300
 tcgaa 305

<210> 44
 <211> 852
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(852)
 <223> n = A,T,C or G

<400> 44
 acataaatat cagagaaaag tagtctttga aatattttacg tccaggagtt ctttgtttct 60
 gattatttgg tgtgtgtttt ggtttgtgtc caaagtattg gcagcttcag ttttcatttt 120
 ctctccatcc tcgggcattc tccccaaatt tatataccag tcttcgtcca tccacacgct 180
 ccagaatttc tctttttagt taatatctca tagctcggct gagcttttca taggtcatgc 240
 tgctgttgtt cttcttttta ccccatagct gagccactgc ctctgatttc aagaacctga 300
 agacgcctc agatcgggtct tcccatttta ttaatcctgg gttcttgtct gggttcaaga 360
 ggatgtcgcg gatgaattcc cataagttag tccctctcgg gttgtgcttt ttgggtgagg 420
 acttggcagg ggggtcttgc tcctttttca tatcagggtga ctctgcaaca ggaaggtag 480
 tgggtgttgt catggagatc tgagcccggc agaaagtatt gctgtccaac aaatctactg 540
 tgctaccata gttggtgtca tataaatagt tctngtcttt ccagggtgtc atgatggaag 600

gctcagtttg	ttcagtcttg	acaatgacat	tgtgtgtgga	ctggaacagg	tcaactactgc	660
actggccgtt	ccacttcaga	tgctgcaagt	tgctgtagag	gagntgcccc	gccgtccctg	720
ccgcccgggt	gaactcctgc	aaactcatgc	tgcaaagggtg	ctcgccgttg	atgtcgaact	780
cntggaaagg	gatacaattg	gcatccagct	ggttggtgtc	caggagggtga	tggagccact	840
cccacacctg	gt					852

<210> 45
 <211> 234
 <212> DNA
 <213> Homo sapien

<400> 45						
acaacagacc	cttgctcgct	aacgacctca	tgctcatcaa	gttggacgaa	tccgtgtccg	60
agtctgacac	catccggagc	atcagcattg	cttcgcagtg	ccctaccgcg	gggaactctt	120
gcctcgtttc	tggctggggg	ctgctggcga	acggcagaat	gcctaccgtg	ctgcagtgcg	180
tgaacgtgtc	ggtggtgtct	gaggaggtct	gcagtaagct	ctatgacctg	ctgt	234

<210> 46
 <211> 590
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(590)
 <223> n = A,T,C or G

<400> 46						
actttttatt	taaatgttta	taaggcagat	ctatgagaat	gatagaaaac	atgggtgtgta	60
at ttgatagc	aatatttttg	agattacaga	gttttagtaa	ttaccaatta	cacagttaaa	120
aagaagataa	tatatccaa	gcanatacaa	aatatcta	gaaagatcaa	ggcaggaaaa	180
tgantataac	taattgacaa	tggaaaatca	attttaatgt	gaattgcaca	ttatccttta	240
aaagctttca	aaanaaanaa	ttattgcagt	ctanttaatt	caaacagtgt	taaatgggat	300
caggataaan	aactgaagg	canaaagaat	taattttcac	ttcatgtaac	ncaccan	360
ttacaatggc	ttaaatgcan	ggaaaaagca	gtggaagtag	ggaagtantc	aaggctcttc	420
tggctctctaa	tctgccttac	tctttgggtg	tggctttgat	cctctggaga	cagctgccag	480
ggctcctgtt	atatccacaa	tcccagcagc	aagatgaagg	gatgaaaaag	gacacatgct	540
gccttccttt	gaggagactt	catctcactg	gccaacactc	agtcacatgt		590

<210> 47
 <211> 774
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(774)
 <223> n = A,T,C or G

<400> 47						
acaagggggc	ataatgaagg	agtggggana	gattttaaag	aaggaaaaaa	aacgaggccc	60
tgaacagaat	tttctgnac	aacggggctt	caaaataatt	ttcttgggga	ggttcaagac	120
gcttctactgc	ttgaaactta	aatggatgtg	ggacanaatt	ttctgtaatg	accctgaggg	180
cattacagac	gggactctgg	gaggaaggat	aaacagaaaag	gggacaaaag	ctaataccaa	240
aacatcaaag	aaaggaaggt	ggcgtcatac	ctcccagcct	acacagttct	ccagggtctct	300

```

cctcatccct ggaggacgac agtggaggaa caactgacca tgtccccagg ctctgtgtg 360
ctggctcctg gtcttcagcc cccagctctg gaagcccacc ctctgctgat cctgcgtggc 420
ccacactcct tgaacacaca tccccagggt atattcctgg acatggctga acctcctatt 480
cctacttccg agatgccttg ctccctgcag cctgtcaaaa tcccactcac cctccaaacc 540
acggcatggg aagcctttct gacttgcttg attactccag catcttgga caatccctga 600
ttccccactc cttagaggca agataggggt gttaagagta gggctggacc acttgagacc 660
aggctgctgg cttcaaattn tggctcattt acgagctatg ggaccttggg caagtnatct 720
tcacttctat gggcntcatt ttgttctacc tgcaaaatgg gggataataa tagt 774

```

```

<210> 48
<211> 124
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(124)
<223> n = A,T,C or G

```

```

<400> 48
canaaattga aattttataa aaaggcattt ttctcttata tccataaaat gatataattt 60
ttgcaantat anaaatgtgt cataaattat aatgttcctt aattacagct caacgcaact 120
tggt 124

```

```

<210> 49
<211> 147
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(147)
<223> n = A,T,C or G

```

```

<400> 49
gccgatgcta ctattttatt gcaggagggt ggggtgtttt tattattctc tcaacagctt 60
tgtggctaca ggtggtgtct gactgcatna aaaanttttt tacgggtgat tgcaaaaatt 120
ttagggcacc catatcccaa gcantgt 147

```

```

<210> 50
<211> 107
<212> DNA
<213> Homo sapien

```

```

<400> 50
acattaaatt aataaaagga ctgttgggggt tctgctaaaa cacatggctt gatatatattgc 60
atggtttgag gttaggagga gttaggcata tgttttggga gaggggt 107

```

```

<210> 51
<211> 204
<212> DNA
<213> Homo sapien

```

```

<400> 51
gtcctaggaa gtctagggga cacacgactc tggggtcacg gggccgacac acttgacacgg 60

```


cgggaaggaa	aggcagagaa	gtgacaccgt	caggggggaaa	tgacagaaag	gaaaatcaag	120
gccttgcaag	gtcagaaagg	ggactcaggg	cttccaccac	agccctgccc	cacttgGCCA	180
cctccctttt	gggaccagca	atgt				204

<210> 52
 <211> 491
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(491)
 <223> n = A,T,C or G

<400> 52						
acaaagataa	catttatctt	ataacaaaaa	tttgatagtt	ttaaagggtta	gtattgtgta	60
gggtattttc	caaaagacta	aagagataac	tcagggtaaaa	agttagaaat	gtataaaaca	120
ccatcagaca	ggttttttaa	aaacaacata	ttacaaaaatt	agacaatcat	ccttaaaaaa	180
aaaacttctt	gtatcaattt	cttttgttca	aaatgactga	cttaantatt	tttaaattatt	240
tcanaaacac	tccctcaaaa	attttcaana	tggtagcttt	canatgtnc	ctcagtcCCA	300
atgttgctca	gataaataaa	tctcgtgaga	acttaccacc	caccacaagc	tttctggggc	360
atgcaacagt	gtcttttctt	tnctttttct	tttttttttt	ttacaggcac	agaaactcat	420
caatttttatt	tggataacaa	agggtctcca	aatttatattg	aaaaataaat	ccaagttaat	480
atcactcttg	t					491

<210> 53
 <211> 484
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(484)
 <223> n = A,T,C or G

<400> 53						
acataattta	gcagggtctaa	ttaccataag	atgctatttta	ttaanaggtn	tatgatctga	60
gtattaacag	ttgctgaagt	ttgggtatttt	tatgcagcat	tttctttttg	ctttgataac	120
actacagaac	ccttaaggac	actgaaaatt	agtaagtaaa	gttcagaaac	attagctgct	180
caatcaaatt	tctacataac	actatagtaa	ttaaaacggt	aaaaaaaagt	gttgaaatct	240
gcactagtat	anaccgctcc	tgtcaggata	anactgcttt	ggaacagaaa	gggaaaaanc	300
agctttgant	ttctttgtgc	tgatangagg	aaaggctgaa	ttacctgtt	gcctctccct	360
aatgattggc	aggtcnggta	aatnccaaaa	catattccaa	ctcaacactt	cttttccncc	420
tancttgant	ctgtgtattc	caggancagg	cggatggaat	gggccagccc	ncggatgttc	480
cant						484

<210> 54
 <211> 151
 <212> DNA
 <213> Homo sapien

<400> 54						
actaaacctc	gtgcttgtga	actccatata	gaaaacggtg	ccatccctga	acacggctgg	60
ccactgggta	tactgctgac	aaccgcaaca	acaaaaacac	aaatccctgg	cactggctag	120
tctatgtcct	ctcaagtgcc	tttttgtttg	t			151

<210> 55
<211> 91
<212> DNA
<213> Homo sapien

<400> 55
acctggcttg tctccgggtg gttcccggcg cccccacgg tccccagaac ggacactttc 60
gccctccagt ggatactcga gccaaagtgg t 91

<210> 56
<211> 133
<212> DNA
<213> Homo sapien

<400> 56
ggcggatgtg cgttgggttat atacaaatat gtcattttat gtaagggact tgagtatact 60
tggatttttg gtatctgtgg gttgggggga cggtcagga accaatatccc catggatacc 120
aagggacaac tgt 133

<210> 57
<211> 147
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(147)
<223> n = A,T,C or G

<400> 57
actctggaga acctgagccg ctgctccgcc tctgggatga ggtgatgcan gcngtggcgc 60
gactgggagc tgagcccttc cttttgcgcc tgcctcagag gattgttgcc gacntgcana 120
tctcantggg ctggatncat gcagggt 147

<210> 58
<211> 198
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(198)
<223> n = A,T,C or G

<400> 58
acagggatat aggtttnaag ttattgtnat tgtaaaatac attgaatttt ctgtatactc 60
tgattacata catttaccct ttaaaaaaga tgtaaatctt aatttttatg ccatctatta 120
atttaccat gagttacctt gtaaatgaga agtcatgata gcaactgaatt ttaactagtt 180
ttgacttcta agtttgggt 198

<210> 59
<211> 330
<212> DNA
<213> Homo sapien

<400> 59
 acaacaaatg ggttggtgagg aagtctttatc agcaaaaactg gtgatggcta ctgaaaagat 60
 ccattgaaaa ttatcattaa tgatttttaa tgacaagtta tcaaaaactc actcaatttt 120
 cacctgtgct agcttgctaa aatgggagtt aactctagag caaatatagt atcttctgaa 180
 tacagtcaat aaatgacaaa gccagggcct acaggtgggt tccagacttt ccagacccag 240
 cagaaggaat ctattttatc acatggatct ccgtctgtgc tcaaaatacc taatgatatt 300
 tttcgtcttt attggacttc tttgaagagt 330

<210> 60
 <211> 175
 <212> DNA
 <213> Homo sapien

<400> 60
 accgtgggtg ccttctacat tcctgacggc tccttcacca acatctgggt ctacttcggc 60
 gtcgtgggct ccttctctt catcctcatc cagctgggtg tgctcatcga ctttgcgcac 120
 tcctggaacc agcgggtggct gggcaaggcc gaggagtgcg attcccgtgc ctggt 175

<210> 61
 <211> 154
 <212> DNA
 <213> Homo sapien

<400> 61
 accccacttt tcctcctgtg agcagtctgg acttctcact gctacatgat gaggggtgagt 60
 ggttggtgct cttcaacagt atcctcccct ttccggatct gctgagccgg acagcagtgc 120
 tggactgcac agccccgggg ctccacattg ctgt 154

<210> 62
 <211> 30
 <212> DNA
 <213> Homo sapien

<400> 62
 cgctcgagcc ctatagtgag tcgtattaga 30

<210> 63
 <211> 89
 <212> DNA
 <213> Homo sapien

<400> 63
 acaagtcatt tcagcacctt ttgctcttca aaactgacca tcttttatat ttaatgcttc 60
 ctgtatgaat aaaaatgggt atgtcaagt 89

<210> 64
 <211> 97
 <212> DNA
 <213> Homo sapien

<400> 64
 accggagtaa ctgagtcggg acgctgaatc tgaatccacc aataaataaa ggttctgcag 60
 aatcagtgc tccaggattg gtccttggat ctgggggt 97

<210> 65
 <211> 377
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(377)
 <223> n = A,T,C or G

<400> 65
 acaacaanaa ntcccttctt taggccactg atggaaacct ggaacccccct tttgatggca 60
 gcatggcgctc ctaggccttg acacagcggc tgggggtttgg gctntcccaa accgcacacc 120
 ccaaccctgg tctaccaca nttctggcta tgggctgtct ctgccactga acatcagggt 180
 tcggtcataa natgaaatcc caanggggac agaggctcagt agaggaagct caatgagaaa 240
 ggtgctgttt gctcagccag aaaacagctg cctggcattc gccgctgaac tatgaacccg 300
 tgggggtgaa ctaccccan gaggaatcat gctggggcga tgcaanggtg ccaacaggag 360
 gggcgggagg agcatgt 377

<210> 66
 <211> 305
 <212> DNA
 <213> Homo sapien

<400> 66
 acgcctttcc ctcagaattc agggaagaga ctgtcgcttg ccttcctccg ttgttgctg 60
 agaaccctg tgccccctcc caccatatcc accctcgctc catctttgaa ctcaaacacg 120
 aggaactaac tgcaccctgg tctctcccc agtccccagt tcaccctcca tccctcacct 180
 tctccactc taagggatat caacactgcc cagcacaggg gccctgaatt tatgtggttt 240
 ttatatattt ttttaataaga tgcactttat gtcatttttt aataaagtct gaagaattac 300
 tgttt 305

<210> 67
 <211> 385
 <212> DNA
 <213> Homo sapien

<400> 67
 actacacaca ctccacttgc ccttgtgaga cactttgtcc cagcacttta ggaatgctga 60
 ggtcggacca gccacatctc atgtgcaaga ttgcccagca gacatcaggt ctgagagttc 120
 cccttttaaa aaaggggact tgcttaaaaa agaagtctag ccacgattgt gtagagcagc 180
 tgtgctgtgc tggagattca cttttgagag agttctcctc tgagacctga tctttagagg 240
 ctgggcagtc ttgcacatga gatggggctg gtctgatctc agcactcctt agtctgcttg 300
 cctctcccag ggccccagcc tggccacacc tgcttacagg gcactctcag atgcccatac 360
 catagtttct gtgctagtgg accgt 385

<210> 68
 <211> 73
 <212> DNA
 <213> Homo sapien

<400> 68
 acttaaccag atatattttt accccagatg gggatattct ttgtaaaaaa tgaaaataaa 60
 gtttttttaa tgg 73

<210> 69
<211> 536
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(536)
<223> n = A,T,C or G

<400> 69
actagtccag tgtggtggaa ttccattgtg ttgggggctc tcaccctcct ctccctgcagc 60
tccagctttg tgctctgcct ctgaggagac catggcccag catctgagta ccctgctgct 120
cctgctggcc accctagctg tggccctggc ctggagcccc aaggaggagg ataggataat 180
cccgggtggc atctataacg cagacctcaa tgatgagtgg gtacagcgtg cccttcactt 240
cgccatcagc gagtataaca aggccaccaa agatgactac tacagacgtc cgctgcgggt 300
actaagagcc aggcaacaga ccgttggggg ggtgaattac ttcttcgacg tagagggtggg 360
ccgaaccata tgtaccaagt cccagcccaa cttggacacc tgtgccttcc atgaacagcc 420
agaactgcag aagaaacagt tgtgctcttt cgagatctac gaagtccctt ggggagaaca 480
gaangtcctt ggggtgaaatc caggtgtcaa gaaatcctan ggatctgttg ccaggc 536

<210> 70
<211> 477
<212> DNA
<213> Homo sapien

<400> 70
atgaccctta acagggggccc tctcagccct cctaattgacc tccggcctag ccatgtgatt 60
tcacttccac tccataacgc tctcataact aggctacta accaacacac taaccatata 120
ccaatgatgg cgcgatgtaa cagagaaaag cacataccaa ggccaccaca caccacctgt 180
ccaaaaaggc cttcgatacg ggataatcct atttattacc tcagaagttt ttttcttcgc 240
agggattttt ctgagccttt taccactcca gcctagcccc taccceccaa ctaggagggc 300
actggccccc aacaggcatc accccgctaa atcccttaga agtcccactc ctaaacacat 360
ccgtattact cgcatcagga gtatcaatca cctgagctca ccatagtcta atagaaaaca 420
accgaaacca aattattcaa agcactgctt attacaattt tactgggtct ctatttt 477

<210> 71
<211> 533
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(533)
<223> n = A,T,C or G

<400> 71
agagctatag gtacagtgtg atctcagctt tgcaaacaca ttttctacat agatagtact 60
aggattaat agatatgtaa agaaagaaat cacaccatta ataatggtaa gattggttta 120
tgtgatttta gtggtatttt tggcaccctt atatatgttt tccaaacttt cagcagtgat 180
attatttcca taacttaaaa agtgagtgtg aaaaagaaaa tctccagcaa gcatctcatt 240
taaataaagg tttgtcatct ttaaaaatac agcaatatgt gactttttta aaaagctgtc 300
aaatagggtg gaccctacta ataattatta gaaatacatt taaaaacatc gagtacctca 360
agtcagtttg ccttgaaaaa tatcaaatat aactcttaga gaaatgtaca taaaagaatg 420
cttcgtaatt ttggagtang aggttccctc ctcaattttg tattttttaa aagtacatgg 480
taaaaaaaaa aattcacaaac agtatataag gctgtaaaat gaagaattct gcc 533

<210> 72
 <211> 511
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(511)
 <223> n = A,T,C or G

<400> 72
 tattacggaa aaacacacca cataattcaa ctancaaaga anactgcttc agggcgtgta 60
 aaatgaaagg cttccaggca gttatctgat taaagaacac taaaagaggg acaaggctaa 120
 aagccgcagg atgtctacac tatancaggc gctatttggg ttggctggag gagctgtgga 180
 aaacatggan agattggtgc tgganacgc cgtggctatt cctcattgtt attacanagt 240
 gaggttctct gtgtgcccac tggtttgaaa accgttctnc aataatgata gaatagtaca 300
 cacatgagaa ctgaaatggc ccaaaccag aaagaaagcc caactagatc ctcagaanac 360
 gcttctaggg acaataaccg atgaagaaaa gatggcctcc ttgtgcccc gtctgttatg 420
 atttctctcc attgcagcna naaaccggtt cttctaagca aacncagggtg atgatggcna 480
 aaatacaccc cctcttgaag naccnggagg a 511

<210> 73
 <211> 499
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(499)
 <223> n = A,T,C or G

<400> 73
 cagtggcagc actggtgcca gtaccagtac caataacagt gccagtgcc gtgccagcac 60
 cagtgggtggc ttcaagtctg gtgccagcct gaccgccact ctcacatttg ggctcttcgc 120
 tggccttggg ggagctgggt ccagcaccag tggcagctct ggtgcctgtg gtttctccta 180
 caagtgagat tttagatatt gttaatcctg ccagctcttc tcttcaagcc aggggtgcac 240
 ctcagaaacc tactcaacac agcactctag gcagccacta tcaatcaatt gaagttgaca 300
 ctctgcatta aatctatttg ccatttctga aaaaaaaaaa aaaaaaaggg cgcccgctcg 360
 antctagagg gcccgtttta acccgctgat cagcctcgac tgtgccttct anttgccagc 420
 catctgttgt ttgcccctcc cccgntgcct tccttgacct tggaaagtgc cactccct 480
 gtcctttcct aantaaat 499

<210> 74
 <211> 537
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(537)
 <223> n = A,T,C or G

<400> 74
 tttcatagga gaacacactg aggagatact tgaagaattt ggattcagcc gcgaagagat 60

ttatcagctt	aactcagata	aaatcattga	aagtaataag	gtaaaagcta	gtctctaact	120
tccaggccca	cggctcaagt	gaatttgaat	actgcattta	cagtgtagag	taacacataa	180
cattgtatgc	atggaaacat	ggaggaacag	tattacagtg	tcctaccact	ctaatacaaga	240
aaagaattac	agactctgat	tctacagtga	tgattgaatt	ctaaaaatgg	taatcattag	300
ggcttttgat	ttataanact	ttgggtactt	atactaaatt	atggtagtta	tactgccttc	360
cagtttgctt	gatatatttg	ttgatattaa	gattcttgac	ttatatattg	aatgggttct	420
actgaaaaan	gaatgatata	ttcttgaaga	catcgatata	catttattta	cactcttgat	480
tctacaatgt	agaaaatgaa	ggaaatgccc	caaattgtat	ggtgataaaa	gtcccggt	537

<210> 75
 <211> 467
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(467)
 <223> n = A,T,C or G

caaanaaat	tggtcaaaag	atgcaaata	tacactactg	ctgcagctca	caaacacctc	60
tgcatattac	acgtacctcc	tcctgctcct	caagtagtgt	ggctctatctt	gccatcatca	120
cctgctgtct	gcttagaaga	acggctttct	gctgcaangg	agagaaatca	taacagacgg	180
tggcacaagg	aggccatctt	ttcctcatcg	gttattgtcc	ctagaagcgt	cttctgagga	240
tctagttggg	ctttctttct	gggtttgggc	catttcantt	ctcatgtgtg	tactattcta	300
tcattattgt	ataacgggtt	tcaaaccngt	gggcacncag	agaacctcac	tctgtaataa	360
caatgaggaa	tagccacggg	gatctccagc	accaaactct	tccatgttnt	tccagagctc	420
ctccagccaa	cccaaatagc	cgctgctatn	gtgtagaaca	tccttgn		467

<210> 76
 <211> 400
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(400)
 <223> n = A,T,C or G

aagctgacag	cattcgggcc	gagatgtctc	gctccgtggc	cttagctgtg	ctcgcgctac	60
tctctctttc	tggcctggag	gctatccagc	gtactccaaa	gattcaggtt	tactcacgtc	120
atccagcaga	gaatggaaa	tcaaatttcc	tgaattgcta	tgtgtctggg	tttcatccat	180
ccgacattga	agttgactta	ctgaagaatg	gagagagaat	tgaaaaagtg	gagcattcag	240
acttgtcttt	cagcaaggac	tggtctttct	atctcttgta	ctacactgaa	ttcaccccca	300
ctgaaaaaga	tgagtatgcc	tgccgtgtga	accatgtgac	tttgtcacag	cccaagatng	360
ttnagtggga	tcganacatg	taagcagcan	catgggaggt			400

<210> 77
 <211> 248
 <212> DNA
 <213> Homo sapien

ctggagtgcc	ttggtgtttc	aagcccctgc	aggaagcaga	atgcaccttc	tgaggcacct	60
------------	------------	------------	------------	------------	------------	----

```

ccagctgccc cggcggggga tgcgaggctc ggagcaccct tgcccggctg tgattgctgc      120
caggcactgt tcatctcagc ttttctgtcc ctttgtctcc ggcaagcgct tctgctgaaa      180
gttcatatct ggagcctgat gtcttaacga ataaaggctc catgctccac ccgaaaaaaaa      240
aaaaaaaaa                                         248

```

```

<210> 78
<211> 201
<212> DNA
<213> Homo sapien

```

```

<400> 78
actagtccag tgtggtggaa ttccattgtg ttgggcccac cacaatggct acctttaaca      60
tcacccagac cccgccctgc ccgtgcccac cgctgctgct aacgacagta tgatgcttac      120
tctgctactc ggaaactatt tttatgtaat taatgtatgc tttcttgttt ataaatgcct      180
gatttaaaaa aaaaaaaaaa a                                         201

```

```

<210> 79
<211> 552
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(552)
<223> n = A,T,C or G

```

```

<400> 79
tccttttgtt aggtttttga gacaacccta gacctaaact gtgtcacaga cttctgaatg      60
tttaggcagt gctagtaatt tcctcgtaat gattctgtta ttactttcct attctttatt      120
cctctttctt ctgaagatta atgaagttga aaattgaggt ggataaatac aaaaaggtag      180
tgtgatagta taagtatcta agtgcagatg aaagtgtgtt atatatatcc attcaaaatt      240
atgcaagtta gtaattactc agggttaact aaattacttt aatatgctgt tgaacctact      300
ctgttccttg gctagaaaaa attataaaca ggactttgtt agtttgggaa gccaaattga      360
taatatctta tgttctaaaa gttgggctat acataaanta tnaagaaata tggaatttta      420
ttcccaggaa tatgggggtc atttatgaat antaccgggg anagaagttt tgantnaaac      480
cngttttggg taatacgtta atatgtcctn aatnaacaag gcntgactta tttccaaaaa      540
aaaaaaaaaa aa                                         552

```

```

<210> 80
<211> 476
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(476)
<223> n = A,T,C or G

```

```

<400> 80
acagggattt gagatgctaa ggccccagag atcgtttgat ccaaccctct tattttcaga      60
ggggaaaatg gggcctagaa gttacagagc atctagctgg tgcgctggca cccctggcct      120
cacacagact cccgagtagc tgggactaca ggcacacagt cactgaagca ggccctgttt      180
gcaattcacg ttgccacctc caacttaaac attcttcata tgtgatgtcc ttagtcacta      240
aggttaaact ttcccaccca gaaaaggcaa cttagataaa atcttagagt actttcatac      300
tcttctaagt cctcttcag cctcactttg agtcctcctt gggggttgat aggaantntc      360

```



```
tcttggtttt ctcaataaaa tctctatcca tctcatgttt aatttggtac gcntaaaaaat 420
gctgaaaaaa ttaaatgtt ctggtttcnc tttaaaaaaa aaaaaaaaaa aaaaaa 476
```

```
<210> 81
<211> 232
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(232)
<223> n = A,T,C or G
```

```
<400> 81
tttttttttg tatgcentcn ctgtggngtt attgttgctg ccaccttga ggagcccagt 60
ttcttctgta tctttctttt ctgggggatc ttcttggtc tgccctcca ttcccagcct 120
ctcatcccca tcttgcaactt ttgctagggt tggaggcgt ttcttggtag cccctcagag 180
actcagtcag cggaataag tcctagggtt ggggggtgtg gcaagccggc ct 232
```

```
<210> 82
<211> 383
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(383)
<223> n = A,T,C or G
```

```
<400> 82
aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc 60
agtaccagta ccaataacat gccagtgcc gtgccagcac cagtgggtggc ttcagtgtg 120
gtgccagcct gaccgccact ctcacatttg ggctcttcgc tggccttggg ggagctggtg 180
ccagcaccag tggcagctct ggtgcctgtg gttctccta caagtgagat tttagatatt 240
gttaatcctg ccagtctttc tcttcaagcc aggggtgcac ctcagaaacc tactcaacac 300
agcactctng gcagccacta tcaatcaatt gaagttgaca ctctgcatta aatctatttg 360
ccatttcaaa aaaaaaaaaa aaa 383
```

```
<210> 83
<211> 494
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(494)
<223> n = A,T,C or G
```

```
<400> 83
accgaattgg gaccgctggc ttataagcga tcatgtcctc cagtattacc tcaacgagca 60
gggagatcga gtctatacgc tgaagaaatt tgaccgatg ggacaacaga cctgctcagc 120
ccatcctgct cggttctccc cagatgacaa atactctcga caccgaatca ccatcaagaa 180
acgcttcaag gtgctcatga cccagcaacc gcgcctgtc ctctgagggg ccttaaactg 240
atgtcttttc tgccacctgt taccctcgg agactccgta accaaactct tcggactgtg 300
agccctgatg cctttttgcc agccatactc tttggcntcc agtctctcgt ggcgattgat 360
```

tatgcttgtg tgaggcaatc atggtggcat caccatnaa gggaacacat ttganttttt 420
 tttcncatat tttaaattac naccagaata nttcagaata aatgaattga aaaactctta 480
 aaaaaaaaaa aaaa 494

<210> 84
 <211> 380
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(380)
 <223> n = A,T,C or G

<400> 84
 gctggtagcc tatggcgtgg ccacggangg gtccttgagg cacgggacag tgacttccca 60
 agtatcctgc gccgcgtctt ctaccgtccc tacctgcaga tcttcgggca gattccccag 120
 gaggacatgg acgtggccct catggagcac agcaactgct cgtcggagcc cggcttctgg 180
 gcacaccctc ctggggccca ggcgggcacc tgcgtctccc agtatgccaa ctggctgggtg 240
 gtgctgctcc tcgtcatctt cctgctcgtg gccaacatcc tgctggtcac ttgctcattg 300
 ccatgttcag ttacacattc ggcaaagtac agggcaacag cnatctctac tgggaaggcc 360
 agcgttnccg cctcatccgg 380

<210> 85
 <211> 481
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(481)
 <223> n = A,T,C or G

<400> 85
 gagttagctc ctccacaacc ttgatgaggt cgtctgcagt ggctctcgc ttcataccgc 60
 tnccatcgtc atactgtagg ttggccacca cctcctgcat cttggggcgg ctaatatcca 120
 ggaaactctc aatcaagtca ccgtcnatna aacctgtggc tggttctgtc ttcgctcgg 180
 tgtgaaagga tctccagaag gagtgtcga tcttcccac acttttgatg actttattga 240
 gtcgattctg catgtccagc aggaggttgt accagctctc tgacagtga gtcaccagcc 300
 ctatcatgcc nttgaactg ccgaagaaca ccgagccttg tgtggggggt gnagtctcac 360
 ccagattctg cattaccaga nagccgtggc aaaaganatt gacaactcgc ccaggngaa 420
 aaagaacacc tcttggaagt gctngcgcgt cctcgtccnt tggtggnngc gcntnccttt 480
 t 481

<210> 86
 <211> 472
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(472)
 <223> n = A,T,C or G

<400> 86

```

aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgctg agaattcatt      60
acttggaana gcaacttnaa gcctggacac tggattataa attcacaata tgcaaacatt      120
taaacagtgt gtcaatctgc tcccttactt tgtcatcacc agtctgggaa taagggtatg      180
ccctattcac acctgttaaa agggcgctaa gcatttttga ttcaacatct ttttttttga      240
cacaagtccg aaaaaagcaa aagtaaacag ttnttaattt gttagccaat tcactttctt      300
catgggacag agccatttga tttaaaaaagc aaattgcata atattgagct ttgggagctg      360
atatntgagc ggaagantag cttttctact tcaccagaca caactccttt catattggga      420
tgtnnacnaa agttatgtct cttacagatg ggatgctttt gtggcaattc tg              472

```

```

<210> 87
<211> 413
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(413)
<223> n = A,T,C or G

```

```

<400> 87
agaaaccagt atctctnaaa acaacctctc ataccttgctg gacctaatth tgtgtgctg      60
tgtgtgtgct cgcataattat atagacaggc acatcttttt tacttttgta aaagcttatg      120
cctctttggt atctatatct gtgaaagtth taatgatctg ccataatgtc ttggggacct      180
ttgtcttctg tgtaaatggt actagagaaa acacctatnt tatgagtcaa tctagtngt      240
tttattcgac atgaaggaaa tttccagatn acaaacactna caaactctcc cttgactagg      300
ggggacaaag aaaagcanaa ctgaacatna gaaacaattn cctggtgaga aattncataa      360
acagaaattg ggtngtatat tgaaananng catcattnaa acgttttttt ttt              413

```

```

<210> 88
<211> 448
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(448)
<223> n = A,T,C or G

```

```

<400> 88
cgcagcgggt cctctctatc tagctccagc ctctcgcttg cccactccc cgcgtcccgc      60
gtcctagccn accatggccg ggccccctgc cgccccgctg ctctgctggt ccatacctggc      120
cgtggccctg gccgtgagcc ccgcggcccg ctccagctcc ggcaagccgc cgcgcctggt      180
gggaggccca tggaccccgc gtggaagaag aagggtgtgc gctgtgactg gactttgccc      240
tcggcnanta caacaaaccc gcaacnactt ttaccnagcn cgcgctgcag gttgtgcccgc      300
cccaancaaa ttgttactng gggtaantaa ttcttggaag ttgaacctgg gccaaacnng      360
tttaccagaa ccnagccaat tngaacaatt nccccctcat aacagcccct tttaaaaagg      420
gaancantcc tgnctctttc caaatttt              448

```

```

<210> 89
<211> 463
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature

```

<222> (1)...(463)

<223> n = A,T,C or G

<400> 89

gaattttgtg	cactggccac	tgtgatggaa	ccattgggcc	aggatgcttt	gagtttatca	60
gtagtgattc	tgccaaagtt	ggtgttgtaa	catgagtag	taaaatgtca	aaaaattagc	120
agagggtctag	gtctgcatat	cagcagacag	tttgccctg	tattttgtag	ccttgaagtt	180
ctcagtgaca	agttntttct	gatgcgaagt	tctnattcca	gtgttttagt	cctttgcatc	240
tttnatgtn	agacttgcc	ctntnaaatt	gcttttgn	tctgcaggta	ctatctgtgg	300
tttaacaaaa	tagaannact	tctctgcttn	gaanatttga	atatcttaca	tctnaaaatn	360
aattctctcc	ccatannaaa	acccangccc	ttggganaat	tgaaaaang	gntccttcnn	420
aattcnnana	anttcagntn	tcatacaaca	naacngganc	ccc		463

<210> 90

<211> 400

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(400)

<223> n = A,T,C or G

<400> 90

agggattgaa	ggtctnttnt	actgtcggac	tgttcancca	ccaactctac	aagttgctgt	60
cttccactca	ctgtctgtaa	gcntnttaac	ccagactgta	tcttcataaa	tagaacaat	120
tcttcaccag	tcacatcttc	taggaccttt	ttggattcag	ttagtataag	ctcttccact	180
tcctttgtta	agacttcate	tggtaaagtc	ttaagttttg	tagaaaggaa	tttaattgct	240
cgttctctaa	caatgtcctc	tccttgaagt	atttggtga	acaaccacc	tnaagtcct	300
ttgtgcatcc	attttaata	tacttaatat	ggcattggtn	cactagggtta	aattctgcaa	360
gagtcactctg	tctgcaaaag	ttgcgttagt	atatctycca			400

<210> 91

<211> 480

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(480)

<223> n = A,T,C or G

<400> 91

gagctcggat	ccaataatct	ttgtctgagg	gcagcacaca	tatncagtgc	catggnaact	60
ggtctacccc	acatgggagc	agcatgccgt	agntatataa	ggtcattccc	tgagtcagac	120
atgcctcttt	gactaccgtg	tgccagtgtc	ggtgattctc	acacacctcc	nnccgctctt	180
tgtggaaaaa	ctggcacttg	nctggaacta	gcaagacatc	acttacaaat	tcaccacga	240
gacacttgaa	aggtgtaaca	aagcgactct	tgcattgctt	tttgccctc	cggcaccagt	300
tgtcaatact	aaccgctgg	tttgccctcca	tcacatttgt	gatctgtagc	tctggatata	360
tctcctgaca	gtactgaaga	acttcttctt	ttgtttcaaa	agcaactctt	ggtgcctgtt	420
ngatcaggtt	cccatttccc	agtcggaatg	ttcacatggc	atatnttact	tcccacaaaa	480

<210> 92

<211> 477

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(477)

<223> n = A,T,C or G

<400> 92

atacagccca	natcccacca	cgaagatgcg	cttgttgact	gagaacctga	tgcggtcact	60
gggtcccgtg	tagccccagc	gactctccac	ctgctggaag	cggttgatgc	tgcactcctt	120
cccacgcagg	cagcagcggg	gccgggtcaat	gaactccact	cgtggcttgg	ggttgacggg	180
taantgcagg	aagaggctga	ccacctcgcg	gtccaccagg	atgcccgaact	gtgcgggacc	240
tgcagcgaaa	ctcctcgatg	gtcatgagcg	ggaagcgaat	gangcccagg	gccttgccca	300
gaaccttccg	cctgtttctt	ggcgtcacct	gcagctgctg	ccgctnacac	tcggcctcgg	360
accagcggac	aaacggcggt	gaacagccgc	acctcacgga	tgcccantgt	gtcgcgctcc	420
aggaacggcn	ccagcgtgtc	caggtcaatg	tcggtgaanc	ctccgcgggt	aatggcg	477

<210> 93

<211> 377

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(377)

<223> n = A,T,C or G

<400> 93

gaacggctgg	accttgctc	gcattgtgct	gctggcagga	ataccttggc	aagcagctcc	60
agtccgagca	gccccagacc	gctgccgccc	gaagctaagc	ctgcctctgg	ccttcccctc	120
cgcctcaatg	cagaaccant	agtgggagca	ctgtgtttag	agttaagagt	gaacactgtn	180
tgattttact	tgggaatttc	ctctgttata	tagcttttcc	caatgctaata	ttccaaacaa	240
caacaacaaa	ataacatggt	tgcctgttna	gttgataaaa	agtangtgat	tctgtatnta	300
aagaaaatat	tactgttaca	tatactgctt	gcaanttctg	tatttattgg	tnctctggaa	360
ataaatatat	tattaaa					377

<210> 94

<211> 495

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(495)

<223> n = A,T,C or G

<400> 94

ccctttgagg	ggttaggggc	cagttcccag	tggaagaaac	aggccaggag	aantgcgtgc	60
cgagctgang	cagatttccc	acagtgaacc	cagagccctg	ggctatagtc	tctgacctct	120
ccaaggaaag	accaccttct	ggggacatgg	gctggagggc	aggacctaga	ggcaccaagg	180
gaaggcccca	ttccggggct	gttccccgag	gaggaagggg	aggggctctg	tgtgcccccc	240
acgaggaana	ggccctgant	cctgggatca	nacacccctt	cacgtgtatc	cccacacaaa	300
tgcaagctca	ccaaggtccc	ctctcagtc	cttccctaca	ccctgaacgg	ncactggccc	360
acaccacccc	agancancca	cccgccatgg	ggaatgtnc	caaggaatcg	cngggcaacg	420
tggactctng	tccnnaagg	gggcagaatc	tccaatagan	gganngaacc	cttgctnana	480

aaaaaaaaana aaaaa

495

<210> 95
<211> 472
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(472)
<223> n = A,T,C or G

<400> 95
ggttacttgg tttcattgcc accacttagt ggatgtcatt tagaaccatt ttgtctgctc 60
cctctggaag ccttgcgcag agcggacttt gtaattgttg gagaataact gctgaatttt 120
tagctgtttt gagttgattc gcaccactgc accacaactc aatatgaaaa ctatttnact 180
tatttattat cttgtgaaaa gtatacaatg aaaattttgt tcatactgta tttatcaagt 240
atgatgaaaa gcaatagata tatattcttt tattatgttn aattatgatt gccattatta 300
atcggcacaaa tgtggagtgt atgttctttt cacagtaata tatgcctttt gtaacttcac 360
ttgggtattt tattgtaaat gaattacaaa attcttaatt taagaaaatg gtangttata 420
tttanttcan taatttcttt ccttgtttac gttaattttg aaaagaatgc at 472

<210> 96
<211> 476
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(476)
<223> n = A,T,C or G

<400> 96
ctgaagcatt tcttcaaact tntctacttt tgtcattgat acctgtagta agttgacaat 60
gtggtgaaat ttcaaaatta tatgtaactt ctactagttt tacttttctcc cccaagtctt 120
ttttaactca tgattttttac acacacaatc cagaacttat tatatagcct ctaagtcttt 180
attcttcaca gtagatgatg aaagagtcct ccagtgtctt gngcanaatg ttctagntat 240
agctggatac atacngtggg agttctataa actcatacct cagtgggact naaccacaaat 300
tgtgttagtc tcaattccta ccacactgag ggagcctccc aaatcactat attcttatct 360
gcaggtactc ctccagaaaa acngacaggg caggcttgca tgaaaaagtn acatctgcgt 420
tacaaagtct atcttctctca nangtctgtn aaggaacaat ttaatcttct agcttt 476

<210> 97
<211> 479
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(479)
<223> n = A,T,C or G

<400> 97
actcttttcta atgctgatat gatcttgagt ataagaatgc atatgtcact agaatggata 60
aaataatgct gcaaacctaa tgttcttatg caaaatggaa cgctaataga acacagctta 120

caatcgcaaa	tcaaaactca	caagtgtctca	tctgtttgtag	atttagtgta	ataagactta	180
gattgtgctc	cttcggatat	gattgtttct	canatcttgg	gcaatnttcc	ttagtcaaat	240
caggctacta	gaattctgtt	attggatatn	tgagagcatg	aaatttttaa	naatacactt	300
gtgattatna	aattaatcac	aaattttcact	tatacctgct	atcagcagct	agaaaaacat	360
ntnnttttta	natcaaagta	ttttgtgttt	ggaantgtnn	aaatgaaatc	tgaatgtggg	420
ttcnatctta	ttttttcccn	gacnactant	tnctttttta	gggnctattc	tganccatc	479

<210> 98

<211> 461

<212> DNA

<213> Homo sapien

<400> 98

agtgacttgt	cctccaacaa	aacccttga	tcaagtttgt	ggcactgaca	atcagaccta	60
tgctagtccc	tgtcatctat	tcgctactaa	atgcagactg	gaggggacca	aaaaggggca	120
tcaactccag	ctggattatt	ttggagcctg	caaactctatt	cctacttgta	cggactttga	180
agtgattcac	tttcctctac	ggatgagaga	ctggctcaag	aatatcctca	tcagacttta	240
tgaagccact	ctgaacacgc	tggttatcta	gatgagaaca	gagaaataaa	gtcagaaaaat	300
ttacctggag	aaaagaggct	ttggctgggg	accatcccat	tgaaccttct	cttaaggact	360
ttaagaaaaa	ctaccacatg	ttgtgtatcc	tgggtccggc	cgtttatgaa	ctgaccaccc	420
tttggataaa	tcttgacgct	cctgaacttg	ctcctctgcg	a		461

<210> 99

<211> 171

<212> DNA

<213> Homo sapien

<400> 99

gtggccgcgc	gcaggtgttt	cctcgtaaccg	cagggccccc	tcccttcccc	aggcgtccct	60
cggcgccctc	gcgggcccga	ggaggagcgg	ctggcggttg	gggggagtgt	gacccaccc	120
cggtgagaaa	agccttctct	agcgatctga	gaggcggtgc	ttgggggtac	c	171

<210> 100

<211> 269

<212> DNA

<213> Homo sapien

<400> 100

cggccgcaag	tgcaactcca	gctggggccg	tgccgacgaa	gattctgcca	gcagttggtc	60
cgactgcgac	gacggcggcg	gacacagtcg	caggtgcagc	gcgggcgcct	ggggtcttgc	120
aaggctgagc	tgacgccgca	gaggtcgtgt	cacgtcccac	gaccttgacg	ccgtcgggga	180
cagccggaac	agagcccggg	gaagcgggag	gcctcgggga	gcccctcggg	aagggcggcc	240
cgagagatac	gcaggtgcag	gtggcccgcc				269

<210> 101

<211> 405

<212> DNA

<213> Homo sapien

<400> 101

tttttttttt	ttttggaatc	tactgcgagc	acagcaggtc	agcaacaagt	ttattttgca	60
gctagcaagg	taacagggtg	gggcatgggt	acatgttcag	gtcaacttcc	tttgtcgtgg	120
ttgattgggt	tgtctttatg	ggggcggggg	ggggtagggg	aaacgaagca	aataacatgg	180
agtgggtgca	ccctccctgt	agaacctggt	tacaaagctt	ggggcagttc	acctgggtctg	240
tgaccgtcat	tttcttgaca	tcaatgttat	tagaagtcag	gatatctttt	agagagtcca	300

ctgtttctgga gggagattag ggtttcttgc caaatccaac aaaatccact gaaaaagttg 360
gatgatcagt acgaataccg aggcattatc tcatatcggt ggcca 405

<210> 102
<211> 470
<212> DNA
<213> Homo sapien

<400> 102
tttttttttt tttttttttt tttttttttt tttttttttt tttttttttt 60
ggcacttaat ccatttttat ttcaaaatgt ctacaaattt aatcccatta tacggtattt 120
tcaaaatcta aattattcaa attagccaaa tccttaccaa ataataccca aaaatcaaaa 180
atatacttct ttcagcaaac ttgttacata aattaaaaaa atatatacgg ctgggtgtttt 240
caaagtacaa ttatcttaac actgcaaaaca ttttaaggaa ctaaaataaa aaaaaacact 300
ccgcaaagggt taaagggaac aacaaattct tttacaacac cattataaaa atcatatctc 360
aaatcttagg ggaatatata cttcacacgg gatcttaact tttactcact ttgtttattt 420
ttttaaacca ttgtttgggc ccaacacaat ggaatcccc ctggactagt 470

<210> 103
<211> 581
<212> DNA
<213> Homo sapien

<400> 103
tttttttttt ttttttttga cccccctctt ataaaaaaca agttaccatt ttattttact 60
tacacatatt tattttataa ttggtattag atattcaaaa ggcagctttt aaaatcaaac 120
taaatggaaa ctgccttaga tacataattc ttaggaatta gcttaaaatc tgcctaaagt 180
gaaaatcttc tctagctctt ttgactgtaa atttttgact cttgtaaaac atccaaattc 240
atttttcttg tctttaaaat tatctaatct ttccattttt tccctattcc aagtcaattt 300
gcttctctag cctcatttcc tagctcttat ctactattag taagtggctt ttttcctaaa 360
agggaaaaca ggaagagaaa tggcacacaa aacaaacatt ttatattcat atttctacct 420
acgttaataa aatagcattt tgtgaagcca gctcaaaaga aggcttagat ctttttatgt 480
ccattttagt cactaaacga tatcaaagtg ccagaatgca aaaggtttgt gaacatttat 540
tcaaaagcta atataagata tttcacatac tcatctttct g 581

<210> 104
<211> 578
<212> DNA
<213> Homo sapien

<400> 104
tttttttttt tttttttttt tttttctctt cttttttttt gaaatgagga tcgagttttt 60
cactctctag atagggcag aagaaaactc atctttccag ctttaaaata acaatcaaat 120
ctcttatgct atatcatatt ttaagttaaa ctaatgagtc actggcttat cttctcctga 180
aggaaatctg ttcattcttc tcattcatat agttatatca agtactacct tgcatattga 240
gagggtttttc ttctctattt acacatatat ttccatgtga atttgtatca aacctttatt 300
ttcatgcaaa ctagaaaata atgtttcttt tgcataagag aagagaacaa tatagcatta 360
caaaactgct caaattgttt gttaagttat ccattataat tagttggcag gagctaatac 420
aaatcacatt tacgacagca ataataaaac tgaagtacca gttaaataatc caaaataatt 480
aaaggaacat ttttagcctg ggtataatta gctaattcac tttacaagca tttattagaa 540
tgaattcaca tgttattatt ctagcccaa cacaatgg 578

<210> 105
<211> 538
<212> DNA

<213> Homo sapien

<400> 105

tttttttttt	tttttcagta	ataatcagaa	caatatttat	ttttatattt	aaaattcata	60
gaaaagtgcc	ttacatttaa	taaaagtttg	tttctcaaag	tgatcagagg	aattagatat	120
gtcttgaaca	ccaatattaa	tttgaggaaa	atacaccaaa	atacattaag	taaattattt	180
aagatcatag	agcttgtaag	tgaaaagata	aaatttgacc	tcagaaactc	tgagcattaa	240
aaatccacta	ttagcaaata	aattactatg	gacttcttgc	tttaattttg	tgatgaatat	300
ggggtgtcac	tggtaaacca	acacattctg	aaggatacat	tacttagtga	tagattctta	360
tgtactttgc	taatacgtgg	atatgagttg	acaagtttct	ctttcttcaa	tcttttaagg	420
ggcgagaaat	gaggaagaaa	agaaaaggat	tacgcatact	gttctttcta	tggaaggatt	480
agatatgttt	cctttgccaa	tattaaaaaa	ataataatgt	ttactactag	tgaaaccc	538

<210> 106

<211> 473

<212> DNA

<213> Homo sapien

<400> 106

tttttttttt	tttttagtc	aagtttctat	ttttattata	attaaagtct	tggtcatttc	60
atttatttagc	tctgcaactt	acatatttaa	attaaagaaa	cgtttttagac	aactgtacaa	120
tttataaatg	taaggtgcc	ttattgagta	atatattcct	ccaagagtgg	atgtgtccct	180
tctcccacca	actaatgaac	agcaacatta	gtttaatttt	attagtagat	atacactgct	240
gcaaacgcta	attctcttct	ccatccccat	gtgatattgt	gtatatgtgt	gagttggtag	300
aatgcacac	aatctacaat	caacagcaag	atgaagctag	gctgggcttt	cggtgaaaat	360
agactgtgtc	tgtctgaatc	aaatgatctg	acatatactc	ggtggcaaga	actcttcgaa	420
ccgcttcttc	aaaggcgctg	ccacatttgt	ggctctttgc	acttgttcca	aaa	473

<210> 107

<211> 1621

<212> DNA

<213> Homo sapien

<400> 107

cgccatggca	ctgcagggca	tctcggtcat	ggagctgtcc	ggcctggccc	cgggcccgtt	60
ctgtgctatg	gtcctggctg	acttcggggc	gcgtgtggta	cgcgtggacc	ggcccggctc	120
ccgctacgac	gtgagccgct	tgggcccggg	caagcgctcg	ctagtgtctg	acctgaagca	180
gccgcgggga	gccgccgtgc	tgcggcgctc	gtgcaagcgg	tcggatgtgc	tgctggagcc	240
cttccgccc	ggtgtcatgg	agaaactcca	gctgggcccc	gagattctgc	agcgggaaaa	300
tccaaggctt	atttatgcca	ggctgagtg	atttggccag	tcaggaagct	tctgccggtt	360
agctggccac	gatatcaact	atttggtctt	gtcaggtgtt	ctctcaaaaa	ttggcagaag	420
tggtgagaat	ccgtatgccc	cgctgaatct	cctggctgac	tttgctgggt	gtggccttat	480
gtgtgactg	ggcattataa	tggtcttttt	tgaccgcaca	cgcactgaca	agggtcaggt	540
cattgatgca	aatatggtgg	aaggaacagc	atatttaagt	tcttttctgt	ggaaaactca	600
gaaatcgagt	ctgtgggaag	cacctcgagg	acagaacatg	ttggatgggt	gagcaccttt	660
ctatacgact	tacaggacag	cagatgggga	attcatggct	gttggagcaa	tagaacccca	720
gttctacgag	ctgctgatca	aaggacttgg	actaaagtct	gatgaacttc	ccaatcagat	780
gagcatggat	gattggccag	aaatgaagaa	gaagtttgca	gatgtatttg	caaagaagac	840
gaaggcagag	tggtgtcaaa	tctttgacgg	cacagatgcc	tgtgtgactc	cggttctgac	900
ttttgaggag	gttggttcac	atgatcacia	caaggaacgg	ggctcgttta	tcaccagtga	960
ggagcaggac	gtgagccccc	gccctgcacc	tctgctgtta	aacaccccag	ccatcccttc	1020
tttcaaaaag	gatcctttca	taggagaaca	cactgaggag	atacttgaag	aatttggatt	1080
cagccgcgaa	gagattttac	agcttaactc	agataaaaat	attgaaagta	ataaggtaaa	1140
agctagtctc	taacttccag	gcccacggct	caagtgaatt	tgaatactgc	atttacagtg	1200
tagagtaaca	cataacattg	tatgcatgga	aacatggagg	aacagtatta	cagtgtccta	1260

```

ccactctaata caagaaaaga attacagact ctgattctac agtgatgatt gaattctaaa 1320
aatgggtatc attagggctt ttgatttata aaactttggg tacttataact aaattatggt 1380
agttattctg ccttccagtt tgcttgatat atttgttgat attaagattc ttgacttata 1440
ttttgaatgg gttctagtga aaaaggaatg atatattctt gaagacatcg atatacatatt 1500
atttacactc ttgattctac aatgtagaaa atgaggaaat gccacaaatt gtatgggtgat 1560
aaaagtcacg tgaaacaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1620
a 1621

```

<210> 108
 <211> 382
 <212> PRT
 <213> Homo sapien

<400> 108

```

Met Ala Leu Gln Gly Ile Ser Val Met Glu Leu Ser Gly Leu Ala Pro
1      5      10      15
Gly Pro Phe Cys Ala Met Val Leu Ala Asp Phe Gly Ala Arg Val Val
20     25     30
Arg Val Asp Arg Pro Gly Ser Arg Tyr Asp Val Ser Arg Leu Gly Arg
35     40     45
Gly Lys Arg Ser Leu Val Leu Asp Leu Lys Gln Pro Arg Gly Ala Ala
50     55     60
Val Leu Arg Arg Leu Cys Lys Arg Ser Asp Val Leu Leu Glu Pro Phe
65     70     75     80
Arg Arg Gly Val Met Glu Lys Leu Gln Leu Gly Pro Glu Ile Leu Gln
85     90     95
Arg Glu Asn Pro Arg Leu Ile Tyr Ala Arg Leu Ser Gly Phe Gly Gln
100    105    110
Ser Gly Ser Phe Cys Arg Leu Ala Gly His Asp Ile Asn Tyr Leu Ala
115    120    125
Leu Ser Gly Val Leu Ser Lys Ile Gly Arg Ser Gly Glu Asn Pro Tyr
130    135    140
Ala Pro Leu Asn Leu Leu Ala Asp Phe Ala Gly Gly Gly Leu Met Cys
145    150    155    160
Ala Leu Gly Ile Ile Met Ala Leu Phe Asp Arg Thr Arg Thr Asp Lys
165    170    175
Gly Gln Val Ile Asp Ala Asn Met Val Glu Gly Thr Ala Tyr Leu Ser
180    185    190
Ser Phe Leu Trp Lys Thr Gln Lys Ser Ser Leu Trp Glu Ala Pro Arg
195    200    205
Gly Gln Asn Met Leu Asp Gly Gly Ala Pro Phe Tyr Thr Thr Tyr Arg
210    215    220
Thr Ala Asp Gly Glu Phe Met Ala Val Gly Ala Ile Glu Pro Gln Phe
225    230    235    240
Tyr Glu Leu Leu Ile Lys Gly Leu Gly Leu Lys Ser Asp Glu Leu Pro
245    250    255
Asn Gln Met Ser Met Asp Asp Trp Pro Glu Met Lys Lys Lys Phe Ala
260    265    270
Asp Val Phe Ala Lys Lys Thr Lys Ala Glu Trp Cys Gln Ile Phe Asp
275    280    285
Gly Thr Asp Ala Cys Val Thr Pro Val Leu Thr Phe Glu Glu Val Val
290    295    300
His His Asp His Asn Lys Glu Arg Gly Ser Phe Ile Thr Ser Glu Glu
305    310    315    320
Gln Asp Val Ser Pro Arg Pro Ala Pro Leu Leu Leu Asn Thr Pro Ala

```

				325						330						335
Ile	Pro	Ser	Phe	Lys	Arg	Asp	Pro	Phe	Ile	Gly	Glu	His	Thr	Glu	Glu	
				340						345					350	
Ile	Leu	Glu	Glu	Phe	Gly	Phe	Ser	Arg	Glu	Glu	Ile	Tyr	Gln	Leu	Asn	
		355					360					365				
Ser	Asp	Lys	Ile	Ile	Glu	Ser	Asn	Lys	Val	Lys	Ala	Ser	Leu			
	370					375					380					

<210> 109
 <211> 1524
 <212> DNA
 <213> Homo sapien

<400> 109

ggcacgaggc	tgcgccaggg	cctgagcggg	ggcggggggc	gcctcgccag	cggggggccc	60
gggcctggcc	atgcctcact	gagccagcgc	ctgcgcctct	acctcgccga	cagctggaac	120
cagtgcgacc	tagtggctct	cacctgcttc	ctcctgggcg	tgggctgccc	gctgaccccg	180
ggtttgtacc	acctgggccc	cactgtcctc	tgcatcgact	tcattggttt	cacggtgccc	240
ctgcttcaca	tcttcacggg	caacaaacag	ctggggggcc	agatcgatcat	cgtgagcaag	300
atgatgaagg	acgtgttctt	cttctctctt	ttcctcgggc	tgtggctggg	agcctatggc	360
gtggccacgg	aggggctcct	gaggccacgg	gacagtgact	tcccaagtat	cctgcgccgc	420
gtcttctacc	gtccctacct	gcagatcttc	gggcagattc	cccaggagga	catggacgtg	480
gccctcatgg	agcacagcaa	ctgctcgctc	gagcccggtc	tctgggcaca	ccctcctggg	540
gcccaggcgg	gcacctgcgt	ctcccagtat	gccaaactgg	tgggtggtgct	gctcctcgtc	600
atcttcctgc	tcgtggccaa	catcctgctg	gtcaacttgc	tcattgccat	gttcagttac	660
acattcgcca	aagtacaggg	caacagcgat	ctctactgga	aggcgcagcg	ttaccgcctc	720
atccgggaat	tcactctcgc	gcccgcgctg	gccccgcctt	ttatcgatcat	ctcccacttg	780
cgctcctcgc	tcaggcaatt	gtgcaggcga	ccccggagcc	cccagccgct	ctccccggcc	840
ctcgagcatt	tccgggttta	cctttctaa	gaagccgagc	ggaagctgct	aacgtgggaa	900
tcggtgcata	aggagaactt	tctgctggca	cgcgctaggg	acaagcggga	gagcgactcc	960
gagcgtctga	agcgcacgtc	ccagaagggt	gacttggcac	tgaaacagct	gggacacatc	1020
cgcgagtacg	aacagcgctt	gaaagtgcgt	gagcgggagg	tccagcagtg	tagccgcgtc	1080
ctgggggtggg	tggccgaggg	cctgagccgc	tctgccttgc	tgcccccagg	tgggcccgca	1140
ccccctgacc	tgcttgggtc	caaagactga	gccttgcctg	cggacttcaa	ggagaagccc	1200
ccacagggga	ttttgtcctt	agagtaaggc	tcatttgggc	ctcgcccccc	gcacctgggtg	1260
gccttgtcct	tgaggtgagc	cccatgtcca	tctggggcac	tgtcaggacc	accttgggga	1320
gtgtcatcct	tacaaaccac	agcatgcccc	gctcctccca	gaaccagttc	cagcctggga	1380
ggatcaaggc	ctggatcccc	ggcgttatc	catctggagg	ctgcagggtc	cttggggtaa	1440
cagggaccac	agacccctca	ccactcacag	attcctcaca	ctgggggaaat	aaagccattt	1500
cagaggaaaa	aaaaaaaaaa	aaaa				1524

<210> 110
 <211> 3410
 <212> DNA
 <213> Homo sapien

<400> 110

gggaaccagc	ctgcacgcgc	tggctccggg	tgacagccgc	gcgcctcggc	caggatctga	60
gtgatgagac	gtgtccccac	tgaggtgccc	cacagcagca	ggtgttgagc	atgggctgag	120
aagctggacc	ggcaccaaag	ggctggcaga	aatgggcgcc	tggctgattc	ctaggcagtt	180
ggcggcagca	aggaggagag	gccgcagctt	ctggagcaga	gccgagacga	agcagttctg	240
gagtgcctga	acggccccct	gagccctacc	cgcttggccc	actatgggtc	agaggctgtg	300
ggtgagccgc	ctgctgcggc	accggaaagc	ccagctcttg	ctggtcaacc	tgctaaccct	360
tggcctggag	gtgtgttttg	ccgcaggcat	cacctatgtg	ccgcctctgc	tgctggaagt	420
gggggtagag	gagaagttca	tgaccatggt	gctgggcatt	ggtccagtg	tgggcctggg	480

ctgtgtcccc	ctcctagget	cagccagtga	ccactggcgt	ggacgctatg	gccgcccgcg	540
gcccttcate	tgggcaactgt	ccttgggcat	cctgtgagc	ctctttctca	tcccaagggc	600
cggctggcta	gcagggctgc	tgtccccgga	tcccaggccc	ctggagctgg	cactgctcat	660
cctgggctgt	gggctgctgg	acttctgtgg	ccaggtgtgc	ttcactccac	tggaggccct	720
gctctctgac	ctcttccggg	acccggacca	ctgtcgccag	gcctactctg	tctatgcctt	780
catgatcagt	cttgggggct	gcctgggcta	cctcctgcct	gccattgact	gggacaccag	840
tgccttgccc	ccctacctgg	gcacccagga	ggagtgcctc	tttggcctgc	tcaccctcat	900
cttcctcacc	tgcgtagcag	ccacactgct	ggtggctgag	gaggcagcgc	tgggccccac	960
cgagccagca	gaagggctgt	cggccccctc	cctgtcgccc	cactgctgtc	catgccgggc	1020
ccgcttggtc	ttecggaaacc	tgggcgcctt	gcttccccgg	ctgcaccagc	tgtgctgccg	1080
catgccccgc	accctgcgcc	ggctcttcgt	ggctgagctg	tgcagctgga	tggcactcat	1140
gaccttcacg	ctgttttaca	cggatttcgt	gggcgagggg	ctgtaccagg	gcgtgcccag	1200
agctgagccg	ggcaccgagg	cccgagagaca	ctatgatgaa	ggcgttcgga	tgggcagcct	1260
ggggctgttc	ctgcagtgcg	ccatctccct	ggtcttctct	ctggtcatgg	accggctggt	1320
gcagcgattc	ggcactcgag	cagtctatct	ggccagtgtg	gcagctttcc	ctgtggtgc	1380
cgggtgccaca	tgcctgtccc	acagtgtggc	cgtggtgaca	gcttcagccg	ccctcaccgg	1440
gttcaccttc	tcagccctgc	agatcctgcc	ctacacactg	gcctccctct	accaccggga	1500
gaagcaggtg	ttcctgcccc	aataccgagg	ggacactgga	ggtgctagca	gtgaggacag	1560
cctgatgacc	agcttcctgc	caggccctaa	gcctggagct	cccttcctta	atggacacgt	1620
gggtgctgga	ggcagtggcc	tgtcccacc	tccaccgcg	ctctgcgggg	cctctgcctg	1680
tgatgtctcc	gtacgtgtgg	tgggtgggtga	gcccaccgag	gccaggggtg	ttccggggccg	1740
gggcatctgc	ctggacctcg	ccatcctgga	tagtgccttc	ctgctgtccc	aggtggcccc	1800
atccctgttt	atgggctcca	ttgtccagct	cagccagtct	gtcactgcct	atatggtgtc	1860
tgcgcagggc	ctgggtctgg	tcgccattta	ctttgtctaca	caggtagtat	ttgacaagag	1920
cgacttgggc	aaatactcag	cgtagaaaac	ttccagcaca	ttgggggtgga	gggcctgcct	1980
cactgggtcc	cagctccccg	ctcctgttag	ccccatgggg	ctgccgggct	ggcggccagt	2040
ttctgttgct	gccaaagtaa	tgtggctctc	tgtgtccacc	ctgtgctgct	gaggtgcgta	2100
gctgcacagc	tgggggctgg	ggcgtccctc	tcctctctcc	ccagtctcta	gggctgcccg	2160
actggaggcc	ttccaagggg	gtttcagtet	ggacttatac	agggaggcca	gaagggctcc	2220
atgcactgga	atgcggggac	tctgcagggt	gattaccag	gctcagggtt	aacagctagc	2280
ctcctagttg	agacacacct	agagaagggt	ttttgggagc	tgaataaact	cagtcacctg	2340
gtttcccatc	tctaagcccc	ttaacctgca	gcttcgttta	atgtagctct	tgcattggag	2400
tttctaggat	gaaacactcc	tccatgggat	ttgaacatat	gacttatttg	taggggaaga	2460
gtcctgaggg	gcaacacaca	agaaccaggt	cccctcagcc	cacagcactg	tctttttgct	2520
gatccacccc	cctcttacct	tttatcagga	tgtggcctgt	tggtccttct	gttgccatca	2580
cagagacaca	ggcattttaa	tatttaactt	atttatttaa	caaagtagaa	gggaatccat	2640
tgctagcttt	tctgtgttgg	tgtctaatat	ttgggtaggg	tgggggatcc	ccaacaatca	2700
ggtccctcga	gatatcgtgt	cattgggctg	atcattgcca	gaatcttctt	ctcctgggggt	2760
ctggcccccc	aaaatgccta	acccaggacc	ttggaaattc	tactcatccc	aaatgataat	2820
tccaaatgct	gttacccaag	gttaggggtg	tgaagggaag	tagagggtgg	ggcttcaggt	2880
ctcaacggct	tccctaacca	cccctcttct	cttggccag	cctgggtccc	cccacttcca	2940
ctccccctta	ctctctctag	gactgggctg	atgaaggcac	tgcccaaaat	ttccccctacc	3000
cccaactttc	ccctaccccc	aactttcccc	accagctcca	caacctgtt	tggagctact	3060
gcaggaccag	aagcaciaag	tgcggtttcc	caagcctttg	tccatctcag	ccccagagt	3120
atatctgtgc	ttgggggaatc	tcacacagaa	actcaggagc	acccctgcc	tgagctaagg	3180
gaggtcttat	ctctcagggg	gggttttaagt	gccgtttgca	ataatgtcgt	cttattttatt	3240
tagcgggggtg	aatattttat	actgtaagtg	agcaatcaga	gtataatgtt	tatgggtgaca	3300
aaattaaagg	ctttcttata	tgtttaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	3360
aaaaaaaaara	aaaaaaaaaa	aaaaaaaaaa	aaaaaaataa	aaaaaaaaaa		3410

<210> 111

<211> 1289

<212> DNA

<213> Homo sapien

<400> 111

```

agccaggcgt ccctctgcct gccactcag tggcaacacc cgggagctgt tttgtccttt 60
gtggagcctc agcagttccc tctttcagaa ctcactgcca agagccctga acaggagcca 120
ccatgcagtg cttcagcttc attaagacca tgatgatcct cttcaatttg ctcactcttc 180
tgtgtggtgc agccctgttg gcagtgggca tctgggtgtc aatcgatggg gcactccttc 240
tgaagatctt cgggccactg tegtccagt ccatgcagtt tgtcaacgtg ggctacttcc 300
tcatcgcagc cggcgttgtg gtctttgtct ttggtttcct gggctgctat ggtgctaaga 360
ctgagagcaa gtgtgccctc gtgacgttct tcttcactct ctcctcatc ttcattgtg 420
aggttgagc tgctgtgtgc gccttggtgt acaccacaat ggctgagcac ttcctgacgt 480
tgctggtagt gcctgccatc aagaaagatt atggttccca ggaagacttc actcaagtgt 540
ggaacaccac catgaaaggg ctcaagtgtc gtggcttcac caactatacg gattttgagg 600
actcacccta cttcaaagag aacagtgcct tccccccatt ctggtgcaat gacaacgtca 660
ccaacacagc caatgaaacc tgcaccaagc aaaagggtca cgacaaaaaa gtagagggtt 720
gcttcaatca gcttttgtat gacatccgaa ctaatgcagt caccgtgggt ggtgtggcag 780
ctggaattgg gggcctcgag ctggctgcca tgattgtgtc catgtatctg tactgcaatc 840
tacaataagt ccacttctgc ctctgccact actgctgcca catgggaact gtgaagaggc 900
accctggcaa gcagcagtgga ttgggggagg ggacaggatc taacaatgtc acttgggcca 960
gaatggacct gccctttctg ctccagactt ggggctagat agggaccact ccttttagcg 1020
atgctgact ttccttccat tgggtgggtgg atgggtgggg ggcattccag agcctctaag 1080
gtagccagtt ctggtgcccc tccccccagt ctattaaacc cttgatatgc cccctagacc 1140
tagtggtgat cccagtgtc tactggggga tgagagaaag gcattttata gcctgggcat 1200
aagtgaatc agcagagcct ctgggtggat gtgtagaagg cacttcaaaa tgcataaacc 1260
tggtacaatg ttaaaaaaaaa aaaaaaaaaa 1289

```

<210> 112

<211> 315

<212> PRT

<213> Homo sapien

<400> 112

```

Met Val Phe Thr Val Arg Leu Leu His Ile Phe Thr Val Asn Lys Gln
1      5      10      15
Leu Gly Pro Lys Ile Val Ile Val Ser Lys Met Met Lys Asp Val Phe
20      25      30
Phe Phe Leu Phe Phe Leu Gly Val Trp Leu Val Ala Tyr Gly Val Ala
35      40      45
Thr Glu Gly Leu Leu Arg Pro Arg Asp Ser Asp Phe Pro Ser Ile Leu
50      55      60
Arg Arg Val Phe Tyr Arg Pro Tyr Leu Gln Ile Phe Gly Gln Ile Pro
65      70      75      80
Gln Glu Asp Met Asp Val Ala Leu Met Glu His Ser Asn Cys Ser Ser
85      90      95
Glu Pro Gly Phe Trp Ala His Pro Pro Gly Ala Gln Ala Gly Thr Cys
100     105     110
Val Ser Gln Tyr Ala Asn Trp Leu Val Val Leu Leu Leu Val Ile Phe
115     120     125
Leu Leu Val Ala Asn Ile Leu Leu Val Asn Leu Leu Ile Ala Met Phe
130     135     140
Ser Tyr Thr Phe Gly Lys Val Gln Gly Asn Ser Asp Leu Tyr Trp Lys
145     150     155     160
Ala Gln Arg Tyr Arg Leu Ile Arg Glu Phe His Ser Arg Pro Ala Leu
165     170     175
Ala Pro Pro Phe Ile Val Ile Ser His Leu Arg Leu Leu Leu Arg Gln
180     185     190
Leu Cys Arg Arg Pro Arg Ser Pro Gln Pro Ser Ser Pro Ala Leu Glu

```

195	200	205
His Phe Arg Val Tyr Leu Ser Lys Glu Ala Glu Arg Lys Leu Leu Thr		
210	215	220
Trp Glu Ser Val His Lys Glu Asn Phe Leu Leu Ala Arg Ala Arg Asp		
225	230	235
Lys Arg Glu Ser Asp Ser Glu Arg Leu Lys Arg Thr Ser Gln Lys Val		
	245	250
Asp Leu Ala Leu Lys Gln Leu Gly His Ile Arg Glu Tyr Glu Gln Arg		
	260	265
Leu Lys Val Leu Glu Arg Glu Val Gln Gln Cys Ser Arg Val Leu Gly		
	275	280
Trp Val Ala Glu Ala Leu Ser Arg Ser Ala Leu Leu Pro Pro Gly Gly		
	290	295
Pro Pro Pro Pro Asp Leu Pro Gly Ser Lys Asp		300
305	310	315

<210> 113

<211> 553

<212> PRT

<213> Homo sapien

<400> 113

Met Val Gln Arg Leu Trp Val Ser Arg Leu Leu Arg His Arg Lys Ala	
1	5
Gln Leu Leu Leu Val Asn Leu Leu Thr Phe Gly Leu Glu Val Cys Leu	
	20
Ala Ala Gly Ile Thr Tyr Val Pro Pro Leu Leu Leu Glu Val Gly Val	
	35
Glu Glu Lys Phe Met Thr Met Val Leu Gly Ile Gly Pro Val Leu Gly	
	50
Leu Val Cys Val Pro Leu Leu Gly Ser Ala Ser Asp His Trp Arg Gly	
65	70
Arg Tyr Gly Arg Arg Arg Pro Phe Ile Trp Ala Leu Ser Leu Gly Ile	
	85
Leu Leu Ser Leu Phe Leu Ile Pro Arg Ala Gly Trp Leu Ala Gly Leu	
	100
Leu Cys Pro Asp Pro Arg Pro Leu Glu Leu Ala Leu Leu Ile Leu Gly	
	115
Val Gly Leu Leu Asp Phe Cys Gly Gln Val Cys Phe Thr Pro Leu Glu	
	130
Ala Leu Leu Ser Asp Leu Phe Arg Asp Pro Asp His Cys Arg Gln Ala	
145	150
Tyr Ser Val Tyr Ala Phe Met Ile Ser Leu Gly Gly Cys Leu Gly Tyr	
	165
Leu Leu Pro Ala Ile Asp Trp Asp Thr Ser Ala Leu Ala Pro Tyr Leu	
	180
Gly Thr Gln Glu Glu Cys Leu Phe Gly Leu Leu Thr Leu Ile Phe Leu	
	195
Thr Cys Val Ala Ala Thr Leu Leu Val Ala Glu Glu Ala Ala Leu Gly	
	210
Pro Thr Glu Pro Ala Glu Gly Leu Ser Ala Pro Ser Leu Ser Pro His	
225	230
Cys Cys Pro Cys Arg Ala Arg Leu Ala Phe Arg Asn Leu Gly Ala Leu	
	245
Leu Pro Arg Leu His Gln Leu Cys Cys Arg Met Pro Arg Thr Leu Arg	

260 265 270
 Arg Leu Phe Val Ala Glu Leu Cys Ser Trp Met Ala Leu Met Thr Phe
 275 280 285
 Thr Leu Phe Tyr Thr Asp Phe Val Gly Glu Gly Leu Tyr Gln Gly Val
 290 295 300
 Pro Arg Ala Glu Pro Gly Thr Glu Ala Arg Arg His Tyr Asp Glu Gly
 305 310 315 320
 Val Arg Met Gly Ser Leu Gly Leu Phe Leu Gln Cys Ala Ile Ser Leu
 325 330 335
 Val Phe Ser Leu Val Met Asp Arg Leu Val Gln Arg Phe Gly Thr Arg
 340 345 350
 Ala Val Tyr Leu Ala Ser Val Ala Ala Phe Pro Val Ala Ala Gly Ala
 355 360 365
 Thr Cys Leu Ser His Ser Val Ala Val Val Thr Ala Ser Ala Ala Leu
 370 375 380
 Thr Gly Phe Thr Phe Ser Ala Leu Gln Ile Leu Pro Tyr Thr Leu Ala
 385 390 395 400
 Ser Leu Tyr His Arg Glu Lys Gln Val Phe Leu Pro Lys Tyr Arg Gly
 405 410 415
 Asp Thr Gly Gly Ala Ser Ser Glu Asp Ser Leu Met Thr Ser Phe Leu
 420 425 430
 Pro Gly Pro Lys Pro Gly Ala Pro Phe Pro Asn Gly His Val Gly Ala
 435 440 445
 Gly Gly Ser Gly Leu Leu Pro Pro Pro Pro Ala Leu Cys Gly Ala Ser
 450 455 460
 Ala Cys Asp Val Ser Val Arg Val Val Val Gly Glu Pro Thr Glu Ala
 465 470 475 480
 Arg Val Val Pro Gly Arg Gly Ile Cys Leu Asp Leu Ala Ile Leu Asp
 485 490 495
 Ser Ala Phe Leu Ser Gln Val Ala Pro Ser Leu Phe Met Gly Ser
 500 505 510
 Ile Val Gln Leu Ser Gln Ser Val Thr Ala Tyr Met Val Ser Ala Ala
 515 520 525
 Gly Leu Gly Leu Val Ala Ile Tyr Phe Ala Thr Gln Val Val Phe Asp
 530 535 540
 Lys Ser Asp Leu Ala Lys Tyr Ser Ala
 545 550

<210> 114
 <211> 241
 <212> PRT
 <213> Homo sapien

<400> 114
 Met Gln Cys Phe Ser Phe Ile Lys Thr Met Met Ile Leu Phe Asn Leu
 1 5 10 15
 Leu Ile Phe Leu Cys Gly Ala Ala Leu Leu Ala Val Gly Ile Trp Val
 20 25 30
 Ser Ile Asp Gly Ala Ser Phe Leu Lys Ile Phe Gly Pro Leu Ser Ser
 35 40 45
 Ser Ala Met Gln Phe Val Asn Val Gly Tyr Phe Leu Ile Ala Ala Gly
 50 55 60
 Val Val Val Phe Ala Leu Gly Phe Leu Gly Cys Tyr Gly Ala Lys Thr
 65 70 75 80
 Glu Ser Lys Cys Ala Leu Val Thr Phe Phe Phe Ile Leu Leu Leu Ile

				85						90					95				
Phe	Ile	Ala	Glu	Val	Ala	Ala	Ala	Val	Val	Ala	Leu	Val	Tyr	Thr	Thr				
			100						105					110					
Met	Ala	Glu	His	Phe	Leu	Thr	Leu	Leu	Val	Val	Pro	Ala	Ile	Lys	Lys				
		115					120					125							
Asp	Tyr	Gly	Ser	Gln	Glu	Asp	Phe	Thr	Gln	Val	Trp	Asn	Thr	Thr	Met				
	130					135					140								
Lys	Gly	Leu	Lys	Cys	Cys	Gly	Phe	Thr	Asn	Tyr	Thr	Asp	Phe	Glu	Asp				
	145			150						155					160				
Ser	Pro	Tyr	Phe	Lys	Glu	Asn	Ser	Ala	Phe	Pro	Pro	Phe	Cys	Cys	Asn				
			165					170						175					
Asp	Asn	Val	Thr	Asn	Thr	Ala	Asn	Glu	Thr	Cys	Thr	Lys	Gln	Lys	Ala				
		180						185						190					
His	Asp	Gln	Lys	Val	Glu	Gly	Cys	Phe	Asn	Gln	Leu	Leu	Tyr	Asp	Ile				
	195						200						205						
Arg	Thr	Asn	Ala	Val	Thr	Val	Gly	Gly	Val	Ala	Ala	Gly	Ile	Gly	Gly				
	210					215					220								
Leu	Glu	Leu	Ala	Ala	Met	Ile	Val	Ser	Met	Tyr	Leu	Tyr	Cys	Asn	Leu				
	225				230					235					240				
Gln																			

<210> 115
 <211> 366
 <212> DNA
 <213> Homo sapien

<400> 115
 gctctttctc tcccctcctc tgaatttaat tctttcaact tgcaatttgc aaggattaca 60
 catttcactg tgatgtatat tgtgttgcaa aaaaaaaaaa gtgtctttgt ttaaaattac 120
 ttggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccatctctga 180
 actggtagaa aaacatctga agagctagtc tatcagcatc tgacaggtga attggatggt 240
 tctcagaacc atttcaccca gacagcctgt ttctatcctg ttaataaat tagtttgggg 300
 tctctacatg cataacaaac cctgctccaa tctgtcacat aaaagtctgt gacttgaagt 360
 ttagtc 366

<210> 116
 <211> 282
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(282)
 <223> n = A,T,C or G

<400> 116
 acaaagatga accatttcct atattatagc aaaattaaaa tctaccgta ttctaattatt 60
 gagaaatgag atnaaacaca atnttataaa gtctacttag agaagatcaa gtgacctcaa 120
 agactttact attttcatat ttaagacac atgatttate ctattttagt aacctgggtc 180
 atacgttaaa caaaggataa tgtgaacagc agagaggatt tgttggcaga aaatctatgt 240
 tcaatctnga actatctana tcacagacat ttctattcct tt 282

<210> 117
 <211> 305

<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(305)
<223> n = A,T,C or G

<400> 117
acacatgtcg cttcactgcc ttcttagatg cttctgggtca acatanagga acagggacca 60
tatttatacct ccctcctgaa acaattgcaa aataanacaa aatatatgaa acaattgcaa 120
aataaggcaa aatatatgaa acaacaggtc tcgagatatt ggaaatcagt caatgaagga 180
tactgatccc tgatcactgt cctaattgcag gatgtgggaa acagatgagg tcacctctgt 240
gactgccccca gcttactgcc tgtagagagt ttctangctg cagttcagac agggagaaat 300
tggt 305

<210> 118
<211> 71
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(71)
<223> n = A,T,C or G

<400> 118
accaaggtgt ntgaatctct gacgtgggga tctctgattc ccgcacaatc tgagtggaaa 60
aantcctggg t 71

<210> 119
<211> 212
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(212)
<223> n = A,T,C or G

<400> 119
actccggttg gtgtcagcag cacgtggcat tgaacatngc aatgtggagc ccaaaccaca 60
gaaaatgggg tgaaattggc caactttcta tnaacttatg ttggcaantt tgccaccaac 120
agtaagctgg cccttctaataaaaagaaaat tgaaaggttt ctcactaanc ggaattaant 180
aatggantca aganactccc aggcctcagc gt 212

<210> 120
<211> 90
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(90)
<223> n = A,T,C or G

<400> 120
actcgttgca natcaggggc cccccagagt caccgttgca ggagtccttc tggctcttgcc 60
ctccgccggc gcagaacatg ctgggggtggt 90

<210> 121
<211> 218
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(218)
<223> n = A,T,C or G

<400> 121
tgtancgtga anacgacaga nagggttgct aaaaatggag aanccttgaa gtcattttga 60
gaataagatt tgctaaaaga tttggggcta aaacatgggt attgggagac atttctgaag 120
atatncangt aaattangga atgaattcat ggctcttttg ggaattcctt tacgatngcc 180
agcatanact tcattgtgggg atancagcta cccttgta 218

<210> 122
<211> 171
<212> DNA
<213> Homo sapien

<400> 122
taggggtgta tgcaactgta aggacaaaaa ttgagactca actggcttaa ccaataaagg 60
catttgtag ctcatggaac aggaagtcgg atgggtggggc atcttcagtg ctgcatgagt 120
caccaccccg gcgggggtcat ctgtgccaca ggtccctgtt gacagtgcgg t 171

<210> 123
<211> 76
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(76)
<223> n = A,T,C or G

<400> 123
tgtagcgtga agacnacaga atgggtgtgtg ctgtgctatc caggaacaca ttattatca 60
ttatcaanta ttgtgt 76

<210> 124
<211> 131
<212> DNA
<213> Homo sapien

<400> 124
acctttcccc aaggccaatg tcctgtgtgc taactggccg gctgcaggac agctgcaatt 60
caatgtgctg ggtcatatgg aggggaggag actctaaaat agccaatttt atttctctgg 120
ttaagatttg t 131

<210> 125
 <211> 432
 <212> DNA
 <213> Homo sapien

<400> 125
 acttttatcta ctggctatga aatagatggt ggaaaattgc gttaccaact ataccactgg 60
 cttgaaaaag aggtgatagc tcttcagagg acttgtgact tttgctcaga tgctgaagaa 120
 ctacagtctg catttggcag aaatgaagat gaatttggat taaatgagga tgctgaagat 180
 ttgcctcacc aaacaaaagt gaaacaactg agagaaaatt ttcaggaaaa aagacagtgg 240
 ctcttgaagt atcagtcact tttgagaatg tttcttagtt actgcatact tcatggatcc 300
 catggtgggg gtcttgcacg tgtaagaatg gaattgattt tgcttttgca agaattctcag 360
 caggaaacat cagaaccact attttctagc cctctgtcag agcaaaccctc agtgcctctc 420
 ctctttgctt gt 432

<210> 126
 <211> 112
 <212> DNA
 <213> Homo sapien

<400> 126
 acacaacttg aatagtaaaa tagaaactga gctgaaattt ctaattcact ttctaaccat 60
 agtaagaatg atatttcccc ccagggatca ccaaattatt ataaaaattt gt 112

<210> 127
 <211> 54
 <212> DNA
 <213> Homo sapien

<400> 127
 accacgaaac cacaacaag atggaagcat caatccactt gccaaagcaca gcag 54

<210> 128
 <211> 323
 <212> DNA
 <213> Homo sapien

<400> 128
 acctcattag taattgtttt gttgtttcat ttttttctaa tgtctcccct ctaccagctc 60
 acctgagata acagaatgaa aatggaagga cagccagatt tctcctttgc tctctgtctca 120
 ttctctctga agtctaggtt acccattttg gggacccatt ataggcaata aacacagtgc 180
 ccaaagcatt tggacagttt cttgttgtgt tttagaatgg ttttcctttt tcttagcctt 240
 ttcttgcaaa aggctcactc agtcccttgc ttgtcagtg gactgggctc ccaggggcct 300
 aggtgcctt cttttccatg tcc 323

<210> 129
 <211> 192
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(192)
 <223> n = A,T,C or G

<400> 129

```
acatacatgt gtgtatatatt ttaaatatca cttttgtatc actctgactt tttagcatatc      60
tgaaaacaca ctaacataat ttntgtgaac catgatcaga tacaacccaa atcattcatc      120
tagcacattc atctgtgata naaagatagg tgagtttcat ttccttcacg ttggccaatg      180
gataaacaaa gt                                     192
```

<210> 130

<211> 362

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(362)

<223> n = A,T,C or G

<400> 130

```
ccctttttta tggaatgagt agactgtatg tttgaanatt tanccacaac ctcttttgaca      60
tataatgacg caacaaaaag gtgctgttta gtcctatggt tcagtttatg cccctgacaa      120
gtttccattg tgttttgccg atcttctggc taatcgtggt atcctccatg ttattagtaa      180
ttctgtattc cattttgtta acgcctggta gatgtaacct gctangaggc taactttata      240
cttattttaa agctcttatt ttgtggtcat taaaatggca atttatgtgc agcactttat      300
tgcagcagga agcacgtgtg gggttggttg aaagctcttt gctaattcta aaaagtaatg      360
gg                                     362
```

<210> 131

<211> 332

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(332)

<223> n = A,T,C or G

<400> 131

```
ctttttgaaa gatcgtgtcc actcctgtgg acatcttggt ttaatggagt tccccatgca      60
gtangactgg tatggttgca gctgtccaga taaaaacatt tgaagagctc caaaatgaga      120
gttctccag gtctgccctg ctgctccaag tctcagcagc agcctctttt aggaggcatc      180
ttctgaacta gattaaggca gcttgtaa atctgatgtat ttggtttatt atccaactaa      240
cttccatctg ttatcactgg agaaagccca gactcccan gacnggtacg gattgtgggc      300
atanaaggat tgggtgaagc tggcgttgtg gt                                     332
```

<210> 132

<211> 322

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(322)

<223> n = A,T,C or G

<400> 132

```
acttttgcca tttgtatat ataaacaatc ttgggacatt ctctgaaaa ctaggtgtcc      60
```

```

agtggctaag agaactcgat ttcaagcaat tctgaaagga aaaccagcat gacacagaat 120
ctcaaattcc caaacagggg ctctgtggga aaaatgaggg aggacctttg tatctcgggt 180
tttagcaagt taaaatgaan atgacaggaa aggcttattt atcaacaaag agaagagttg 240
ggatgcttct aaaaaaaact ttggtagaga aaataggaat gctnaatcct agggaagcct 300
gtaacaatct acaattggtc ca 322

```

```

<210> 133
<211> 278
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (278)
<223> n = A,T,C or G

```

```

<400> 133
acaagccttc acaagtttaa ctaaattggg attaatcttt ctgtanttat ctgcataatt 60
cttgtttttc tttccatctg gctcctgggt tgacaatttg tggaaacaac tctattgcta 120
ctatttaaaa aaaatcacaa atctttccct ttaagctatg ttnaattcaa actattcctg 180
ctattcctgt tttgtcaaag aaattatatt tttcaaaata tgtntatttg tttgatgggt 240
cccacgaaac actaataaaa accacagaga ccagcctg 278

```

```

<210> 134
<211> 121
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (121)
<223> n = A,T,C or G

```

```

<400> 134
gtttanaaaa cttgttttagc tccatagagg aaagaatggt aaactttgta ttttaaaaca 60
tgattctctg aggttaaaact tggttttcaa atgttatatt tacttgtatt ttgcttttgg 120
t 121

```

```

<210> 135
<211> 350
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (350)
<223> n = A,T,C or G

```

```

<400> 135
acttanaacc atgcctagca catcagaatc cctcaaagaa catcagtata atcctataacc 60
atancaagtg gtgactggtt aagcgtgcga caaaggtcag ctggcacatt acttgtgtgc 120
aaacttgata cttttgttct aagtaggaac tagtatacag tncctaggan tggtagtcca 180
gggtgcccc caactcctgc agccgctcct ctgtgccagn ccctgnaagg aactttcgct 240
ccacctcaat caagccctgg gccatgctac ctgcaattgg ctgaacaaac gtttgctgag 300
ttcccaagga tgcaaagcct ggtgctcaac tcctggggcg tcaactcagt 350

```

<210> 136
 <211> 399
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(399)
 <223> n = A,T,C or G

<400> 136
 tgtaccgtga agacgacaga agttgcatgg cagggacagg gcagggccga ggccagggtt 60
 gctgtgattg tatccgaata ntctcgtga gaaaagataa tgagatgacg tgagcagcct 120
 gcagacttgt gtctgccttc aanaagccag acaggaaggc cctgcctgcc ttggctctga 180
 cctggcgccg agccagccag ccacagggtg gcttcttcct ttgtggtga caacnccaag 240
 aaaactgcag aggccccagg tcagggtgtna gtgggtangt gaccataaaa caccagggtgc 300
 tcccaggaac ccgggcaaag gccatcccca cctacagcca gcatgcccac tggcgtgatg 360
 ggtgcagang gatgaagcag ccagntgttc tgctgtggt 399

<210> 137
 <211> 165
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(165)
 <223> n = A,T,C or G

<400> 137
 actggtgtgg tngggggtga tgctgggtgg anaagttgan gtgacttcan gatggtgtgt 60
 ggaggaagtg tgtgaacgta gggatgtaga ngttttggcc gtgctaaatg agcttcggga 120
 ttggctggtc ccactggtgg tcactgtcat tgggtggggt cctgt 165

<210> 138
 <211> 338
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(338)
 <223> n = A,T,C or G

<400> 138
 actcactgga atgccacatt cacaacagaa tcagaggctc gtgaaaacat taatggctcc 60
 ttaacttctc cagtaagaat cagggacttg aaatggaaac gttaacagcc acatgcccac 120
 tgctgggcag tctcccatgc cttccacagt gaaagggtc gagaaaaatc acatccaatg 180
 tcatgtgttt ccagccacac caaaagggtc ttgggggtgga gggctggggg catananggt 240
 cangcctcag gaagcctcaa gttccattca gctttgccac tgtacattcc ccatntttaa 300
 aaaaactgat gccttttttt tttttttttg taaaattc 338

<210> 139
 <211> 382

<212> DNA
<213> Homo sapien

<400> 139
gggaatcttg gtttttggca tctggtttgc ctatagccga ggccactttg acagaacaaa 60
gaaagggact tcgagtaaga aggtgattta cagccagcct agtgcccga gtgaaggaga 120
attcaaacag acctcgatcat tcctgggtgtg agcctgggtg gtcaccgcc tatcatctgc 180
atttgacctta ctcagggtgct accggactct ggccccctgat gtctgtagtt tcacaggatg 240
ccttattttgt cttctacacc ccacagggcc ccttacttct tcggatgtgt ttttaataat 300
gtcagctatg tgcccatcc tccttcatgc cctccctccc tttcctacca ctgctgagtg 360
gcctggaact tgtttaaagt gt 382

<210> 140
<211> 200
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(200)
<223> n = A,T,C or G

<400> 140
accaaanctt ctttctgttg tggtngattt tactataggg gtttngcttn ttctaaanat 60
acttttcatt taacancttt tggttaagtgt caggctgcac tttgctccat anaattattg 120
ttttcacatt tcaacttgta tgtgtttgtc tcttanagca ttggtgaaat cacatatttt 180
atattcagca taaaggagaa 200

<210> 141
<211> 335
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(335)
<223> n = A,T,C or G

<400> 141
actttatttt caaaacactc atatgttgca aaaaacacat agaaaaataa agtttggtgg 60
gggtgctgac taaacttcaa gtcacagact tttatgtgac agattggagc agggtttgtt 120
atgcatgtag agaaccctaaa ctaattttatt aaacaggata gaaacaggct gtctgggtga 180
aatggttctg agaaccatcc aattcacctg tcagatgctg atanactagc tcttcagatg 240
tttttctacc agttcagaga tnggttaatg actantcca atggggaaaa agcaagatgg 300
attcacaac caagtaattt taaacaaaga cactt 335

<210> 142
<211> 459
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(459)
<223> n = A,T,C or G

<400> 142

accagggttaa	tattgccaca	tatatccttt	ccaattgctg	gctaaacaga	cgtgtatttta	60
gggttggtta	aagacaaccc	agcttaatat	caagagaaat	tgtgaccttt	catggagtat	120
ctgatggaga	aaacactgag	ttttgacaaa	tcttatttta	ttcagatagc	agtctgatca	180
cacatgggtcc	aacaacactc	aaataataaa	tcaaatatna	tcagatgtta	aagattggtc	240
ttcaaaccatc	atagccaatg	atgccccgct	tgcctataat	ctctccgaca	taaaaccaca	300
tcaaacacctc	agtggccacc	aaaccattca	gcacagcttc	cttaactgtg	agctgtttga	360
agctaccagt	ctgagcacta	ttgactatnt	ttttcangct	ctgaatagct	ctagggatct	420
cagcanggggt	gggaggaacc	agctcaacct	tggcgtant			459

<210> 143

<211> 140

<212> DNA

<213> Homo sapien

<400> 143

acatttcctt	ccaccaagtc	aggactcctg	gcttctgtgg	gagttcttat	cacctgaggg	60
aaatccaaac	agtctctcct	agaaaggaat	agtgtcacca	acccacacca	tctccctgag	120
accatccgac	ttccctgtgt					140

<210> 144

<211> 164

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(164)

<223> n = A,T,C or G

<400> 144

acttcagtaa	caacatacaa	taacaacatt	aagtgtatat	tgccatcttt	gtcattttct	60
atctatacca	ctctcccttc	tgaaaaacaan	aatcactanc	caatcactta	tacaaatttg	120
aggcaattaa	tccatatttg	ttttcaataa	ggaaaaaaag	atgt		164

<210> 145

<211> 303

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(303)

<223> n = A,T,C or G

<400> 145

acgtagacca	tccaactttg	tatttgtaat	ggcaaacatc	cagnagcaat	tcctaaacaa	60
actggagggt	atttataccc	aattatccca	ttcattaaca	tgccctcctc	ctcaggctat	120
gcaggacagc	tatcataagt	cggcccaggc	atccagatac	taccatttgt	ataaacttca	180
gtaggggagt	ccatccaagt	gacaggctta	atcaaaggag	gaaatggaac	ataagcccag	240
tagtaaaatn	ttgcttagct	gaaacagcca	caaaagactt	accgccgtgg	tgattaccat	300
caa						303

<210> 146

<211> 327
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(327)
 <223> n = A,T,C or G

<400> 146
 actgcagctc aattagaagt ggtctctgac tttcatcanc ttctccctgg gtcctatgac 60
 actggcctgg agtgactcat tgctctgggt gggtgagaga gtccttttgc caacaggcct 120
 ccaagtcagg gctgggattt gtttcctttc cacattctag caacaatatg ctggccactt 180
 cctgaacagg gaggggtggga ggagccagca tggacaagc tgccactttc taaagtagcc 240
 agacttgccc ctgggcctgt cacacctact gatgaccttc tgtgctgca ggatggaatg 300
 taggggtgag ctgtgtgact ctatggt 327

<210> 147
 <211> 173
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(173)
 <223> n = A,T,C or G

<400> 147
 acattgtttt tttgagataa agcattgana gagctctcct taacgtgaca caatggaagg 60
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120
 atattcaagc acatatgtta tatattatc agttccatgt ttatagccta gtt 173

<210> 148
 <211> 477
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(477)
 <223> n = A,T,C or G

<400> 148
 acaaccactt tatctcatcg aatttttaac ccaaactcac tcaactgtgcc tttctatcct 60
 atgggatata ttatttgatg ctccatttca tcacacatat atgaataata cactcatact 120
 gccctactac ctgctgcaat aatcacattc ccttctgtgc ctgaccctga agccattggg 180
 gtggtcctag tggccatcag tccangcctg caccttgagc ccttgagctc cattgctcac 240
 nccanccca ctcaccgacc ccatcctctt acacagctac ctcttgctc tctaacccca 300
 tagattatnt ccaaattcag tcaattaagt tactattaac actctaccgc acatgtccag 360
 caccactggg aagccttctc cagccaacac acacacacac acacncacac acacacatat 420
 ccaggcacag gctacctcat cttcacaatc acccctttaa ttaccatgct atggtgg 477

<210> 149
 <211> 207
 <212> DNA

<213> Homo sapien

<400> 149

```
acagttgtat tataatatca agaaataaac ttgcaatgag agcatttaag agggaagaac      60
taacgtatatt tagagagcca aggaagggtt ctgtggggag tgggatgtaa ggtggggcct      120
gatgataaat aagagtcagc caggtaagtg ggtgggtgtg tatgggcaca gtgaagaaca      180
tttcaggcag agggaacagc agtgaaa                                           207
```

<210> 150

<211> 111

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (111)

<223> n = A,T,C or G

<400> 150

```
accttgattt cattgctgct ctgatggaaa cccaactatc taatttagct aaaacatggg      60
cacttaaatg tggtcagtgt ttggacttgt taactantgg catctttggg t                111
```

<210> 151

<211> 196

<212> DNA

<213> Homo sapien

<400> 151

```
agcgcggcag gtcatatga acattccaga tacctatcat tactcgatgc tgttgataac      60
agcaagatgg ctttgaactc agggtcacca ccagctattg gaccttacta tgaaaaccat      120
ggataccaac cggaaaaccc ctatcccgca cagcccaactg tggccccac tgtctacgag      180
gtgcatccgg ctcagt                                                         196
```

<210> 152

<211> 132

<212> DNA

<213> Homo sapien

<400> 152

```
acagcacttt cacatgtaag aaggagaaaa ttcttaaagt taggagaaag ataacagaac      60
cttccccttt tcatctagt gtggaaacct gatgctttat gttgacagga atagaaccag      120
gagggagttt gt                                                         132
```

<210> 153

<211> 285

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (285)

<223> n = A,T,C or G

<400> 153

```
acaanacca nganaggcca ctggccgtgg tgcatggcc tccaaacatg aaagtgtcag      60
```

cttctgctct	tatgtcctca	tctgacaact	ctttaccatt	tttatacctcg	ctcagcagga	120
gcacatcaat	aaagtccaaa	gtcttggact	tggccttggc	ttggaggaag	tcataaacac	180
cctggctagt	gaggggtgcg	cgccgctcct	ggatgacggc	atctgtgaag	tcgtgcacca	240
gtctgcaggc	cctgtggaag	cgccgtccac	acggagtnag	gaatt		285

<210> 154
 <211> 333
 <212> DNA
 <213> Homo sapien

<400> 154						
accacagtcc	tgttggggcca	gggcttcatg	accctttctg	tgaaaagcca	tattatcacc	60
accccaaatt	tttccttaaa	tatctttaac	tgaaggggtc	agcctcttga	ctgcaaagac	120
cctaagccgg	ttacacagct	aactcccact	ggccctgatt	tgtgaaattg	ctgctgcctg	180
attggcacag	gagtcgaagg	tgttcagctc	ccctcctccg	tggaacgaga	ctctgatttg	240
agtttcacaa	attctcgggc	cacctcgtea	ttgctcctct	gaaataaaat	ccggagaatg	300
gtcaggcctg	tctcatccat	atggatcttc	cgg			333

<210> 155
 <211> 308
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(308)
 <223> n = A,T,C or G

<400> 155						
actggaaata	ataaaaaccca	catcacagtg	tttgttcaaa	gatcatcagg	gcatggatgg	60
gaaagtgtct	tgggaactgt	aaagtgccta	acacatgatc	gatgattttt	gttataatat	120
ttgaatcacg	gtgcatacaa	actctcctgc	ctgtctctcc	tgggccccag	ccccagcccc	180
atcacagctc	actgctctgt	tcatccaggc	ccagcatgta	gtggctgatt	cttcttggct	240
gcttttagcc	tccanaagtt	tctctgaagc	caaccaaacc	tctangtgta	aggcatgctg	300
gccctggg						308

<210> 156
 <211> 295
 <212> DNA
 <213> Homo sapien

<400> 156						
accttgctcg	gtgcttggaa	catattagga	actcaaaata	tgagatgata	acagtgccta	60
ttattgatta	ctgagagAAC	tgttagacat	ttagttgaag	attttctaca	caggaactga	120
gaataggaga	ttatgtttgg	ccctcatatt	ctctcctatc	ctccttgcc	cattctatgt	180
ctaatatatt	ctcaatcaaa	taaggtttagc	ataatcagga	aatcgaccaa	ataccaatat	240
aaaaccagat	gtctatcctt	aagattttca	aatagaaaac	aaattaacag	actat	295

<210> 157
 <211> 126
 <212> DNA
 <213> Homo sapien

<400> 157						
acaagtttaa	atagtgtgt	cactgtgcat	gtgctgaaat	gtgaaatcca	ccacatttct	60

gaagagcaaa acaaattctg tcatgtaatc tctatcttgg gtcgtgggta tatctgtccc 120
 cttagt 126

<210> 158
 <211> 442
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(442)
 <223> n = A,T,C or G

<400> 158
 acccactggt cttggaaaca cccatcctta atacgatgat ttttctgtcg tgtgaaaatg 60
 aanccagcag gctgccccta gtcagtcctt ccttccagag aaaaagagat ttgagaaagt 120
 gcctgggtaa ttcaccatta atttcctccc ccaaactctc tgagtcttcc cttaatatatt 180
 ctgggtggttc tgaccaaagc aggtcatggt ttgttgagca tttgggatcc cagtgaagta 240
 natgtttgta gccttgcata cttagccctt cccacgcaca aacggagtggt cagagtgggtg 300
 ccaaccctgt tttcccgagc cacgtagaca gattcacagt gcggaattct ggaagctgga 360
 nacagacggg ctctttgcag agccgggact ctgagangga catgagggcc tctgcctctg 420
 tgttcattct ctgatgtcct gt 442

<210> 159
 <211> 498
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(498)
 <223> n = A,T,C or G

<400> 159
 acttccaggt aacgttggtt tttccgttga gcctgaactg atgggtgacg ttgtaggttc 60
 tccaacaaga actgaggttg cagagcgggt aggggaagagt gctgttccag ttgcacctgg 120
 gctgctgtgg actgttggtt attcctcact acggccaag gttgtggaac tggcanaaag 180
 gtgtgttggt gganttgagc tcgggcgggt gtggtaggtt gtgggctctt caacaggggc 240
 tgctgtggtg ccgggangtg aangtggtgt gtcacttgag cttggccagc tctggaaagt 300
 antanattct tcctgaaggc cagcgcttgt ggagctggca ngggtcantg ttgtgtgtaa 360
 cgaaccagtg ctgctgtggg tgggtgtana tcctccacaa agcctgaagt tatggtgtcn 420
 tcaggtaana atgtggtttc agtgtccctg ggcngctgtg gaaggttgta nattgtcacc 480
 aagggataaa gctgtggt 498

<210> 160
 <211> 380
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(380)
 <223> n = A,T,C or G

<400> 160

```

acctgcatcc agcttccttg ccaaactcac aaggagacat caacctctag acagggaaac      60
agcttcagga tacttcagg agacagagcc accagcagca aaacaaatat tcccatgcct      120
ggagcatggc atagaggaag ctganaaatg tggggtctga ggaagccatt tgagtctggc      180
cactagacat ctcatcagcc acttggtgta agagatgccc catgacccca gatgcctctc      240
ccacccttac ctccatctca cacacttgag ctttccactc tgtataattc taacatcctg      300
gagaaaaatg gcagtttgac cgaacctggt cacaacggta gaggctgatt tctaacgaaa      360
ctgtagaat gaagcctgga                                     380

```

```

<210> 161
<211> 114
<212> DNA
<213> Homo sapien

```

```

<400> 161
actccacatc cctctgagc aggcggttgt cgttcaaggt gtatttggcc ttgcctgtca      60
cactgtccac tggccccta tccacttggg gcttaatccc tcgaaagagc atgt          114

```

```

<210> 162
<211> 177
<212> DNA
<213> Homo sapien

```

```

<400> 162
actttctgaa tcgaatcaaa tgatacttag tgtagtttta atatcctcat atatatcaaa      60
gttttactac tctgataatt ttgtaaacca ggtaaccaga acatccagtc atacagcttt      120
tgggtgatata taacttggca ataaccagc ctggtgatata ataaaactac tcactgt      177

```

```

<210> 163
<211> 137
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (137)
<223> n = A,T,C or G

```

```

<400> 163
catttataca gacaggcgtg aagacattca cgacaaaaac gcgaaattct atcccgtgac      60
canagaaggc agctacggct actcctacat cctggcgtgg gtggccttcg cctgcacctt      120
catcagcggc atgatgt                                     137

```

```

<210> 164
<211> 469
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1) ... (469)
<223> n = A,T,C or G

```

```

<400> 164
cttatcacia tgaatgttct cctgggcagc gttgtgatct ttgccacctt cgtgacttta      60
tgcaatgcat catgctatct catacctaag gaggagattc caggagattc aaccaggaaa      120

```

tgcacatgac	tcaaaggaaa	caaacaccca	ataaactcgg	agtggcagac	tgacaactgt	180
gagacatgca	cttgctacga	aacagaaatt	tcacgttgca	cccttggttc	tacacctgtg	240
ggttatgaca	aagacaactg	caaagaatc	ttcaagaagg	aggactgcaa	gtatatcgtg	300
gtggagaaga	aggacccaaa	aaagacctgt	tctgtcagtg	aatggataat	ctaagtgtgt	360
tctagtaggc	acagggctcc	caggccaggc	ctcattctcc	tctggcctct	aatagtcaat	420
gattgtgtag	ccatgcctat	cagtaaaaag	atntttgagc	aaacacttt		469

<210> 165

<211> 195

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(195)

<223> n = A,T,C or G

<400> 165

acagtttttt	atanatatcg	acattgccgg	cacttggtgt	cagtttcata	aagctgggtg	60
atccgctgtc	atccactatt	ccttggttag	agtaaaaatt	attcttatag	cccatgtccc	120
tgcaggccgc	ccgcccgtag	ttctcgttcc	agtcgtcttg	gcacacaggg	tgccaggact	180
tcctctgaga	tgagt					195

<210> 166

<211> 383

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 166

acatcttagt	agtgtggcac	atcagggggc	catcagggtc	acagtcactc	atagcctcgc	60
cgaggctcga	gtccacacca	ccggtgtagg	tgtgctcaat	cttgggcttg	gcgcccacct	120
ttggagaagg	gatatgctgc	acacacatgt	ccacaaagcc	tgtgaactcg	caaagaatt	180
tttgacagcc	agcctgagca	aggggcggat	gttcagcttc	agctcctcct	tcgtcagggtg	240
gatgccaacc	tcgtctangg	tccgtgggaa	gctgggtgct	acntcaccta	caacctgggc	300
gangatctta	taaagaggct	ccnagataaa	ctccacgaaa	cttctctggg	agctgctagt	360
nggggccttt	ttggtgaact	ttc				383

<210> 167

<211> 247

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(247)

<223> n = A,T,C or G

<400> 167

acagagccag	accttgcca	taaatgaanc	agagattaag	actaaacccc	aagtcganat	60
tggagcagaa	actggagcaa	gaagtgggccc	tggggctgaa	gtagagacca	aggccactgc	120

tatanccata cacagagcca actctcaggc caaggcnatg gttggggcag anccagagac	180
tcaatctgan tccaaagtgg tggctggaac actgggtcatg acanaggcag tgactctgac	240
tgangtc	247

<210> 168
 <211> 273
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(273)
 <223> n = A,T,C or G

<400> 168	
acttctaagt tttctagaag tggaaggatt gtantcatcc tgaaaatggg tttacttcaa	60
aatccctcan ccttggtctt cactactgct tatactgana gtgtcatgtt tccacaaagg	120
gctgacacct gagcctgnat tttcactcat ccctgagaag ccctttccag taggggtggc	180
aattcccaac ttccttgcca caagcttccc aggccttctc ccctggaaaa ctccagcttg	240
agtcacagat acactcatgg gctgccttgg gca	273

<210> 169
 <211> 431
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(431)
 <223> n = A,T,C or G

<400> 169	
acagccttgg cttccccaaa ctccacagtc tcagtgcaga aagatcatct tccagcagtc	60
agctcagacc aggggtcaaag gatgtgacat caacagtttc tggtttcaga acaggttcta	120
ctactgtcaa atgacccccc atacttctc aaaggctgtg gtaagttttg cacaggtgag	180
ggcagcagaa aggggggtant tactgatgga caccatcttc tctgtatact ccacactgac	240
cttgccatgg gcaaaggccc ctaccacaaa aacaatagga tcaactgctgg gcaccagctc	300
acgcacatca ctgacaaccg ggatggaaaa agaantgcca actttcatac atccaactgg	360
aaagtgatct gatactggat tcttaattac cttcaaaaagc ttctggggggc catcagctgc	420
tcgaacactg a	431

<210> 170
 <211> 266
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(266)
 <223> n = A,T,C or G

<400> 170	
acctgtgggc tgggctgtta tgccctgtgcc ggctgctgaa agggagttca gaggtggagc	60
tcaaggagct ctgcaggcat tttgccaanc ctctccanag canaggagc aacctacact	120
ccccgctaga aagacaccag attggagtcc tgggaggggg agttgggggtg ggcatttgc	180

gtatacttgt cacctgaatg aangagccag agaggaanga gacgaanatg anattggcct 240
tcaaagctag gggctctggca ggtgga 266

<210> 171
<211> 1248
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(1248)
<223> n = A,T,C or G

<400> 171
ggcagccaaa tcataaacgg cgaggactgc agcccgcact cgcagccctg gcaggcggca 60
ctggtcatgg aaaacgaatt gttctgctcg ggcgtcctgg tgcattccgca gtgggtgctg 120
tcagccgcac actgtttcca gaagtgaatg cagagctcct acaccatcgg gctgggctcg 180
cacagtcttg aggccgacca agagccaggg agccagatgg tggaggccag cctctccgta 240
cggcacccag agtacaacag acccttgctc gctaaccgacc tcatgctcat caagttggac 300
gaatccgtgt ccgagtctga caccatccgg agcatcagca ttgcttcgca gtgccctacc 360
gcggggaact cttgcctcgt ttctggctgg ggtctgctgg cgaacggcag aatgcctacc 420
gtgctgcagt gcgtgaacgt gtcgggtggtg tctgaggagg tctgcagtaa gctctatgac 480
ccgctgtacc accccagcat gttctgcgcc ggccggaggc aagaccagaa ggactcctgc 540
aacggtgact ctggggggcc cctgatctgc aacgggtact tgcagggcct tgtgtctttc 600
ggaaaagccc cgtgtggcca agttggcgtg ccagggtgtct acaccaacct ctgcaaattc 660
actgagtggg tagagaaaac cgtccaggcc agttaactct ggggactggg aacccatgaa 720
attgaccccc aaatacatcc tgcggaagga attcaggaat atctgttccc agccctcct 780
ccctcaggcc caggagtcca ggcccccagc cctcctccc tcaaaccaag ggtacagatc 840
cccagccctc cctccctcag acccaggagt ccagaccccc cagccctcc tccctcagac 900
ccaggagtcc agccctcct cctcagacc caggagtcca gacccccag cccctcctcc 960
ctcagaccca ggggtccagg cccccaaccc ctctccctc agactcagag gtccaagccc 1020
ccaaccntc attccccaga cccagaggtc cagggtccag cccctcntcc ctcagaccca 1080
gcggtccaat gccacctaga ctntccctgt acacagtgcc ccttgtggc acgttgaccc 1140
aaccttacca gttggttttt catttttngt ccttttcccc tagatccaga aataaagttt 1200
aagagaagng caaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1248

<210> 172
<211> 159
<212> PRT
<213> Homo sapien

<220>
<221> VARIANT
<222> (1)...(159)
<223> Xaa = Any Amino Acid

<400> 172
Met Val Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro
1 5 10 15
Leu Leu Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser
20 25 30
Glu Ser Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr
35 40 45
Ala Gly Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly
50 55 60

Arg Met Pro Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu
 65 70 75 80
 Glu Val Cys Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe
 85 90 95
 Cys Ala Gly Gly Gly Gln Xaa Gln Xaa Asp Ser Cys Asn Gly Asp Ser
 100 105 110
 Gly Gly Pro Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe
 115 120 125
 Gly Lys Ala Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn
 130 135 140
 Leu Cys Lys Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
 145 150 155

<210> 173
 <211> 1265
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(1265)
 <223> n = A,T,C or G

<400> 173
 ggcagccccgc actcgagcc ctggcaggcg gcactgggtca tggaaaacga attgttctgc 60
 tcgggcgctcc tgggtgcatcc gcagtgggtg ctgtcagccg cacactgttt ccagaactcc 120
 tacaccatcg ggctgggcct gcacagtctt gaggcagacc aagagccagg gagccagatg 180
 gtggaggcca gcctctccgt acggcaccca gagtacaaca gacccttgtc cgctaacgac 240
 ctcattgctca tcaagttgga cgaatccgtg tccgagtctg acaccatccg gagcatcagc 300
 attgtcttcgc agtgccctac cgcggggaac tcttgccctcg tttctggctg ggggtctgctg 360
 gcgaacggtg agctcacggg tgtgtgtctg cctctttcaa ggaggtcctc tgcccagtcg 420
 cgggggctga cccagagctc tgcgtcccag gcagaatgcc taccgtgctg cagtgcgtga 480
 acgtgtcggg ggtgtctgag gaggtctgca gtaagctcta tgaccgctg taccaccca 540
 gcattgtctg cgccggcgga gggcaagacc agaaggactc ctgcaacggt gactctgggg 600
 ggccccgat ctgcaacggg tacttgaggg gccttgtgtc tttcggaata gccccgtgtg 660
 gccaagtgg cgtgccagg gtctacacca acctctgcaa attcactgag tggatagaga 720
 aaaccgtcca ggccagttaa ctctggggac tgggaacca tgaaattgac ccccaaatac 780
 atcctgcgga aggaattcag gaatatctgt tcccagcccc tctcctcaga ggcccaggag 840
 tccaggcccc cagccccctc tccctcaaac caagggtaca gatccccagc cctcctccc 900
 tcagaccagc gaggccagac cccccagccc ctctcctc agaccagga gtccagcccc 960
 tctcctcaga gaccaggag tccagacccc ccagccccctc ctccctcaga cccagggggt 1020
 gaggccccca acccctcctc ctccagagtc agaggtccaa gcccccaacc cctcgttccc 1080
 cagaccaga ggttnaggtc ccagccccctc ttcctcaga cccagnggtc caatgccacc 1140
 tagattttcc ctgnacacag tgcccccttg tggngangttg acccaacctt accagttggt 1200
 ttttcatttt tngtcccttt cccctagatc cagaaataaa gtttaagaga ngngcaaaaa 1260
 aaaaa 1265

<210> 174
 <211> 1459
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(1459)

<223> n = A,T,C or G

<400> 174

gggcagccgc	acactgtttc	cagaagttag	tgcagagctc	ctacaccatc	gggctggggc	60
tgcacagtct	tgaggccgac	caagagccag	ggagccagat	ggaggaggcc	agcctctccg	120
tacggcacc	agagtacaac	agacccttgc	tcgctaacga	cctcatgctc	atcaagttgg	180
acgaatccgt	gtccgagttc	gacaccatcc	ggagcatcag	cattgcttcg	cagtgcctta	240
ccgcggggaa	ctcttgctc	gtttctggct	ggggtctgct	ggcgaacggg	gagctcacgg	300
gtgtgtgtct	gcccctctca	aggaggtcct	ctgcccagtc	gcgggggctg	accagagct	360
ctgcgtccca	ggcagaatgc	ctaccgtgct	gcagtgcgtg	aacgtgtcgg	tggtgtctga	420
ngaggtctgc	antaagctct	atgaccgct	gtaccacccc	ancatgttct	gcgccggcgg	480
agggcaagac	cagaaggact	cctgcaacgt	gagagagggg	aaaggggagg	gcaggcgact	540
cagggaaagg	tggagaagg	ggagacagag	acacacaggg	ccgcatggcg	agatgcagag	600
atggagagac	acacagggag	acagtgacaa	ctagagagag	aaactgagag	aaacagagaa	660
ataaacacag	gaataaagag	aagcaaagga	agagagaaac	agaaacagac	atggggaggc	720
agaaacacac	acacatagaa	atgcagttga	cctccaaca	gcagggggcc	tgaggcggt	780
gacctccacc	caatagaaaa	tcctcttata	acttttgact	ccccaaaaac	ctgactagaa	840
atagcctact	gttgacgggg	agccttacca	ataacataaa	tagtcgattt	atgcatacgt	900
tttatgcatt	catgatatac	ctttgttgga	attttttgat	atttctaagc	tacacagttc	960
gtctgtgaat	ttttttaaat	tgttgcaact	ctcctaaaat	ttttctgatg	tgtttattga	1020
aaaaatccaa	gtataagtgg	acttgtgcat	tcaaaccagg	gttgttcaag	gggtcaactgt	1080
gtaccagag	ggaaacagtg	acacagattc	atagaggtga	aacacgaaga	gaaacaggaa	1140
aatcaagac	tctacaaaga	ggctgggcag	gggtggctcat	gcctgtaatc	ccagcacttt	1200
gggaggcgag	gcaggcagat	cacttgaggt	aaggagtcca	agaccagcct	ggccaaaatg	1260
gtgaaatcct	gtctgtacta	aaaatacaaa	agttagctgg	atatgggtggc	aggcgcctgt	1320
aatcccagct	acttggggagg	ctgaggcagg	agaattgctt	gaatatggga	ggcagaggtt	1380
gaagtgagtt	gagatcacac	cactatactc	cagctggggc	aacagagtaa	gactctgtct	1440
caaaaaaaaa	aaaaaaaaa					1450

<210> 175

<211> 1167

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(1167)

<223> n = A,T,C or G

<400> 175

gagcagccct	ggcaggcggc	actggctcatg	gaaaacgaat	tggtctgctc	gggcgtcctg	60
gtgcatccgc	agtgggtgct	gtcagccgca	cactgtttcc	agaactccta	caccatcggt	120
ctgggcctgc	acagtcttga	ggccgaccaa	gagccaggga	gccagatggt	ggaggccagc	180
ctctccgtac	ggcaccacga	gtacaacaga	ctcttgctcg	ctaaccgacct	catgctcatc	240
aagttggacg	aatccgtgtc	cgagtctgac	accatccgga	gcacagcat	tgcttcgcag	300
tgcctaccg	cggggaactc	ttgcctcgtn	tctggctggg	gtctgctggc	gaacggcaga	360
atgcctaccg	tgctgactg	cgtgaacgtg	tcgggtgggt	ctgaggangt	ctgcagtaag	420
ctctatgacc	cgctgtacca	ccccagcatg	ttctgcgcgc	gcggagggca	agaccagaag	480
gactcctgca	acgggtgactc	tggggggccc	ctgatctgca	acgggtactt	gcagggcctt	540
gtgtctttcg	gaaaagcccc	gtgtggccaa	cttggcgtgc	cagggtgtcta	caccaacctc	600
tgcaaattca	ctgagtggat	agagaaaacc	gtccagncca	gttaactctg	gggactggga	660
acccatgaaa	ttgaccccca	aatacatcct	gcggaangaa	ttcaggaata	tctgttccca	720
gcccctcctc	cctcaggccc	aggagtccag	gccccagcc	cctcctccct	caaaccaagg	780
gtacagatcc	ccagccctc	ctcctcaga	cccaggagtc	cagaccccc	agccctcnt	840
ccntcagacc	caggagtcca	gcccctcctc	cntcagacgc	aggagtccag	acccccagc	900

```

ccntcntccg tcagaccag ggggtgcaggc ccccaacccc tcntccntca gagtcagagg      960
tccaagcccc caaccctcg ttccccagac ccagaggtnc aggtcccagc ccctcctccc      1020
tcagaccag cgggtccaatg ccacctagan tntccctgta cacagtggcc ccttggtggca      1080
ngttgacca accttaccag ttggtttttc attttttgtc cctttcccct agatccagaa      1140
ataaagtnta agagaagcgc aaaaaaa                                1167

```

<210> 176
 <211> 205
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1)...(205)
 <223> Xaa = Any Amino Acid

<400> 176

Met	Glu	Asn	Glu	Leu	Phe	Cys	Ser	Gly	Val	Leu	Val	His	Pro	Gln	Trp
1				5					10					15	
Val	Leu	Ser	Ala	Ala	His	Cys	Phe	Gln	Asn	Ser	Tyr	Thr	Ile	Gly	Leu
			20					25					30		
Gly	Leu	His	Ser	Leu	Glu	Ala	Asp	Gln	Glu	Pro	Gly	Ser	Gln	Met	Val
		35					40					45			
Glu	Ala	Ser	Leu	Ser	Val	Arg	His	Pro	Glu	Tyr	Asn	Arg	Leu	Leu	Leu
	50					55					60				
Ala	Asn	Asp	Leu	Met	Leu	Ile	Lys	Leu	Asp	Glu	Ser	Val	Ser	Glu	Ser
65					70				75					80	
Asp	Thr	Ile	Arg	Ser	Ile	Ser	Ile	Ala	Ser	Gln	Cys	Pro	Thr	Ala	Gly
			85					90					95		
Asn	Ser	Cys	Leu	Val	Ser	Gly	Trp	Gly	Leu	Leu	Ala	Asn	Gly	Arg	Met
		100					105						110		
Pro	Thr	Val	Leu	His	Cys	Val	Asn	Val	Ser	Val	Val	Ser	Glu	Xaa	Val
		115					120					125			
Cys	Ser	Lys	Leu	Tyr	Asp	Pro	Leu	Tyr	His	Pro	Ser	Met	Phe	Cys	Ala
	130					135					140				
Gly	Gly	Gly	Gln	Asp	Gln	Lys	Asp	Ser	Cys	Asn	Gly	Asp	Ser	Gly	Gly
145					150					155					160
Pro	Leu	Ile	Cys	Asn	Gly	Tyr	Leu	Gln	Gly	Leu	Val	Ser	Phe	Gly	Lys
			165					170						175	
Ala	Pro	Cys	Gly	Gln	Leu	Gly	Val	Pro	Gly	Val	Tyr	Thr	Asn	Leu	Cys
			180					185					190		
Lys	Phe	Thr	Glu	Trp	Ile	Glu	Lys	Thr	Val	Gln	Xaa	Ser			
		195					200					205			

<210> 177
 <211> 1119
 <212> DNA
 <213> Homo sapien

<400> 177

gcgcactcgc	agccctggca	ggcggcactg	gtcatggaaa	acgaattggt	ctgctcgggc		60
gtcctggtgc	atccgcagtg	ggtgctgtca	gccgcacact	gtttccagaa	ctcctacacc		120
atcgggctgg	gcctgcacag	tcttgaggcc	gaccaagagc	cagggagcca	gatgggtggag		180
gccagcctct	ccgtacggca	cccagagtac	aacagaccct	tgctcgctaa	cgacctcatg		240
ctcatcaagt	tggacgaatc	cgtgtccgag	tctgacacca	tccggagcat	cagcattgct		300

```

tcgcagtgcc ctaccgcggg gaactcttgc ctcgtttctg gctgggggtct gctggcgaaac 360
gatgctgtga ttgccatcca gtcccagact gtgggaggct gggagtgtga gaagctttcc 420
caaccctggc aggggtgtac catttcggca acttccagtg caaggacgtc ctgctgcatc 480
ctcactgggt gctcactact gctcactgca tcacccggaa cactgtgatc aactagccag 540
caccatagtt ctccgaagtc agactatcat gattactgtg ttgactgtgc tgtctattgt 600
actaaccatg ccgatgttta ggtgaaatta gcgtcacttg gcctcaacca tcttggtatc 660
cagttatcct cactgaattg agatttcctg cttcagtgtc agccattccc acataatttc 720
tgacctacag aggtgaggga tcatatagct cttcaaggat gctgggtactc ccctcacaaa 780
ttcatttctc ctggtttagt gaaagggtgcg ccctctggag cctcccaggg tgggtgtgca 840
ggtcacaatg atgaatgtat gatcgtgttc ccattaccca aagcctttaa atccctcatg 900
ctcagtacac cagggcaggt ctagcatttc ttcatttagt gtatgctgtc cattcatgca 960
accacctcag gactcctgga ttctctgcct agttgagctc ctgcatgctg cctccttggg 1020
gaggtgaggg agagggccca tggttcaatg ggatctgtgc agttgtaaca cattaggtgc 1080
ttaataaaca gaagctgtga tgttaaaaaa aaaaaaaaaa 1119

```

<210> 178
 <211> 164
 <212> PRT
 <213> Homo sapien

<220>
 <221> VARIANT
 <222> (1)...(164)
 <223> Xaa = Any Amino Acid

<400> 178

```

Met Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp
 1          5          10          15
Val Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu
          20          25          30
Gly Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val
          35          40          45
Glu Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu
          50          55          60
Ala Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser
65          70          75          80
Asp Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly
          85          90          95
Asn Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Asp Ala Val
          100          105          110
Ile Ala Ile Gln Ser Xaa Thr Val Gly Gly Trp Glu Cys Glu Lys Leu
          115          120          125
Ser Gln Pro Trp Gln Gly Cys Thr Ile Ser Ala Thr Ser Ser Ala Arg
          130          135          140
Thr Ser Cys Cys Ile Leu Thr Gly Cys Ser Leu Leu Leu Thr Ala Ser
145          150          155          160
Pro Gly Thr Leu

```

<210> 179
 <211> 250
 <212> DNA
 <213> Homo sapien

<400> 179

ctggagtgcc	ttggtgtttc	aagccccctgc	aggaagcaga	atgcaccttc	tgaggcacct	60
ccagctgccc	ccggccgggg	gatgcgaggc	tcggagcacc	cttgcccggc	tgtgattgct	120
gccaggcact	gttcatctca	gcttttctgt	ccctttgctc	ccggcaagcg	cttctgctga	180
aagttcatat	ctggagcctg	atgtcttaac	gaataaaggt	cccatgctcc	acccgaaaaa	240
aaaaaaaaaa						250

<210> 180
 <211> 202
 <212> DNA
 <213> Homo sapien

<400> 180						
actagtcag	tgtggtggaa	ttccattgtg	ttgggccc	cacaatggct	acctttaaca	60
tcacccagac	cccggcccctg	cccgtgcccc	acgctgctgc	taacgacagt	atgatgctta	120
ctctgctact	cggaaactat	ttttatgtaa	ttaatgtatg	ctttcttggt	tataaatgcc	180
tgatttaaaa	aaaaaaaaaa	aa				202

<210> 181
 <211> 558
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (558)
 <223> n = A,T,C or G

<400> 181						
tccytttgkt	naggtttkkg	agacamccck	agacctwaan	ctgtgtcaca	gacttcynng	60
aatgttttagg	cagtgctagt	aatttcytcg	taatgattct	gttattactt	tcctnattct	120
ttattcctct	ttcttctgaa	gattaatgaa	gttgaaaatt	gaggtggata	aatacaaaaa	180
ggtagtgtga	tagtataagt	atctaagtg	agatgaaagt	gtgttatata	tatccattca	240
aaattatgca	agtttagta	tactcaggg	taactaaatt	actttaatat	gctgttgaac	300
ctactctgtt	ccttggctag	aaaaaattat	aaacaggact	ttgttagttt	gggaagccaa	360
attgataata	ttctatgttc	taaaagttgg	gctatacata	aattattaag	aaatatggaw	420
ttttattccc	aggaatatgg	kgttcatttt	atgaatatta	cscrggatag	awgtwtgagt	480
aaaaycagtt	ttggtwaata	ygtwaatatg	tcmtaaataa	acaakgcttt	gacttatttc	540
caaaaaaaaa	aaaaaaaaa					558

<210> 182
 <211> 479
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (479)
 <223> n = A,T,C or G

<400> 182						
acagggwttk	grggatgcta	agsecccrga	rwtygtttga	tccaaccctg	gcttwttttc	60
agaggggaaa	atggggccta	gaagttacag	mscatytagy	tggtgcgmtg	gcacccctgg	120
cstcacacag	astcccgagt	agctgggact	acaggcacac	agtcactgaa	gcaggccctg	180
ttwgcaattc	acgttgccac	ctccaactta	aacattcttc	atatgtgatg	tccttagtca	240
ctaagggtta	actttcccac	ccagaaaagg	caacttagat	aaaatcttag	agtactttca	300

tactmttcta agtctctctc cagcctcact kkgagtccm cytggggggt gataggaant	360
ntctcttggc tttctcaata aartctctat ycatctcatg ttttaatttg tacgcatara	420
awtgstgara aaattaaaat gttctggtty mactttaaaa aaaaaaaaaa aaaaaaaaaa	479

<210> 183

<211> 384

<212> DNA

<213> Homo sapien

<400> 183

aggcgggagc agaagctaaa gccaaagccc aagaagagtg gcagtgccag cactggtgcc	60
agtaccagta ccaataacag tgccagtgcc agtgccagca ccagtggagg cttcagtgtc	120
ggtgccagcc tgaccgccac tctcacattt gggctcttcg ctggccttgg tggagctggt	180
gccagcacca gtggcagctc tggtagctgt ggtttctcct acaagtgaga ttttagatat	240
tgtaaatcct gccagtcttt ctcttcaagc cagggtgcat cctcagaaac ctactcaaca	300
cagcactcta ggcagccact atcaatcaat tgaagttgac actctgcatt aratctattt	360
gccatttcaa aaaaaaaaaa aaaa	384

<210> 184

<211> 496

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(496)

<223> n = A,T,C or G

<400> 184

accgaattgg gaccgctggc ttataagcga tcatgtyynt ccrgtatkac ctcaacgagc	60
aggagatcg agtctatacg ctgaagaaat ttgacccgat gggacaacag acctgctcag	120
cccattctgc tcggttctcc ccagatgaca aatactctsg acaccgaatc accatcaaga	180
aacgcttcaa ggtgctcatg acccagcaac cgcgccctgt cctctgaggg tcccttaaac	240
tgatgtcttt tctgccacct gttacccttc ggagactccg taaccaaact ctteggactg	300
tgagccctga tgcttttttg ccagccatac tctttggcat ccagtctctc gtggcgattg	360
attatgcttg tgtgaggcaa tcatggtggc atcaccata aagggaacac atttgacttt	420
tttttctcat attttaaat actacmagaw tattwmagaw waaatgawtt gaaaaactst	480
taaaaaaaaa aaaaaa	496

<210> 185

<211> 384

<212> DNA

<213> Homo sapien

<400> 185

gctggtagcc tatggcgkgg cccacggagg ggctcctgag gccacggrac agtgacttcc	60
caagtatcyt ggcsgcgtc ttctaccgtc cctacctgca gatcttcggg cagattcccc	120
aggaggacat ggacgtggcc ctcatggagc acagcaactg ytcgtcggag cccggcttct	180
gggcacaccc tcctggggcc caggcgggca cctgcgtctc ccagtatgcc aactggctgg	240
tggtgctgct cctcgtcatc ttctgctcg tggccaacat cctgctgggc aacttgctca	300
ttgccatgtt cagttacaca ttccggcaaa tacagggcaa cagcgatctc tactgggaag	360
gcgcagcgtt accgcctcat ccgg	384

<210> 186

<211> 577

<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(577)
<223> n = A,T,C or G

<400> 186
gagtttagctc ctccacaacc ttgatgaggt cgtctgcagt ggccctctcgc ttcataaccgc 60
tnccatcgctc atactgtagg tttgccacca cytcctggca tcttggggcg gcntaatatt 120
ccaggaaact ctcaatcaag tcaccgtcga tgaaacctgt gggctgggtc tgtcttccgc 180
tcgggtgtgaa aggatctccc agaaggagt ctcgatcttc cccacacttt tgatgacttt 240
attgagtcga ttctgcatgt ccagcaggag gttgtaccag ctctctgaca gtgaggtcac 300
cagccctatc atgccgttga mcgtgccgaa garcaccgag ccttgtgtgg gggkkgaagt 360
ctcaccacaga ttctgcatta ccagagagcc gtggcaaaaag acattgacaa actcgcccag 420
gtggaaaaaag amcamctcct ggargtgctn gccgtctctc gtcmgttggt ggcagcgctw 480
tcctttttgac acacaaacaa gttaaaggca ttttcagccc ccagaaantt gtcatcatcc 540
aagatntcgc acagcactna tccagttggg attaaat 577

<210> 187
<211> 534
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(534)
<223> n = A,T,C or G

<400> 187
aacatcttcc tgtataatgc tgtgtaatat cgatccgatn ttgtctgstg agaaticatw 60
actkggaaaa gmaacattaa agcctggaca ctggtattaa aattcacaat atgcaacact 120
ttaaacagtg tgtcaatctg ctcccyynac tttgtcatca ccagtctggg aakaagggtg 180
tgccctattc acacctgtta aaagggcgct aagcattttt gattcaacat cttttttttt 240
gacacaagtc cgaaaaaagc aaaagttaaac agttatyaat ttgttagcca attcactttc 300
ttcatgggac agagccatyt gatttaaaaa gcaaattgca taatattgag ctttygggagc 360
tgatatttga gcggaagagt agccttttcta cttcaccaga cacaactccc tttcatattg 420
ggatgttnac naaagtwatg tctctwacag atgggatgct tttgtggcaa ttctgttctg 480
aggatctccc agttttattta ccacttgcac aagaaggcgt tttcttcctc aggc 534

<210> 188
<211> 761
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(761)
<223> n = A,T,C or G

<400> 188
agaaaccagt atctctnaaa acaacctctc ataccttggt gacctaatTT tgtgtgcgtg 60
tgtgtgtgcg cgcataattat atagacaggc acatcttttt tacttttgta aaagcttatg 120
cctcttttgg atctatatct gtgaaagttt taatgatctg ccataatgtc ttggggacct 180

ttgtcttctg	tgtaaaggt	actagagaaa	acacctatnt	tatgagtcaa	tctagttngt	240
tttattcgac	atgaaggaaa	tttccagatn	acaacactna	caaactctcc	ctkgackarg	300
ggggacaaaag	aaaagcaaaa	ctgamcataa	raaacaatwa	cctggtgaga	arttgcataa	360
acagaaatwr	ggtagtatat	tgaarnacag	catcattaaa	rmgttwtktt	wttctccctt	420
gcaaaaaaca	tgtaacngact	tcccgttgag	taatgccaaag	ttgttttttt	tatnataaaa	480
cttgcccttc	attacatggt	tnaaagtggg	gtgggtgggcc	aaaatattga	aatgatggaa	540
ctgactgata	aagctgtaca	aataagcagt	gtgcctaaca	agcaacacag	taatgttgac	600
atgcttaatt	cacaaatgct	aatttcatta	taaatgtttg	ctaaaatata	ctttgaacta	660
tttttctgtn	ttcccagagc	tgagatntta	gattttatgt	agtatnaagt	gaaaaantac	720
gaaaataata	acattgaaga	aaaananaaa	aaanaaaaaa	a		761

<210> 189

<211> 482

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(482)

<223> n = A,T,C or G

<400> 189

tttttttttt	tttgccgatn	ctactatttt	attgcaggan	gtgggggtgt	atgcaccgca	60
caccgggggt	atnagaagca	agaaggaagg	agggagggca	cagccccttg	ctgagcaaca	120
aagccgcctg	ctgccttctc	tgtctgtctc	ctgggtgcagg	cacatgggga	gaccttcccc	180
aaggcagggg	ccaccagtcc	aggggtggga	atacaggggg	tgggangtgt	gcataagaag	240
tgataggcac	aggccaccgc	gtacagaccc	ctcggtctct	gacaggtnga	tttcgaccag	300
gtcattgtgc	cctgcccagg	cacagcgtn	atctggaaaa	gacagaatgc	tttccttttc	360
aaatttggt	ngtcatngaa	ngggcanttt	tccaanttng	gctnggtctt	ggtacncttg	420
gttcggccca	gctccncgtc	caaaaantat	tcaccennct	ccnaattgct	tgcnngnccc	480
cc						482

<210> 190

<211> 471

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(471)

<223> n = A,T,C or G

<400> 190

tttttttttt	ttttaaaaca	gtttttcaca	acaaaattta	ttagaagaat	agtggttttg	60
aaaactctcg	catccagtga	gaactaccat	acaccacatt	acagctngga	atgtnctcca	120
aatgtctggt	caaatagatac	aatggaacca	ttcaatctta	cacatgcacg	aaagaacaag	180
cgcttttgac	atacaatgca	caaaaaaaaa	aggggggggg	gaccacatgg	attaaaattt	240
taagtactca	tcacatacat	taagacacag	ttctagtcca	gtcnaaaatc	agaactgcnt	300
tgaaaaattt	catgtatgca	atccaaccaa	agaacttnat	tggtgatcat	gantnctcta	360
ctacatcnac	cttgatcatt	gccaggaacn	aaaagttnaa	ancacncngt	acaaaaanaa	420
tctgtaattn	anttcaacct	ccgtacngaa	aaatnttnnt	tataactcc	c	471

<210> 191

<211> 402

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(402)

<223> n = A,T,C or G

<400> 191

gagggattga	aggtctgttc	tastgtcggm	ctgttcagcc	accaaactcta	acaagttgct	60
gtcttccact	cactgtctgt	aagcttttta	acccagacwg	tatcttcata	aatagaacaa	120
attcttcacc	agtcacatct	tctaggacct	ttttggattc	agttagtata	agctcttcca	180
cttcctttgt	taagacttca	tctggtaaag	tcttaagttt	tgtagaaagg	aattyaattg	240
ctcgttctct	aacaatgtcc	tctccttgaa	gtatttggct	gaacaaccca	cctaaagtcc	300
ctttgtgcat	ccattttaaa	tatacttaat	agggcattgk	tnactagggt	taaattctgc	360
aagagtcatc	tgtctgcaaa	agttgcgtta	gtatatctgc	ca		402

<210> 192

<211> 601

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(601)

<223> n = A,T,C or G

<400> 192

gagctcggat	ccaataatct	ttgtctgagg	gcagcacaca	tatncagtgc	catggnaact	60
ggtctacccc	acatgggagc	agcatgccgt	agntatataa	ggtcattccc	tgagtcagac	120
atgcytyttt	gaytaccgtg	tgccaagtgc	tggtgattct	yaacacacyt	ccatcccgyt	180
cttttgtgga	aaaactggca	cttktctgga	actagcarga	catcacttac	aaattcaccc	240
acgagacact	tgaaagggtg	aacaaagcga	ytcttgcat	gctttttgtc	cctccggcac	300
cagttgtcaa	tactaaccgg	ctggtttgcc	tccatcacat	ttgtgatctg	tagctctgga	360
tacatctcct	gacagtactg	aagaacttct	tcttttggtt	caaaagcarg	tcttggtgcc	420
tggtggatca	ggttcccatt	tcccagtcyg	aatgttcaca	tggtcatatt	wacttcccac	480
aaaacattgc	gatttgaggc	tcagcaacag	caaatcctgt	tccggcattg	gctgcaagag	540
cctcgatgta	gccggccagc	gccaaggcag	gcgccgtgag	ccccaccagc	agcagaagca	600
g						601

<210> 193

<211> 608

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(608)

<223> n = A,T,C or G

<400> 193

atacagccca	natcccacca	cgaagatgcg	cttgttgact	gagaacctga	tgcggtcact	60
ggtcccgcgt	tagccccagc	gactctccac	ctgctggaag	cggttgatgc	tgactctytt	120
cccaacgcag	gcagmagcgg	gscgggtcaa	tgaactccay	tcgtggcttg	gggtkgacgg	180
tkaagtgcag	gaagaggctg	accacctcgc	ggteccaccag	gatgcccgac	tgtgcgggac	240
ctgcagcgaa	actcctcgat	ggatcatgagc	gggaagcgaa	tgaggcccag	ggccttgccc	300

```

agaaccttcc gcctgttctc tggcgtcacc tgcagctgct gccgctgaca ctccggcctcg      360
gaccagcgga caaacggcrt tgaacagccg cacctcacgg atgcccagtg tgtecgcgctc      420
caggammgsc accagcgtgt ccaggtcaat gtcgggtgaag cctccgcgg gtratggcgt      480
ctgcagtgtt tttgtcgatg ttctccaggc acaggctggc cagctgcggg tcatcgaaga      540
gtcgcgcctg cgtgagcagc atgaaggcgt tgteggctcg cagttcttct tcaggaactc      600
cacgcaat                                     608

```

```

<210> 194
<211> 392
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(392)
<223> n = A,T,C or G

```

```

<400> 194
gaacggctgg accttgccct gcattgtgct tgctggcagg gaataccttg gcaagcagyt      60
ccagtcgag cagccccaga ccgctgccgc ccgaagctaa gcctgcctct ggccttcccc      120
tccgcctcaa tgcagaacca gtagtgggag cactgtgttt agagttaaga gtgaacactg      180
tttgatttta cttgggaatt tcctctgtta tatagctttt cccaatgcta atttccaaac      240
aacaacaaca aaataacatg ttgcctgtt aagttgtata aaagtaggtg attctgtatt      300
taaagaaaat attactgtta catatactgc ttgcaatttc tgtatttatt gktnctstgg      360
aaataaatat agttattaaa ggttgtcant cc                                     392

```

```

<210> 195
<211> 502
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(502)
<223> n = A,T,C or G

```

```

<400> 195
ccsttkgagg ggtkaggkyc cagttyccga gtggaagaaa caggccagga gaagtgcgtg      60
ccgagctgag gcagatgttc ccacagtgac cccagagacc stgggstata gtytctgacc      120
cctcncaagg aaagaccacs ttctggggac atgggctgga gggcaggacc tagaggcacc      180
aaggggaagg cccattccgg ggstgttccc cgaggaggaa ggggaaggggc tctgtgtgcc      240
ccccasgagg aagaggccct gagtccctgg atcagacacc ccttcacgtg tatccccaca      300
caaatgcaag ctcaccaagg tccccctctc gtcccccttc stacaccctg amcgccact      360
gscscacacc caccagagc acgccacccg ccatggggar tgtgctcaag gartcgcnng      420
gcarcgtgga catctngtcc cagaaggggg cagaatctcc aatagangga ctgarcmtt      480
gctnanaaaa aaaaanaaaa aa                                     502

```

```

<210> 196
<211> 665
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(665)

```

<223> n = A,T,C or G

<400> 196

```

ggttacttgg tttcattgcc accacttagt ggatgtcatt tagaaccatt ttgtctgctc      60
cctctggaag ccttgcgcag agcggacttt gtaattgttg gagaataact gctgaatttt      120
wagctgtttk gagttgatts gcaccactgc acccacaact tcaatatgaa aacyawttga      180
actwatttat tatcttgtga aaagtataac aatgaaaatt ttgttcatac tgtattkatc      240
aagtatgatg aaaagcaawa gatataatatt cttttattat gttaaattat gattgccatt      300
attaatcggc aaaatgtgga gtgtatgttc ttttcacagt aatatatgcc ttttgtaact      360
tcacttgggt attttattgt aaatgartta caaaattctt aatttaagar aatggtatgt      420
watatttatt tcattaatatt ctttcctkgt ttacgtwaat tttgaaaaga wtgcatgatt      480
tcttgacaga aatcgatctt gatgctgtgg aagtagtttg acccacatcc ctatgagttt      540
ttcttagaat gtataaagggt tgtagcccat cnaacttcaa agaaaaaaat gaccacatac      600
tttgcaatca ggctgaaatg tggcatgctn ttctaattcc aactttataa actagcaaan      660
aagtg

```

<210> 197

<211> 492

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(492)

<223> n = A,T,C or G

<400> 197

```

ttttnttttt ttttttttgc aggaaggatt ccattttattg tggatgcatt ttcacaatat      60
atgtttattg gagcgatcca ttatcagtga aaagtatcaa gtgtttataa natttttagg      120
aaggcagatt cacagaacat gctngtcngc ttgcagtttt acctcgtana gatnacagag      180
aattatagtc naaccagtaa acnaggaatt tacttttcaa aagattaaat ccaaactgaa      240
caaaattcta ccctgaaact tactccatcc aaatattgga ataanagtca gcagtgatc      300
attctcttct gaactttaga ttttctagaa aaatatgtaa tagtgatcag gaagagctct      360
tgttcaaaaag tacaacnaag caatgttccc ttaccatagg ccttaattca aactttgatc      420
catttcactc ccatacggg agtcaatgct acctgggaca cttgtatttt gttcatnctg      480
ancntggctt aa

```

<210> 198

<211> 478

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(478)

<223> n = A,T,C or G

<400> 198

```

tttnttttgn atttcantct gtannaanta ttttcattat gtttattana aaaatatnaa      60
tgtntccacn acaaatcatn ttacntnagt aagaggccan ctacattgta caacatacac      120
tgagtatatt ttgaaaagga caagttttaa gtanacncat attgccganc atancacatt      180
tatacatggc ttgattgata tttagcacag canaaactga gtgagttacc agaaanaaat      240
natatatgtc aatcngatth aagatacaaa acagatccta tgggtacatan catcntgtag      300
gagttgtggc tttatgttta ctgaaagtca atgcagttcc tgtacaaaaga gatggccgta      360
agcattctag tacctctact ccatgggttaa gaatcgtaga cttatgttta catatgtnc      420

```

gggtaagaat tgtgttaagt naanttatgg agaggtccan gagaaaaatt tgatncaa 478

<210> 199

<211> 482

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(482)

<223> n = A,T,C or G

<400> 199

agtgacttgt cctccaacaa aaccccttga tcaagtttgt ggcactgaca atcagaccta	60
tgctagttcc tgtcatctat tcgctactaa atgcagactg gaggggacca aaaaggggca	120
tcaactccag ctggattatt ttggagcctg caaatctatt cctacttgta cggactttga	180
agtgattcag tttcctctac ggatgagaga ctggctcaag aatatacctca tgcagcttta	240
tgaagccnac tctgaacacg ctggttatct nagatgagaa ncagagaaat aaagtcnaga	300
aaatttacct ggangaaaag aggccttngg ctggggacca tcccattgaa ccttctctta	360
anggacttta agaanaaact accacatgtn tgtngtatcc tggtgccngg ccgtttantg	420
aacntngacn ncacccttnt ggaatanant cttgacngcn tctgaaactt gtcctctgc	480
ga	482

<210> 200

<211> 270

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(270)

<223> n = A,T,C or G

<400> 200

cggccgcaag tgcaactcca gctggggccg tgcggacgaa gattctgcc a gcagttggtc	60
cgactgcgac gacggcgccg gcgacagtcg caggtgcagc gcgggcgcct ggggtcttgc	120
aaggctgagc tgacgccgca gaggtcgtgt cacgtcccac gaccttgacg ccgtcgggga	180
cagccggaac agagcccggg gaangcggga ggcctcgggg agccctcgg gaagggcggc	240
ccgagagata cgcaggtgca ggtggccgcc	270

<210> 201

<211> 419

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(419)

<223> n = A,T,C or G

<400> 201

tttttttttt ttttgaatc tactgcgagc acagcaggtc agcaacaagt ttattttgca	60
gctagcaagg taacagggta gggcatggtt acatgttcag gtcaacttcc ttgtcgtgg	120
ttgattgggt tgtctttatg gggcggggt ggggtagggg aaancgaagc anaantaaca	180
tggagtgggt gcaccctccc tgtagaacct ggttacnaaa gcttggggca gttcacctgg	240

tctgtgaccg	tcatttttctt	gacatcaatg	ttattagaag	tcaggatata	ttttagagag	300
tccactgtnt	ctggaggagg	attagggttt	cttgccaana	tccaancaaa	atccacntga	360
aaaagttgga	tgatncangt	acngaatacc	ganggcatan	ttctcatant	cggtggcca	419

<210> 202
 <211> 509
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (509)
 <223> n = A,T,C or G

<400> 202	
tttntttttt	60
tggcacttaa	120
gtnattttnc	180
tacnncnaaa	240
aatatatacg	300
ggaactaaaa	360
caacancnnc	420
ggatcttaac	480
caatggnaat	509

<210> 203
 <211> 583
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (583)
 <223> n = A,T,C or G

<400> 203	
tttttttttt	60
tacacatatt	120
taaatggaaa	180
gaaaatcttc	240
atTTTTcttg	300
gcttctctag	360
agggaaaaca	420
tacgttaata	480
tccatttttag	540
attcaaaagc	583

<210> 204
 <211> 589
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1) ... (589)

<223> n = A,T,C or G

<400> 204

ttttttttnt	tttttttttt	tttttttctc	ttcttttttt	ttganaatga	ggatcgagtt	60
tttctactctc	tagatagggc	atgaagaaaa	ctcatctttc	cagcttttaa	ataacaatca	120
aatctcttat	gctatatcat	attttaagtt	aaactaatga	gtcactggct	tatcttctcc	180
tgaaggaaat	ctgttcattc	ttctcattca	tatagttata	tcaagtacta	ccttgcatat	240
tgagaggttt	ttcttctcta	tttacacata	tatttccatg	tgaatttgta	tcaaaccctt	300
attttcatgc	aaactagaaa	ataatgtntt	cttttgcata	agagaagaga	acaatatnag	360
cattacaaaa	ctgctcaaat	tgtttggtta	gnttatccat	tataattagt	tnggcaggag	420
ctaatacaaa	tcacatttac	ngacnagcaa	taataaaaact	gaagtaccag	ttaaatatcc	480
aaaataatta	aaggaacatt	tttagcctgg	gtataattag	ctaattcact	ttacaagcat	540
ttattnagaa	tgaattcaca	tgttattatt	ccntagccca	acacaatgg		589

<210> 205

<211> 545

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(545)

<223> n = A,T,C or G

<400> 205

tttttntttt	ttttttcagt	aataatcaga	acaatattta	tttttatatt	taaaattcat	60
agaaaagtgc	cttacattta	ataaaaagttt	gtttctcaaa	gtgatcagag	gaattagata	120
tngtcttgaa	caccaatatt	aatttgagga	aaatacacca	aaatacatta	agtaaattat	180
ttaagatcat	agagcttgta	agtgaaga	taaaatttga	cctcagaaac	tctgagcatt	240
aaaaatccac	tattagcaaa	taaattacta	tggacttctt	gctttaattt	tgtgatgaat	300
atgggggtg	actggtaaac	caacacattc	tgaaggatac	attacttagt	gatagattct	360
tatgtacttt	gctanatnac	gtggatatga	gttgacaagt	ttctctttct	tcaatctttt	420
aaggggcn	ngaaatgagg	aagaaaagaa	aaggattacg	catactgttc	tttctatngg	480
aaggattaga	tatgtttcct	ttgccaatat	taaaaaata	ataatgttta	ctactagtga	540
aaccc						545

<210> 206

<211> 487

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(487)

<223> n = A,T,C or G

<400> 206

tttttttttt	tttttttagtc	aagtttctna	tttttattat	aattaaagtc	ttggtcattt	60
catttattag	ctctgcaact	tacatattta	aattaaagaa	acgttnttag	acaactgtna	120
caatttataa	atgtaagggtg	ccattattga	gtanatatat	tcctccaaga	gtggatgtgt	180
cccttctccc	accaactaat	gaancagcaa	cattagttta	attttattag	tagatnatac	240
actgctgcaa	acgctaattc	tcttctccat	ccccatgtng	atattgtgta	tatgtgtgag	300
ttggtnagaa	tgcatcanca	atctnacaat	caacagcaag	atgaagctag	gcntgggctt	360
tcggtgaaaa	tagactgtgt	ctgtctgaat	caaatgatct	gacctatcct	cgggtggcaag	420
aactcttcga	accgcttcct	caaaggcn	tgccacattt	gtggcntctn	ttgcacttgt	480

ttcaaaa

487

<210> 207
 <211> 332
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1) ... (332)
 <223> n = A,T,C or G

<400> 207
 tgaattggct aaaagactgc atttttanaa ctagcaactc ttatttcttt cctttaaaaa 60
 tacatagcat taaatcccaa atcctattta aagacctgac agcttgagaa ggctcactact 120
 gcatttatag gaccttctgg tggttctgct gttacntttg aantctgaca atccttgana 180
 atctttgcat gcagaggagg taaaagggtat tggattttca cagaggaana acacagcgca 240
 gaaatgaagg ggccaggctt actgagcttg tccactggag ggctcatggg tgggacatgg 300
 aaaagaaggc agcctaggcc ctggggagcc ca 332

<210> 208
 <211> 524
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1) ... (524)
 <223> n = A,T,C or G

<400> 208
 agggcggtgt gcggagggcg ttactgtttt gtctcagtaa caataaatat aaaaagactg 60
 gttgtgttcc ggccccatcc aaccacgaag ttgatttctc ttgtgtgcag agtgactgat 120
 tttaaaggac atggagcttg tcacaatgtc acaatgtcac agtgtgaagg gcacactcac 180
 tcccgcgtga ttcacattta gcaaccaaca atagctcatg agtccatact tgtaaatact 240
 tttggcagaa tacttnttga aacttgcaga tgataactaa gatccaagat atttcccaaa 300
 gtaaatagaa gtgggtcata atattaatta cctgttcaca tcagcttcca ttacaagtc 360
 atgagcccgag aactgacat caaactaagc ccacttagac tctcaccac cagtctgtcc 420
 tgtcatcaga caggaggctg tcaccttgac caaattctca ccagtcaatc atctatccaa 480
 aaaccattac ctgatccact tccggtaatg caccaccttg gtga 524

<210> 209
 <211> 159
 <212> DNA
 <213> Homo sapien

<400> 209
 ggggtaggaa atccagagtt gccatggaga aaattccagt gtcagcattc ttgtccttg 60
 tggccctctc ctacactctg gccagagata ccacagtcaa acctggagcc aaaaaggaca 120
 caaaggactc tcgacccaaa ctgccccaga cctcttcca 159

<210> 210
 <211> 256
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(256)
 <223> n = A,T,C or G

<400> 210
 actccctggc agacaaaggc agaggagaga gctctgtag ttctgtgttg ttgaactgcc 60
 actgaatttc ttccacttg gactattaca tgccanttga gggactaatg gaaaaacgta 120
 tggggagatt ttanccaatt tangtntgta aatggggaga ctggggcagg cgggagagat 180
 ttgcagggtg naaatgggan ggctggtttg ttanatgaac agggacatag gaggtaggca 240
 ccaggatgct aaatca 256

<210> 211
 <211> 264
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(264)
 <223> n = A,T,C or G

<400> 211
 acattgtttt tttagataa agcattgaga gagctctcct taacgtgaca caatggaagg 60
 actggaacac ataccacat ctttgttctg agggataatt ttctgataaa gtcttgctgt 120
 atattcaagc acatatgtta tatattattc agttccatgt ttatagccta gttaaggaga 180
 ggggagatac attcngaaag aggactgaaa gaaatactca agtnggaaaa cagaaaaaga 240
 aaaaaaggag caaatgagaa gcct 264

<210> 212
 <211> 328
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(328)
 <223> n = A,T,C or G

<400> 212
 acccaaaaat ccaatgctga atatttggct tcattattcc canattcttt gattgtcaaa 60
 ggatttaatg ttgtctcagc ttgggcactt cagtaggac ctaaggatgc cagccggcag 120
 gtttatatat gcagcaacaa tattcaagcg cgacaacagg ttattgaact tgcccgccag 180
 ttnaatttca ttcccatgta cttgggatcc ttatcatcag ccagagagat tgaaaattta 240
 cccctacnac tctttactct ctgganaggg ccagtgggtg tagctataag cttggccaca 300
 ttttttttct cttttattcct ttgtcaga 328

<210> 213
 <211> 250
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature

<222> (1) ... (250)

<223> n = A,T,C or G

<400> 213

acttatgagc	agagcgacat	atccnagtgt	agactgaata	aaactgaatt	ctctccagtt	60
taaagcattg	ctcactgaag	ggatagaagt	gactgccagg	agggaaagta	agccaaggct	120
cattatgcca	aagganatat	acatttcaat	tctccaaact	tcttcctcat	tccaagagtt	180
ttcaatattt	gcatgaacct	gctgataanc	catgttaana	aacaaatata	tctctnacct	240
tctcatcggt						250

<210> 214

<211> 444

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (444)

<223> n = A,T,C or G

<400> 214

accagaatc	caatgctgaa	tatttggtct	cattattccc	agattctttg	attgtcaaag	60
gatttaatgt	tgtctcagct	tgggcacttc	agttaggacc	taaggatgcc	agccggcagg	120
tttatatatg	cagcaacaat	attcaagcgc	gacaacaggt	tattgaactt	gcccggcagg	180
tgaatttcat	tcccattgac	ttgggaccc	tatcatcagc	canagagatt	gaaaatttac	240
ccctacgact	ctttactctc	tggagagggc	cagtgggtgt	agctataagc	ttggccacat	300
ttttttttcc	tttattcctt	tgtcagagat	gcgattcatt	catatgctan	aaaccaacag	360
agtgaacttt	acaaaattcc	tataganatt	gtgaataaaa	ccttacctat	agttgccatt	420
actttgctct	ccctaataata	cctc				444

<210> 215

<211> 366

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (366)

<223> n = A,T,C or G

<400> 215

acttatgagc	agagcgacat	atccaagtgt	anactgaata	aaactgaatt	ctctccagtt	60
taaagcattg	ctcactgaag	ggatagaagt	gactgccagg	agggaaagta	agccaaggct	120
cattatgcca	aagganatat	acatttcaat	tctccaaact	tcttcctcat	tccaagagtt	180
ttcaatattt	gcatgaacct	gctgataagc	catgttgaga	aacaaatata	tctctgacct	240
tctcatcggt	aagcagaggc	tgtaggcaac	atggaccata	gcgaanaaaa	aacttagtaa	300
tccaagctgt	tttctacact	gtaaccagggt	ttccaaccaa	ggtggaaatc	tcctatactt	360
ggtgcc						366

<210> 216

<211> 260

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
<222> (1)...(260)
<223> n = A,T,C or G

<400> 216
ctgtataaac agaactccac tgcangaggg agggccgggc caggagaatc tccgcttgtc 60
caagacaggg gcctaaggag ggtctccaca ctgctnntaa gggctnttnc atttttttat 120
taataaaaag tnnaaaaggc ctcttctcaa cttttttccc ttnggctgga aaatttaaaa 180
atcaaaaatt tcctnaagtt ntcaagctat catatatact ntatcctgaa aaagcaacat 240
aattcttcct tccttccttt 260

<210> 217
<211> 262
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(262)
<223> n = A,T,C or G

<400> 217
acctacgtgg gtaagtttan aaatgttata atttcaggaa naggaacgca tataattgta 60
tcttgccctat aattttctat tttaataagg aaatagcaaa ttgggggtggg gggaatgtag 120
ggcattctac agtttgagca aaatgcaatt aaatgtggaa ggacagcact gaaaaatttt 180
atgaataatc tgtatgatta tatgtctcta gagtagattt ataattagcc acttaccccta 240
atatacttca tgcttgtaaa gt 262

<210> 218
<211> 205
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(205)
<223> n = A,T,C or G

<400> 218
accaaggtgg tgcattaccg gaantggatc aangacacca tctgtggccaa cccctgagca 60
cccctatcaa ctcccttttg tagtaaaactt ggaaccttgg aaatgaccag gccaaagactc 120
aggcctcccc agttctactg acctttgtcc ttangtntna ngcccagggt tgctaggaaa 180
anaaatcagc agacacaggt gtaaa 205

<210> 219
<211> 114
<212> DNA
<213> Homo sapien

<400> 219
tactgttttg tctcagtaac aataaataca aaaagactgg ttgtgttccg gccccatcca 60
accacgaagt tgatttctct tgtgtgcaga gtgactgatt ttaaaggaca tgga 114

<210> 220
<211> 93

<212> DNA
<213> Homo sapien

<400> 220
actagccagc acaaaaaggca gggtagcctg aattgctttc tgctctttac atttctttta 60
aaataagcat ttagtgctca gtcctactg agt 93

<210> 221
<211> 167
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(167)
<223> n = A,T,C or G

<400> 221
actangtgca ggtg'gcaca aatatttgct gatattccct tcatcttgga ttccatgagg 60
tcttttgccc agcctgtggc tctactgtag taagtttctg ctgatgagga gccagnatgc 120
ccccactac cttccctgac gtcctccana aatcacccaa cctctgt 167

<210> 222
<211> 351
<212> DNA
<213> Homo sapien

<400> 222
agggcggtgt ggcggaggcg gtactgacct cattagtagg aggatgcatt ctggcacccc 60
gttcttcacc tgtcccccaa tccttaaaaag gccatactgc ataaagtcaa caacagataa 120
atggttgctg aattaaagga tggatgaaaa aaattaataa tgaatttttg cataatccaa 180
ttttctcttt tatatttcta gaagaagttt ctttgagcct attagatccc ggggaatcttt 240
taggtgagca tgattagaga gctttaggt tgcttttaca tatatctggc atatttgagt 300
ctcgtatcaa aacaatagat tggtaaaggt ggtattattg tattgataag t 351

<210> 223
<211> 383
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(383)
<223> n = A,T,C or G

<400> 223
aaaacaaaca acaaaaaaaa acaattcttc attcagaaaa attatcttag ggactgatat 60
tggttaattat ggtcaattta atwrtrttkt ggggcatttc cttacattgt cttgacaaga 120
ttaaaatgct tgtgccaaaa ttttgatttt tatttgagga cttcttatca aaagtaatgc 180
tgccaaagga agtctaagga attagtagtg ttcccmtcac ttgtttggag tgtgctattc 240
taaaagattt tgatttctct gaatgacaat tatatttttaa ctttggtggg ggaaanagtt 300
ataggaccac agtcttcact tctgatactt gtaaattaat cttttattgc acttgttttg 360
accattaagc tatatgttta aaa 383

<210> 224

<211> 320
<212> DNA
<213> Homo sapien

<400> 224
cccctgaagg cttcttggtta gaaaatagta cagttacaac caataggaac aacaaaaaga 60
aaaagtttgt gacattgttag tagggagtgt gtaccctcta ctcccatca aaaaaaaaaat 120
ggatacatgg ttaaaggata raagggaat attttatcat atgttctaaa agagaaggaa 180
gagaaaatac tactttctcr aaatggaagc ccttaaagggt gctttgatac tgaaggacac 240
aaatgtggcc gtccatcctc ctttaragtt gcatgacttg gacacggtaa ctgttgacgt 300
tttaractcm gcattgtgac 320

<210> 225
<211> 1214
<212> DNA
<213> Homo sapien

<400> 225
gaggactgca gcccgcactc gcagccctgg caggcggcac tggatcatgga aaacgaattg 60
ttctgctcgg gcgtcctggt gcatccgcag tgggtgctgt cagccgcaca ctgtttccag 120
aactcctaca ccatcgggct gggcctgcac agtcttgagg ccgaccaaga gccagggagc 180
cagatgggtg aggccagcct ctccgtacgg caccagagt acaacagacc ctgtctcgct 240
aacgacctca tgctcatcaa gtggagcga tccgtgtccg agtctgacac catccggagc 300
atcagcattg ctctgcagtg ccctaccgcg gggaactctt gcctcgtttc tggctggggt 360
ctgctggcga acggcagaat gcctaccgtg ctgcagtgcg tgaacgtgtc ggtgggtgtct 420
gaggaggtct gcagtaagct ctatgacccg ctgtaccacc ccagcatgtt ctgcgccggc 480
ggagggaag accagaagga ctctgcaac ggtgactctg gggggccctt gatctgcaac 540
gggtacttgc agggccttgt gtctttcgga aaagccctgt gtggccaagt tggcgtgcca 600
ggtgtctaca ccaacctctg caaattcact gagtggatag agaaaaccgt ccaggccagt 660
taactctggg gactgggaac ccatgaaatt gacccccaaa tacatcctgc ggaaggaatt 720
caggaatatc tgttcccagc ccctcctccc tcaggccagc gagtccaggc cccagccccc 780
tcctccctca aaccaagggt acagatcccc agccctcctt ccctcagacc caggagtcca 840
gacccccag cccctcctcc ctccagacca ggagtccagc ccctcctccc tcagaccagc 900
gagtccagac cccccagccc ctctcctccc agaccaggg gtccaggccc ccaaccctc 960
ctccctcaga ctccagaggtc caagccccc acccctcctt cccagaccc agagggtccag 1020
gtcccagccc ctctcctccc agaccagcg gtccaatgcc acctagactc tccctgtaca 1080
cagtgtcccc ttgtggcacg ttgacccaac cttaccagtt ggtttttcat tttttgtccc 1140
tttcccttag atccagaaat aaagtctaag agaagcgcaa aaaaaaaaaa aaaaaaaaaa 1200
aaaaaaaaaa aaaa 1214

<210> 226
<211> 119
<212> DNA
<213> Homo sapien

<400> 226
accagtatg tgcagggaga cggaacccca tgtgacagcc cactccacca gggttcccaa 60
agaacctggc ccagtcataa tcattcatcc tgacagtggc aataatcacg ataaccagt 119

<210> 227
<211> 818
<212> DNA
<213> Homo sapien

<400> 227

acaattcata	gggacgacca	atgaggacag	ggaatgaacc	cggtctctcc	ccagccctga	60
tttttgctac	atatggggtc	ccttttcatt	ctttgcaaaa	acactgggtt	ttctgagaac	120
acggacggtt	cttagcacia	tttgtgaaat	ctgtgtaraa	ccgggctttg	caggggagat	180
aattttcctc	ctctggagga	aaggtggtga	ttgacaggca	gggagacagt	gacaaggcta	240
gagaaagcca	cgctcggcct	tctctgaacc	aggatggaac	ggcagacccc	tgaaaacgaa	300
gcttgtcccc	ttccaatcag	ccacttctga	gaacccccc	ctaacttcct	actggaaaag	360
agggcctcct	caggagcagt	ccaagagttt	tcaaagataa	cgtgacaaact	accatctaga	420
ggaaaggggtg	caccctcagc	agagaagccg	agagcttaac	tctggtcggt	tccagagaca	480
acctgctggc	tgtcttgga	tgcgcccagc	ctttgagagg	ccactacccc	atgaacttct	540
gccatccact	ggacatgaag	ctgaggacac	tgggcttcaa	cactgagttg	tcatgagagg	600
gacaggctct	gccctcaagc	cggtctgagg	cagcaaccac	tctcctcccc	tttctcacgc	660
aaagccattc	ccacaaatcc	agaccatacc	atgaagcaac	gagacccaaa	cagtttggtc	720
caagaggata	tgaggactgt	ctcagcctgg	ctttgggctg	acaccatgca	cacacacaag	780
gtccacttct	aggttttcag	cctagatggg	agtcgtgt			818

<210> 228

<211> 744

<212> DNA

<213> Homo sapien

<400> 228

actggagaca	ctgttgaact	tgatcaagac	ccagaccacc	ccaggtctcc	ttcgtgggat	60
gtcatgacgt	ttgacatacc	tttgaacga	gcctcctcct	tggaaagatg	aagaccgtgt	120
tcgtggccga	cctggcctct	cctggcctgt	ttcttaagat	gcggagtcac	atttcaatgg	180
taggaaaagt	ggcttcgtaa	aatagaagag	cagtcactgt	ggaactacca	aatggcgaga	240
tgctcgggtc	acattggggg	gctttgggat	aaaagattta	tgagccaact	attctctggc	300
accagattct	aggccagttt	gttccactga	agcttttccc	acagcagtc	acctctgcag	360
gctggcagct	gaatggcttg	ccgggtggctc	tgtggcaaga	tcacactgag	atcgatgggt	420
gagaaggcta	ggatgcttgt	ctagtgttct	tagctgtcac	gttggctcct	tccaggttgg	480
ccagacgggtg	ttggccactc	ccttctaaaa	cacaggcgcc	ctcctgggtga	cagtgaaccg	540
ccgtgggtatg	ccttggccca	ttccagcagt	cccagttatg	catttcaagt	ttggggtttg	600
ttcttttctg	taatgttctt	ctgtgttgct	agctgtcttc	atttcctggg	ctaagcagca	660
ttgggagatg	tggaccagag	atccactcct	taagaaccag	tggcgaaaga	cactttcttt	720
cttcactctg	aagtagctgg	tggg				744

<210> 229

<211> 300

<212> DNA

<213> Homo sapien

<400> 229

cgagtctggg	ttttgtctat	aaagtttgat	ccctcctttt	ctcatccaaa	tcatgtgaac	60
cattacacat	cgaaataaaa	gaaagggtgg	agacttgccc	aacgccaggc	tgacatgtgc	120
tgcagggttg	ttgtttttta	attattattg	ttagaaacgt	caccacagct	ccctgttaat	180
ttgtatgtga	cagccaactc	tgagaaggct	ctatttttcc	acctgcagag	gatccagctc	240
cactaggctc	ctccttgccc	tcacactgga	gtctccgcca	gtgtgggtgc	ccactgacat	300

<210> 230

<211> 301

<212> DNA

<213> Homo sapien

<400> 230

cagcagaaca	aatacaaata	tgaagagtgc	aaagatctca	taaaatctat	gctgaggaat	60
gagcgacagt	tcaaggagga	gaagcttgca	gagcagctca	agcaagctga	ggagctcagg	120

caatataaag tcctgggttca cactcaggaa cgagagctga cccagttaag ggagaagttg 180
 cgggaagga gagatgctc cctctcattg aatgagcatc tccaggccct cctcaactcg 240
 gatgaaccgg acaagtccca ggggcaggac ctccaagaaa cagacctcgg ccgcgaccac 300
 g 301

<210> 231
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 231
 gcaagcacgc tggcaaactc ctgtcaggtc agctccagag aagccattag tcatttttagc 60
 caggaactcc aagtccacat ccttggcaac tggggacttg cgcagggttag ccttgaggat 120
 ggcaacacgg gactttctcat caggaagtgg gatgtagatg agctgatcaa gacggccagg 180
 tctgaggatg gcaggatcaa tgatgtcagg ccggttggtg ccgccaatga tgaacacatt 240
 tttttttgtg gacatgccat ccatttctgt caggatctgg ttgatgactc ggtcagcagc 300
 c 301

<210> 232
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 232
 agtaggtatt tcgtgagaag ttcaacacca aaactggaac atagttctcc ttcaagtgtt 60
 ggcgacagcg gggcttctctg attctggaat ataactttgt gtaaattaac agccacctat 120
 agaagagtcc atctgctgtg aaggagagac agagaactct gggttccgtc gtcctgtcca 180
 cgtgctgtac caagtgtctg tgccagcctg ttacctgttc tcaactgaaa tctggctaatt 240
 gctctgtgt atcacttctg attctgacaa tcaatcaatc aatggcctag agcactgact 300
 g 301

<210> 233
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 233
 atgactgact tcccagtaag gctctctaag gggtaagtag gaggatccac aggatttgag 60
 atgctaaggc cccagagatc gtttgatcca accctcttat ttccagaggg gaaaatggg 120
 cctagaagtt acagagcatc tagctgggtc gctggcacc cttggcctcac acagactccc 180
 gagtagctgg gactacaggc acacagtcac tgaagcaggc cctgttagca attctatgcg 240
 taaaaattaa catgagatga gtagagactt tattgagaaa gcaagagaaa atcctatcaa 300
 c 301

<210> 234
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 234
 aggtcctaca catcgagact catccatgat tgatatgaat ttaaaaatta caagcaaaga 60
 cattttattc atcatgatgc tttcttttctg ttcttctttt cgttttcttc ttttctttt 120
 tcaatttcag caacatactt ctcaaattct tcaaggattta aaatcttgag ggattgatct 180
 cgctcatga cagcaagttc aatgtttttg ccacctgact gaaccacttc caggagtgc 240
 ttgatcacca gcttaatggg cagatcatct gcttcaatgg cttcgtcagt atagttcttc 300

t

301

<210> 235
<211> 283
<212> DNA
<213> Homo sapien

<400> 235
tggggctgtg catcagggcg gtttgagaaa tattcaattc tcagcagaag ccagaatttg 60
aattccctca tcttttaggg aatcatttac caggtttgga gaggattcag acagctcagg 120
tgctttcact aatgtctctg aacttctgtc cctctttggt catggatagt ccaataaata 180
atgttatctt tgaactgatg ctcataggag agaataaag aactctgagt gatatcaaca 240
ttagggattc aaagaaatat tagatttaag ctacactgg tca 283

<210> 236
<211> 301
<212> DNA
<213> Homo sapien

<400> 236
aggtcctcca ccaactgcct gaagcacggg taaaattggg aagaagtata gtgcagcata 60
aatactttta atcgcagcag atttccttaa cccacatgca atcttcttca ccagaagagg 120
tcggagcagc atcattaata ccaagcagaa tgcgtaatag ataaatacaa tggatatag 180
tgggtagacg gcttcatgag tacagtgtac tgtggatcg taatctggac ttgggttgta 240
aagcatcggtg taccagtcag aaagcatcaa tactcgacat gaacgaatat aaagaacacc 300
a 301

<210> 237
<211> 301
<212> DNA
<213> Homo sapien

<400> 237
cagtggtagt ggtgggtggac gtggcggttg tctgtgggtgcc ttttttggtg cccgtcacaa 60
actcaatttt tgttcgctcc tttttggcct ttccaattt gtccatctca attttctggg 120
ccttggtcaa tgccatag taggagtcct cagaccagcc atggggatca aacatctct 180
ttgggtagtt ggtgccaaagc tcgtcaatgg cacagaatgg atcagcttct cgtaaatcta 240
gggttcgcaa attctttctt cctttggata atgtagttca tatccattcc ctctttatc 300
t 301

<210> 238
<211> 301
<212> DNA
<213> Homo sapien

<400> 238
gggcagggttt tttttttttt ttttttgatg gtgcagaccc ttgctttatt tgtctgactt 60
gttcacagtt cagccccctg ctcaaaaaac caacgggcca gctaaggaga ggaggaggca 120
ccttgagact tccggagtcg aggtctctca gggttcccca gccatcaat cattttctgc 180
acccctgccc tgggaagcag ctccctgggg ggtgggaatg ggtgactaga agggatttca 240
gtgtgggacc cagggtctgt tcttcacagt aggaggtgga agggatgact aatttcttta 300
t 301

<210> 239
<211> 239

<212> DNA

<213> Homo sapien

<400> 239

ataagcagct aggggaattct ttatttagta atgtcctaac ataaaagtgc acataactgc	60
ttctgtcaaa ccatgatact gagctttgtg acaaccaga aataactaag agaaggcaaa	120
cataatacct tagagatcaa gaaacattta cacagttcaa ctgtttaaaa atagctcaac	180
attcagccag tgagtagagt gtgaatgccg gcatacacag tatacaggtc cttcaggga	239

<210> 240

<211> 300

<212> DNA

<213> Homo sapien

<400> 240

ggtcctaatag aagcagcagc ttccacattt taacgcaggt ttacgggtgat actgtccttt	60
gggatctgcc ctccagtggg accttttaag gaagaagtgg gcccaagcta agttccacat	120
gctgggtgag ccagatgact tctgttcctt ggtcactttc ttcaatgggg cgaatggggg	180
ctgccaggtt tttaaaatca tgcttcatct tgaagcacac ggtcacttca cctcctcac	240
gctgtgggtg tactttgatg aaaataccca ctttgttggc ctttctgaag ctataatgtc	300

<210> 241

<211> 301

<212> DNA

<213> Homo sapien

<400> 241

gaggtctggt gctgaggtct ctgggctagg aagaggagtt ctgtggagct ggaagccaga	60
cctcttttga ggaactcca gcagctatgt tgggtgtctct gaggggaatgc aacaaggctg	120
ctcctccatg tattggaaaa ctgcaaaactg gactcaactg gaaggaagtg ctgctgccag	180
tgtgaagaac cagcctgagg tgacagaaac ggaagcaaac aggaacagcc agtcttttct	240
tcctcctcct gtcatacggg ctctctcaag catcctttgt tgcagggggc ctaaaaggga	300
g	301

<210> 242

<211> 301

<212> DNA

<213> Homo sapien

<400> 242

ccgaggtcct gggatgcaac caatcactct gtttcacgtg actttttatca ccatacaatt	60
tgtggcattt cctcattttc tacattgtag aatcaagagt gtaaataaat gtatatcgat	120
gtcttcaaga atatatcatt cctttttcac tagaaccat tcaaaatata agtcaagaat	180
cttaatatca acaaatatat caagcaaact ggaaggcaga ataactacca taatttagta	240
taagtaccca aagttttata aatcaaaagc cctaatagata accattttta gaattcaatc	300
a	301

<210> 243

<211> 301

<212> DNA

<213> Homo sapien

<400> 243

aggtaagtcc cagtttgaag ctcaaaagat ctggatgag cataggctca tcgacgacat	60
ggtggcccaa gctatgaaat cagagggagg cttcatctgg gcctgtaaaa actatgatgg	120

tgacgtgcag tcggactctg tggcccaagg gtatggctct ctccggcatga tgaccagcgt 180
gctggtttgt ccagatggca agacagtaga agcagaggct gcccacggga ctgtaacccg 240
tcactaccgc atgttccaga aaggacagga gacgtccacc aatcccattg ctccatttt 300
t 301

<210> 244
<211> 300
<212> DNA
<213> Homo sapien

<400> 244
gctggtttgc aagaatgaaa tgaatgattc tacagctagg acttaacctt gaaatggaaa 60
gtcatgcaat cccatttgca ggatctgtct gtgcacatgc ctctgtagag agcagcattc 120
ccagggacct tggaaacagt tgacactgta aggtgcttgc tccccaagac acatcctaaa 180
aggtgttgta atgggtgaaaa cgtcttcctt ctttattgcc ccttcttatt tatgtgaaca 240
actgtttgtc ttttgtgtat cttttttaaa ctgtaaagtt caattgtgaa aatgaatatt 300

<210> 245
<211> 301
<212> DNA
<213> Homo sapien

<400> 245
gtctgagtat ttaaaatggt attgaaatta tccccaacca atgtagaaa agaaagaggt 60
tatatactta gataaaaaat gaggtgaatt actatccatt gaaatcatgc tcttagaatt 120
aaggccagga gatattgtca ttaatgtara cttcaggaca cttagagtata gcagccctat 180
gttttcaaag agcagagatg caattaaata ttgttttagca tcaaaaaggc cactcaatac 240
agctaataaa atgaaagacc taatttctaa agcaattcct tataatttac aaagttttaa 300
g 301

<210> 246
<211> 301
<212> DNA
<213> Homo sapien

<400> 246
ggtctgtcct acaatgcctg cttcttgaaa gaagtcggca ctttctagaa tagctaaata 60
acctgggctt attttaaaga actatttgta gctcagattg gttttcctat ggctaaaata 120
agtgttctt gtgaaaatta aataaaacag ttaattcaaa gccttgatat atgttaccac 180
taacaatcat actaaatata ttttgaagta caaagtttga catgctctaa agtgacaacc 240
caaagtgtgc ttacaaaaca cgttcctaac aaggtatgct ttacactacc aatgcagaaa 300
c 301

<210> 247
<211> 301
<212> DNA
<213> Homo sapien

<400> 247
aggctccttg gcagggtcga tggatcagag ctcaaactgg agggaaaggc atttcgggta 60
gcctaagagg gcgactggcg gcagcacaac caaggaaggc aaggttgttt cccccacgct 120
gtgtcctgtg ttcagggtcg acacacaatc ctcatgggaa caggatcacc catgcgctgc 180
ccttgatgat caaggttggg gcttaagtgg attaagggag gcaagttctg gggtccttgc 240
cttttcaaac catgaagtca ggctctgtat ccctcctttt cctaactgat attctaacta 300
a 301

<210> 248
<211> 301
<212> DNA
<213> Homo sapien

<400> 248
aggtccttgg agatgccatt tcagccgaag gactcttctw ttcggaagta caccctcact 60
attaggaaga ttcttagggg taatttttct gaggaaggag aactagccaa cttaagaatt 120
acaggaagaa agtggtttgg aagacagcca aagaaataaa agcagattaa attgtatcag 180
gtacattcca gcctgttggc aactccataa aaacatttca gattttaatc ccgaatttag 240
ctaattgagac tggatttttg ttttttatgt tgtgtgtcgc agagctaaaa actcagttcc 300
c 301

<210> 249
<211> 301
<212> DNA
<213> Homo sapien

<400> 249
gtccagagga agcacctggg gctgaactag gcttgccctg ctgtgaactt gcacttggag 60
ccttgacgct gctgttctcc ccgaaaaacc cgaccgacct ccgcgatctc cgtcccgccc 120
ccagggagac acagcagtga ctcagagctg gtcgcacact gtgcctccct cctcaccgcc 180
catcgtaatg aattattttg aaaattaatt ccaccatcct ttcagattct ggatggaaag 240
actgaatctt tgactcagaa ttgtttgctg aaaagaatga tgtgactttc ttagtcattt 300
a 301

<210> 250
<211> 301
<212> DNA
<213> Homo sapien

<400> 250
ggtctgtgac aaggacttgc aggctgtggg aggcaagtga cccttaacac tacactttctc 60
cttatcttta ttggcttgat aaacataatt atttctaaca ctagcttatt tccagttgcc 120
cataagcaca tcagtacttc tctctggctg gaatagtaaa cttaaagtatg gtacatctac 180
ctaaaagact actatgtgga ataatacata ctaatgaagt attacatgat ttaaagacta 240
caataaaacc aaacatgctt ataacattaa gaaaaacaat aaagatacat gattgaaacc 300
a 301

<210> 251
<211> 301
<212> DNA
<213> Homo sapien

<400> 251
gccgaggtcc tacatttggc ccagtttccc cctgcacccct ctccagggcc cctgcctcat 60
agacaacctc atagagcata ggagaactgg ttgccctggg ggcaggggga ctgtctggat 120
ggcaggggtc ctcaaaaatg ccactgtcac tgccaggaaa tgcttctgag cagtacacct 180
cattgggatc aatgaaaagc ttcaagaaat cttcaggctc actctcttga aggcccgga 240
cctctggagg ggggcagtgg aatcccagct ccaggacgga tcctgtcgaa aagatattct 300
c 301

<210> 252
<211> 301

<212> DNA

<213> Homo sapien

<400> 252

gcaaccaatc	actctgtttc	acgtgacttt	tatcaccata	caattttgtgg	catttcctca	60
ttttctacat	tgtagaatca	agagtgtaaa	taaagtata	tcgatgtctt	caagaatata	120
tcattccttt	ttcactagga	acccattcaa	aatataagtc	aagaatctta	atatcaacaa	180
atatatcaag	caaactggaa	ggcagaataa	ctaccataat	ttagtataag	tacccaaagt	240
tttataaatc	aaaagcccta	atgataacca	tttttagaat	tcaatcatca	ctgtagaatc	300
a						301

<210> 253

<211> 301

<212> DNA

<213> Homo sapien

<400> 253

ttccctaaga	agatgttatt	ttgttgggtt	ttgttccccc	tccatctcga	ttctcgtacc	60
caactaaaaa	aaaaaaataa	agaaaaaatg	tgctgcgttc	tgaaaaataa	ctccttagct	120
tggtctgatt	gttttcagac	cttaaaatat	aaacttgttt	cacaagcttt	aatccatgtg	180
gatttttttt	cttagagaac	cacaaaacat	aaaaggagca	agtcggactg	aatacctgtt	240
tccatagtgc	ccacagggta	ttcctcacat	tttctccata	ggaaaatgct	ttttcccaag	300
g						301

<210> 254

<211> 301

<212> DNA

<213> Homo sapien

<400> 254

cgctgcgcct	ttcccttggg	ggagggggcaa	ggccagaggg	ggccaagtg	cagcacgagg	60
aacttgacca	attcccttga	agcgggtggg	ttaaaccctg	taaatgggaa	caaaatcccc	120
ccaaatctct	tcattcttacc	ctgggtggact	cctgactgta	gaattttttg	gttgaaacaa	180
gaaaaaaata	aagcttttga	cttttcaagg	ttgcttaaca	ggtactgaaa	gactggcctc	240
acttaaaactg	agccaggaaa	agctgcagat	ttattaatgg	gtgtgttagt	gtgcagtgcc	300
t						301

<210> 255

<211> 302

<212> DNA

<213> Homo sapien

<400> 255

agcttttttt	tttttttttt	tttttttttt	ttcattaaaa	aatagtgttc	tttattataa	60
attactgaaa	tgtttctttt	ctgaatataa	atataaatat	gtgcaaagtt	tgacttggat	120
tgggattttg	ttgagttctt	caagcatctc	ctaataccct	caagggcctg	agtagggggg	180
aggaaaaagg	actggaggtg	gaatctttat	aaaaaacaag	agtgattgag	gcagattgta	240
aacattatta	aaaaacaaga	aacaaacaaa	aaaatagaga	aaaaaaccac	cccaacacac	300
aa						302

<210> 256

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 256

```

gttccagaaa acattgaagg tggcttccca aagtctaact agggataccc cctctagcct      60
aggaccctcc tccccacacc tcaatccacc aaaccatcca taatgcaccc agataggccc      120
acccccaaaa gcctggacac cttgagcaca cagttatgac caggacagac tcatctctat      180
aggcaaatac ctgctggcaa actggcatta cctggtttgt ggggatgggg gggcaagtgt      240
gtggcctctc ggctgggta gcaagaacat tcagggtagg cctaagttan tcgtgttagt      300
t                                                                                   301

```

<210> 257

<211> 301

<212> DNA

<213> Homo sapien

<400> 257

```

gttgtggagg aactctggct tgctcattaa gtccactga ttttcactat cccctgaatt      60
tccccactta tttttgtctt tcactatcgc aggccttaga agaggtctac ctgcctccag      120
tcttacctag tccagtctac cccctggagt tagaatggcc atcctgaagt gaaaagtaat      180
gtcacattac tcccttcagt gatttcttgt agaagtgcc atccctgaat gccaccaaga      240
tcttaatctt cacatcttta atcttatctc tttgactcct ctttacaccg gagaaggctc      300
c                                                                                   301

```

<210> 258

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 258

```

cagcagtagt agatgccgta tgccagcacg cccagcactc ccaggatcag caccagcacc      60
agggggccag ccaccaggcg cagaagcaag ataaacagta ggctcaagac cagagccacc      120
cccagggcaa caagaatcca ataccaggac tgggcaaaat cttcaaagat cttaacactg      180
atgtctcggg cattgaggct gtcaataana cgctgatccc ctgctgtatg gtgggtgtcat      240
tggtgatccc tgggagcgcc ggtggagtaa cgttgggtcca tggaaagcag cgcccacaac      300
t                                                                                   301

```

<210> 259

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 259

```

tcatatatgc aaacaaatgc agactangcc tcaggcagag actaaaggac atctcttggg      60
gtgtcctgaa gtgatttgga cccctgaggg cagacaccta agtaggaatc ccagtgggaa      120
gcaaagccat aaggaagccc aggattcctt gtgatcagga agtgggccag gaaggctctgt      180
tccagctcac atctcatctg catgcagcac ggaccggatg cggccactgg gtcttggctt      240
ccctcccatc ttctcaagca gtgtccttgt tgagccattt gcatccttgg ctccagggtg      300
c                                                                    301

```

```

<210> 260
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 260
ttttttttct ccctaaggaa aaagaaggaa caagtctcat aaaaccaa at aagcaatggt      60
aagggtgtctt aacttgaaaa agattaggag tctactggttt acaagttata attgaatgaa      120
agaactgtaa cagccacagt tggccatttc atgccaatgg cagcaaacia caggattaac      180
tagggcaaaa taaataagtg tgtggaagcc ctgataagtg cttataaac agactgattc      240
actgagacat cagtacctgc ccgggcggcc gctcgagccg aattctgcag atatccatca      300
c                                                                    301

```

```

<210> 261
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 261
aaatattcga gcaaatcctg taactaatgt gtctccataa aaggctttga actcagtgaa      60
tctgcttcca tccacgattc tagcaatgac ctctcggaca tcaaagctcc tcttaagggtt      120
agcaccaact attccataca attcatcagc aggaataaaa ggctcttcag aaggttcaat      180
ggtgacatcc aatttcttct gataatttag attcctcaca accttcctag ttaagtgaag      240
ggcatgatga tcatccaaag ccagtggtc acttactcca gactttctgc aatgaagatc      300
a                                                                    301

```

```

<210> 262
<211> 301
<212> DNA
<213> Homo sapien

```

```

<400> 262
gaggagagcc tggtacagca tttgtaagca cagaatactc caggagtatt tgtaattgtc      60
tgtgagcttc ttgccgcaag tctctcagaa atttaaaaag atgcaaatac ctgagtcacc      120
cctagacttc ctaaaccaga tcctctgggg ctggaacctg gcactctgca tttgtaatga      180
gggctttctg gtgcacacct aattttgtgc atctttgccc taaatcctgg attagtcccc      240
catcattacc cccacattat aatgggatag attcagagca gatactctcc agcaaagaat      300
c                                                                    301

```

```

<210> 263
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

<400> 263

tttagcttgt ggtaaatgac tcacaaaact gatttttaaaa tcaagttaat gtgaattttg 60
aaaattacta cttaatccta attcacaata acaatggcat taaggtttga cttgagttgg 120
ttcttagtat tatttatggg aaataggctc ttaccacttg caaataactg gccacatcat 180
taatgactga cttccagta aggctctcta aggggtaagt angaggatcc acaggatttg 240
agatgctaag gccccagaga tcgtttgatc caaccctctt attttcagag gggaaaatgg 300
g 301

<210> 264

<211> 301

<212> DNA

<213> Homo sapien

<400> 264

aaagacgtta aaccactcta ctaccacttg tggaactctc aaagggtaaa tgacaaascc 60
aatgaatgac tctaaaaaca atatttacat ttaatggttt gtagacaata aaaaaacaag 120
gtggatagat ctagaattgt aacattttta gaaaaccata scatttgaca gatgagaaag 180
ctcaattata gatgcaaagt tataactaaa ctactatagt agtaaagaaa tacatttcac 240
acccttcata taaattcact atcttggtt gaggcactcc ataaaatgta tcacgtgcat 300
a 301

<210> 265

<211> 301

<212> DNA

<213> Homo sapien

<400> 265

tgcccaagtt atgtgtaagt gtatccgcac ccagaggtaa aactacactg tcatctttgt 60
cttcttgtga cgcagtattt cttctctggg gagaagccgg gaagtcttct cctggctcta 120
catattcttg gaagtctcta atcaactttt gttccatttg tttcatttct tcaggaggga 180
ttttcagttt gtcaacatgt tctctaacaa cacttgccca tttctgtaaa gaatccaaag 240
cagtcgaagg ctttgacatg tcaacaacca gcataactag agtatccttc agagatacgg 300
c 301

<210> 266

<211> 301

<212> DNA

<213> Homo sapien

<400> 266

taccgtctgc ccttcctccc atccaggcca tctggaatc tacatgggtc ctctatttcg 60
acaccagatc actctttcct ctaccacag gcttgctatg agcaagagac acaacctcct 120
ctcttctgtg ttccagcttc ttttctgtt cttcccaccc ctttaagttct attcctgggg 180
atagagacac caatacccat aacctctctc ctaagcctcc ttataacca ggggtgcacag 240
cacagactcc tgacaactgg taaggccaat gaactgggag ctcacagctg gctgtgcctg 300
a 301

<210> 267

<211> 301

<212> DNA

<213> Homo sapien

<400> 267

aaagagcaca ggccagctca gcctgccctg gccatctaga ctcagcctgg ctccatgggg 60

gttctcagtg ctgagtcctat ccaggaaaag ctcacctaga cttcttgagg ctgaatcttc 120
atcctcacag gcagcttctg agagcctgat attcctagcc ttgatgggtct ggagtaaage 180
ctcattctga ttccctctct tcttttcttt caagttggct ttccctacat cctctgttc 240
aattcgcttc agcttggtctg ctttagccct catttcaga agcttcttct ctttggcatc 300
t 301

<210> 268
<211> 301
<212> DNA
<213> Homo sapien

<400> 268
aatgtctcac tcaactactt cccagcctac cgtggcctaa ttctgggagt tttcttctta 60
gatcttggga gagctgggtc ttctaaggag aaggaggaag gacagatgta actttggatc 120
tcgaagagga agtctaattg aagtaattag tcaacggctc ttgtttagac tcttgggaata 180
tgctgggtgg ctcagtgagc ccttttggag aaagcaagta ttattcttaa ggagtaacca 240
cttcccattg ttctactttc taccatcatc aattgtatat tatgtattct ttggagaact 300
a 301

<210> 269
<211> 301
<212> DNA
<213> Homo sapien

<400> 269
taacaatata cactagctat ctttttaact gtccatcatt agcaccaatg aagattcaat 60
aaaattacct ttattcacac atctcaaaac aattctgcaa attcttagtg aagtttaact 120
atagtcacag accttaaata ttcacattgt tttctatgtc tactgaaaat aagttcacta 180
cttttctgga tattctttac aaaatcttat taaaattcct ggtattatca cccccaatta 240
tacagtagca caaccacctt atgtagtttt tacatgatag ctctgtagaa gtttcacatc 300
t 301

<210> 270
<211> 301
<212> DNA
<213> Homo sapien

<400> 270
cattgaagag cttttgcgaa acatcagaac acaagtgtct ataaaaattaa ttaagcctta 60
cacaagaata catattcctt ttatttctaa ggagttaaag atagatgtag ctgatgtgga 120
gagcttgctg gtgcagtgca tattggataa cactattcat ggccgaattg atcaagtcaa 180
ccaactcctt gaactggatc atcagaagaa ggggtgtgca cgatatactg cactagataa 240
tggaaccaacc aactaaattc tctcaccagg ctgtatcagt aaactggctt aacagaaaac 300
a 301

<210> 271
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

<400> 271

```

aaaaggttct cataagatta acaattttaa taaatatttg atagaacatt ctttctcatt      60
tttatagctc atcttttagg ttgatattca gttcatgctt cccttgctgt tcttgatcca      120
gaattgcaat cacttcacga gctgtattc gctccaattc tctataaagt gggccaagg      180
tgaaccacag agccacagca cacctcttcc ccttggtgac tgccttcacc ccattganggt      240
tctctctccc agatganaac tgatcatgcg cccacatttt gggttttata gaagcagtca      300
c

```

<210> 272

<211> 301

<212> DNA

<213> Homo sapien

<400> 272

```

taaattgcta agccacagat aacaccaatc aaatggaaca aatcactgtc ttcaaagtgc      60
ttatcagaaa accaaatgag cctggaatct tcataatacc taaacatgcc gtatttagga      120
tccaataatt ccctcatgat gagcaagaaa aattctttgc gcacccctcc tgcattcaca      180
gcatcttctc caacaaatat aaccttgagt ggcttcttgc aatctatgtt ctttgtttcc      240
ctaaggactt ccattgcacg tctacaata ttttctctac gcaccactag aattaagcag      300
g

```

<210> 273

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 273

```

acatgtgtgt atgtgtatct ttgggaaaaa aanaagacat cttgtttayt atttttttgg      60
agagangctg ggacatggat aatcacwtaa tttgctayta tyactttaat ctgactygaa      120
gaaccgtcta aaaataaaat ttaccatgtc dtatatctct tatagtatgc ttatttcacc      180
ttytttctgt ccagagagag tatcagtgc ananatttma ggggaamac atgmattggt      240
gggacttnty tttaacngagm accctgcccc sgcgccctcg makengantt ccgcsananc      300
t

```

<210> 274

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 274

```

cttatatact ctttctcaga ggcaaaagag gagatgggta atgtagacaa ttctttgagg      60
aacagtaaat gattattaga gagaangaat ggaccaagga gacagaaatt aacttgtaaa      120
tgattctctt tggaatctga atgagatcaa gaggccagct ttagcttggt gaaaagtcca      180
tctaggtatg gttgcattct cgtcttcttt tctgcagtag ataatgaggt aaccgaaggc      240
aattgtgctt cttttgataa gaagctttct tggatcatatc aggaaattcc aganaaagtc      300

```


C

301

<210> 275
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

<400> 275
tcggtgtcag cagcacgtgg cattgaacat tgcaatgtgg agcccaaacc acagaaaatg 60
gggtgaaatt ggccaacttt ctattaactt atgttggcaa ttttgccacc aacagtaagc 120
tggcccttct aataaaagaa aattgaaagg tttctcacta aacggaatta agtagtggag 180
tcaagagact cccaggcctc agcgtacctg cccggggcggc cgctcgaagc cgaattctgc 240
agatatccat cacactggcg gncgctcgan catgcatcta gaaggnccaa ttcgccctat 300
a 301

<210> 276
<211> 301
<212> DNA
<213> Homo sapien

<400> 276
tgtacacata ctcaataaat aaatgactgc attgtggtat tattactata ctgattatat 60
ttatcatgtg acttctaatt agaaaatgta tccaaaagca aaacagcaga tatacaaaat 120
taaagagaca gaagatagac attaacagat aaggcaactt atacattgag aatccaaatc 180
caatacattt aaacatttgg gaaatgaggg ggacaaatgg aagccagatc aaatttgtgt 240
aaaactattc agtatgtttc ccttgcttca tgtctgagaa ggctctcctt caatggggat 300
g 301

<210> 277
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

<400> 277
tttgttgatg tcagtathtt attacttgcg ttatgagtgc tcacctggga aattctaaag 60
atacagagga cttggaggaa gcagagcaac tgaatttaat ttaaaagaag gaaaacattg 120
gaatcatggc actcctgata ctttcccaaa tcaacactct caatgccccca cctcgtctct 180
caccatagtg gggagactaa agtggccacg gatttgcctt angtgtgcag tgcgttctga 240
gttcnctgtc gattacatct gaccagtctc ctttttccga agtcctccg ttcaatcttg 300
c 301

<210> 278
<211> 301
<212> DNA
<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 278

taccactaca	ctccagcctg	ggcaacagag	caagacctgt	ctcaaagcat	aaaatggaat	60
aacatatcaa	atgaaacagg	gaaaatgaag	ctgacaattt	atggaagcca	gggcttgtca	120
cagtctctac	tggttattatg	cattacctgg	gaatttatat	aagcccttaa	taataatgcc	180
aatgaacatc	tcattgtgtgc	tcacaatgtt	ctggcactat	tataagtgtc	tcacaggttt	240
tatgtgttct	tcgtaacttt	atggantagg	tactcggccg	cgaacacgct	aagccgaatt	300
c						301

<210> 279

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 279

aaagcaggaa	tgacaaaagct	tgcttttctg	gtatgttcta	ggtgtattgt	gacttttact	60
gttatattaa	ttgccaatat	aagtaaatat	agattatata	tgtatagtgt	ttcacaaagc	120
ttagaccttt	accttccagc	cacccacag	tgcttgatat	ttcagagtca	gtcattgggt	180
atacatgtgt	agttccaaag	cacataagct	agaanaanaa	atatttctag	ggagcactac	240
catctgtttt	cacatgaaat	gccacacaca	tagaactcca	acatcaattt	cattgcacag	300
a						301

<210> 280

<211> 301

<212> DNA

<213> Homo sapien

<400> 280

ggtactggag	ttttcctccc	ctgtgaaaac	gtaactactg	ttgggagtga	attgaggatg	60
tagaaagggt	gtggaaccaa	attgtgggtca	atggaaatag	gagaatatgg	ttctcactct	120
tgagaaaaaa	acctaagatt	agcccaggta	gttgccctgta	acttcagttt	ttctgcctgg	180
gtttgatata	gtttaggggt	gggggttagat	taagatctaa	attacatcag	gacaaagaga	240
cagactatta	actccacagt	taattaagga	ggtatgttcc	atgtttattt	gttaaagcag	300
t						301

<210> 281

<211> 301

<212> DNA

<213> Homo sapien

<400> 281

aggtacaaga	aggggaatgg	gaaagagctg	ctgctgtggc	attgttcaac	ttggatatcc	60
gccgagcaat	ccaaatcctg	aatgaagggg	catcttctga	aaaaggagat	ctgaatctca	120
atgtggtagc	aatggcttta	tcgggttata	cggatgagaa	gaactccctt	tgagagagaaa	180
tgtgtagcac	actgcgatta	cagctaaata	accggtattt	gtgtgtcatg	tttgcatttc	240

tgacaagtga aacaggatct tacgatggag ttttgtatga aaacaaagtt gcagtacctc 300
g 301

<210> 282
<211> 301
<212> DNA
<213> Homo sapien

<400> 282
caggtactac agaattaaaa tactgacaag caagtagttt cttggcgtgc acgaattgca 60
tccagaacctt aaaaattaaag aaattcaaaa agacattttg tgggcacctg ctagcacaga 120
agcgacagaag caaagccag gcagaacctt gctaacctta cagctcagcc tgcacagaag 180
cgcagaagca aagccaggc agaaccatgc taaccttaca gctcagcctg cacagaagcg 240
cagaagcaaa gccaggcag aacatgctaa ccttacagct cagcctgcac agaagcacag 300
a 301

<210> 283
<211> 301
<212> DNA
<213> Homo sapien

<400> 283
atctgtatac ggcagacaaa ctttatarag tgtagagagg tgagcgaaag gatgcaaaaag 60
cactttgagg gctttataat aatatgctgc ttgaaaaaaa aaatgtgtag ttgatactca 120
gtgcatctcc agacatagta aggggttgct ctgaccaatc aggtgatcat tttttctatc 180
acttcccagg ttttatgcaa aaattttgtt aaattctata atggtgatat gcattcttta 240
ggaaacatat acatttttaa aaattctatt tatgtaagaa ctgacagacg aatttgcttt 300
g 301

<210> 284
<211> 301
<212> DNA
<213> Homo sapien

<400> 284
caggtacaaa acgctattaa gtggccttaga atttgaacat ttgtggtctt tatttacttt 60
gcttcgtgtg tgggcaaagc aacatcttcc ctaaataatat attaccaaga aaagcaagaa 120
gcagattagg tttttgacaa aacaaacagg ccaaaagggg gctgacctgg agcagagcat 180
ggtgagaggc aaggcatgag agggcaagtt tgttgtggac agatctgtgc ctactttatt 240
actggagtaa aagaaaacaa agttcattga tgtcgaagga tatatacagt gttagaaatt 300
a 301

<210> 285
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

<400> 285
acatcaccat gatcggtacc cccacccatt atacgttgta tgtttacata aatactcttc 60
aatgatcatt agtgttttaa aaaaaatact gaaaactcct tctgcatccc aatctctaac 120

caggaaagca aatgctatctt acagacctgc aagccctccc tcaaacnaaa ctattttctgg 180
 attaaatatg tctgacttct tttgagggtca cagcactagg caaatgctat ttacgatctg 240
 caaaagctgt ttgaagagtc aaagccccc a tgtgaacacg atttctggac cctgtaacag 300
 t 301

<210> 286
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 286
 taccactgca ttccagcctg ggtgacagag tgagactccg tctccaaaaa aaacttttgc 60
 tgtatattat ttttgcccta cagtggatca ttctagtagg aaaggacagt aagatttttt 120
 atcaaaatgt gtcatgccag taagagatgt tatattcttt tctcatttct tccccaccca 180
 aaaataagct accatatagc ttataagtct caaatttttg ccttttacta aaatgtgatt 240
 gtttctgttc attgtgtatg cttcatcacc tatattaggc aaattccatt ttttcccttg 300
 t 301

<210> 287
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 287
 tacagatctg ggaactaaat attaaaaatg agtgtggctg gatatatgga gaatgttggg 60
 cccagaagga acgtagagat cagatattac aacagctttg ttttgagggt tagaaatatg 120
 aaatgatttg gttatgaacg cacagttagg gcagcagggc cagaatcctg accctctgcc 180
 ccgtgggtat ctccctcccca gcttggctgc ctcatgttat cacagtatc cattttgttt 240
 gttgcatgct ttgtgaagcc atcaagattt tctcgtctgt tttcctctca ttggtaatgc 300
 t 301

<210> 288
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 288
 gtacaccta ctgcaaggac agctgaggaa tgtaatgggc agccgctttt aaagaagtag 60
 agtcaatagg aagacaaatt ccagttccag ctcatgtctg gtatctgcaa agctgcaaaa 120
 gatcttttaa gacaatttca agagaatatt tccttaaagt tggcaatttg gagatcatc 180
 aaaagcatct gcttttgtga ttttaatttag ctcatctggc cactggaaga atccaaacag 240
 tctgccttaa ttttggatga atgcatgatg gaaattcaat aatttagaaa gttaaaaaaa 300
 a 301

<210> 289
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 289

```
ggtacactgt ttccatgtta tgtttctaca cattgctacc tcagtgtccc tggaaactta      60
gcttttgatg tctccaagta gtccaccttc atttaactct ttgaaactgt atcatctttg      120
ccaagtaaga gtggtggcct atttcagctg ctttgacaaa atgactggct cctgacttaa      180
cgttctataa atgaatgtgc tgaagcaaag tgcccatggt ggcggcgaan aagagaaaaga      240
tgtgttttgt tttggactct ctgtgggtccc ttccaatgct gtgggtttcc aaccagnnga      300
a                                                                                   301
```

<210> 290

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 290

```
acactgagct cttcttgata aatatacaga atgcttggca tatacaagat tctatactac      60
tgactgatct gttcatttct ctcacagctc ttacccccaa aagcttttcc accctaagtg      120
ttctgacctc cttttctaata cacagtaggg atagaggcag anccacctac aatgaacatg      180
gagttctatc aagaggcaga aacagcacag aatcccagtt ttaccattcg ctagcagtgc      240
tgccttgaac aaaaacattt ctccatgtct cattttcttc atgcctcaag taacagtgag      300
a                                                                                   301
```

<210> 291

<211> 301

<212> DNA

<213> Homo sapien

<400> 291

```
caggtaccaa tttcttctat cctagaaaca tttcatttta tgttggtgaa acataacaac      60
tatatcagct agattttttt tctatgcttt acctgctatg gaaaatttga cacattctgc      120
tttactcttt tgtttatagg tgaatcacia aatgtatttt tatgtattct gtagttcaat      180
agccatggct gtttacttca ttttaatttat ttagcataaa gacattatga aaaggcctaa      240
acatgagctt cacttcccca ctaactaatt agcatctggt atttcttaac cgtaatgcct      300
a                                                                                   301
```

<210> 292

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 292

```
accttttagt agtaatgtct aataataaat aagaaatcaa ttttataagg tccatatagc      60
tgtattaaat aatttttaag tttaaaaagat aaaataccat cattttaaat gttgggtattc      120
aaaaccaaag natataaccg aaaggaaaaa cagatgagac ataaaatgat ttgcnagatg      180
ggaaatatag tasttyatga atgttnatta aattccagtt ataatagtgg ctacacactc      240
tcactacaca cacagacccc acagtcctat atgccacaaa cacatttcca taacttgaaa      300
a                                                                                   301
```

<210> 293
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 293
 ggtaccaagt gctgggtgccg gcctgttacc tgtttctcact gaaaagtctg gctaattgctc 60
 ttgtgtagtc acttctgatt ctgacaatca atcaatcaat ggcctagagc actgactgtt 120
 aacacaaaacg tctactagcaa agtagcaaca gctttaagtc taaatacaaa gctgtttctgt 180
 gtgagaattt tttaaaaggc tactttgtata ataacccttg tcattttttaa tgtacctcgg 240
 ccgcgaccac gctaagccga attctgcaga tatccatcac actggcgggc gctcgagcat 300
 g 301

<210> 294
 <211> 301
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(301)
 <223> n = A,T,C or G

<400> 294
 tgacccataa caatatacac tagctatctt ttttaactgtc catcattagc accaatgaag 60
 attcaataaa attaccttta ttcacacatc tcaaaacaat tctgcaaatt cttagtgaag 120
 ttttaactata gtcacaganc ttaaattatt acattgtttt ctatgtctac tgaaaataag 180
 ttcactactt ttctgggata ttctttacaa aatcttatta aaattcctgg tattatcacc 240
 cccaattata cagtagcaca accaccttat gtagttttta catgatagct ctgtagaggt 300
 t 301

<210> 295
 <211> 305
 <212> DNA
 <213> Homo sapien

<400> 295
 gtactctttc tctccctccc tctgaattta attctttcaa cttgcaattt gcaaggatta 60
 cacatttcac tgtgatgtat attgtgttgc aaaaaaaaaa gtgtctttgt ttaaaattac 120
 ttggtttgtg aatccatctt gctttttccc cattggaact agtcattaac ccatctctga 180
 actggtagaa aaacrtctga agagctagtc tatcagcatc tgacaggtga attggatggg 240
 tctcagaacc atttcaccca gacagcctgt ttctatcctg ttttaataaat tagtttgggt 300
 tctct 305

<210> 296
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 296
 aggtactatg ggaagctgct aaaataatat ttgatagtaa aagtatgtaa tgtgctatct 60
 cacctagtag taaactaaaa ataaactgaa actttatgga atctgaagtc attttccttg 120
 attaaataga attaataaac caatatgagg aaacatgaaa ccatgcaatc tactatcaac 180
 tttgaaaaag tgattgaacg aaccacttag ctttcagatg atgaacactg ataagtcatt 240

tgtcattact ataaatttta aaatctgtta ataagatggc ctatagggag gaaaaagggg 300
c 301

<210> 297
<211> 300
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(300)
<223> n = A,T,C or G

<400> 297
actgagtttt aactggacgc caagcaggca aggctggaag gttttgctct ctttgtgcta 60
aaggttttga aaaccttgaa ggagaatcat tttgacaaga agtacttaag agtctagaga 120
acaaagangt gaaccagctg aaagctctcg ggggaanctt acatgtgttg ttaggcctgt 180
tccatcattg ggagtgcact ggccatccct caaaatttgt ctgggctggc ctgagtgggc 240
accgcacctc ggccgcgacc acgctaagcc gaattctgca gatatccatc acactggcgg 300

<210> 298
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

<400> 298
tatggggttt gtcacccaaa agctgatgct gagaaaggcc tccctggggc cctcccgcg 60
ggcatctgag agacctggtg ttccagtgtt tctggaaatg ggtcccagtg ccgccggctg 120
tgaagctctc agatcaatca cgggaagggc ctggcggtgg tggccacctg gaaccaccct 180
gtcctgtctg tttacatttc actaycaggt tttctctggg cattacnatt tggtccccta 240
caacagtgac ctgtgcattc tgctgtggcc tgctgtgtct gcaggtggct ctcagcgagg 300
t 301

<210> 299
<211> 301
<212> DNA
<213> Homo sapien

<400> 299
gttttgagac ggagtttcac tcttggtgcc cagactggac tgcaatggca gggctctctgc 60
tcaactgcacc ctctgcctcc caggttcgag caattctcct gcctcagcct cccaggttagc 120
tgggattgca ggctcacgcc accataccca gctaattttt ttgtattttt agtagagacg 180
gagtttcgcc atgttggccg gctgggtctca aactcctgac ctcaagcgac ctgcctgcct 240
cggcctccca aagtgtctga attataggca tgagtcaaca cgcccagcct aaagatatatt 300
t 301

<210> 300
<211> 301
<212> DNA
<213> Homo sapien

<400> 300

attcagtttt	atttgctgcc	ccagtatctg	taaccaggag	tgccacaaaa	tcttgccaga	60
tatgtccac	accactggg	aaaggctccc	acctggctac	ttcctctatc	agctgggtca	120
gctgcattcc	acaaggttct	cagcctaata	agtttacta	cctgccagtc	tcaaaactta	180
gtaaagcaag	accatgacat	tccccacgg	aatcagagt	ttgccccacc	gtcttggtac	240
tataaagcct	gcctctaaca	gtccttgctt	cttcacacca	atcccagagc	catcccccat	300
g						301

<210> 301

<211> 301

<212> DNA

<213> Homo sapien

<400> 301

ttaaattttt	gagaggataa	aaaggacaaa	taatctagaa	atgtgtcttc	ttcagttctgc	60
agaggacccc	aggtctccaa	gcaaccacat	ggtcaagggc	atgaataatt	aaaagttggt	120
gggaactcac	aaagaccctc	agagctgaga	caccacaaac	agtgggagct	cacaaagacc	180
ctcagagctg	agacacccac	aacagtggga	gtcacaaaag	accctcagag	ctgagacacc	240
cacaacagca	cctcgttcag	ctgccacatg	tgtgaataag	gatgcaatgt	ccagaagtgt	300
t						301

<210> 302

<211> 301

<212> DNA

<213> Homo sapien

<400> 302

aggtagacat	ttagcttgtg	gtaaatgact	cacaaaactg	attttaaaat	caagttaatg	60
tgaattttga	aaattactac	ttaatcctaa	ttcacaataa	caatggcatt	aaggtttgac	120
ttgagttggt	tcttagtatt	atttatggta	aataggctct	taccacttgc	aaataactgg	180
ccacatcatt	aatgactgac	ttcccagtaa	ggctctctaa	ggggtaagta	ggaggatcca	240
caggatttga	gatgctaagg	ccccagagat	cgtttgatcc	aacctcttta	ttttcagagg	300
g						301

<210> 303

<211> 301

<212> DNA

<213> Homo sapien

<400> 303

aggtagcaac	tgtggaaata	ggtagaggat	cattttttct	ttccatatca	actaagttgt	60
atattgtttt	ttgacagttt	aacacatctt	cttctgtcag	agattctttc	acaatagcac	120
tggctaattg	aactaccgct	tgcattgtta	aaatgggtgt	ttgtgaaatg	atcataggcc	180
agtaacgggt	atgtttttct	aactgatctt	ttgctcgttc	caaagggacc	tcaagacttc	240
catcgatttt	atatctgggg	tctagaaaag	gagttaatct	gttttccctc	ataaattcac	300
c						301

<210> 304

<211> 301

<212> DNA

<213> Homo sapien

<400> 304

acatggatgt	tattttgcag	actgtcaacc	tgaatttgta	tttgcttgac	attgcctaata	60
------------	------------	------------	------------	------------	-------------	----


```

tattagtttc agtttcagct tacccacttt ttgtctgcaa catgcaraas agacagtgcc      120
cttttttagtg tatcatatca ggaatcatct cacattgggt ttgtgccatta ctgggtgcagt      180
gacttttcagc cacttgggta aggtggagtt ggccatatgt ctccactgca aaattactga      240
ttttcctttt gtaattaata agtgtgtgtg tgaagattct ttgagatgag gtatatatct      300
c                                                                                   301

```

```

<210> 305
<211> 301
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

```

```

<400> 305
gangtacagc gtggtcaagg taacaagaag aaaaaaatgt gagtggcatc ctgggatgag      60
caggggggaca gacctggaca gacacgttgt catttgctgc tgtgggtagg aaaatgggcg      120
taaaggagga gaaacagata caaatctcc aactcagtat taaggatttc tcatgcctag      180
aatattggta gaaacaagaa tacattcata tggcaaataa ctaaccatgg tggaacaaaa      240
ttctgggatt taagttggat accaangaaa ttgtattaaa agagctgttc atggaataag      300
a                                                                                   301

```

```

<210> 306
<211> 8
<212> PRT
<213> Homo sapien

```

```

<400> 306
Val Leu Gly Trp Val Ala Glu Leu
1                               5

```

```

<210> 307
<211> 637
<212> DNA
<213> Homo sapien

```

```

<400> 307
acaggggratg aaggggaaagg gagaggatga ggaagccccc ctgggggattt ggtttggtcc      60
ttgtgatcag gtggtctatg gggcttatcc ctacaaagaa gaatccagaa ataggggcac      120
attgaggaat gatacttgag cccaaagagc attcaatcat tgttttatct gccttmtttt      180
cacaccattg gtgagggagg gattaccacc ctgggggttat gaagatgggt gaacacccca      240
cacatagcac cggagatatg agatcaacag tttcttagcc atagagattc acagcccaga      300
gcaggaggac gcttgcacac catgcaggat gacatggggg atgcgctcgg gattggtgtg      360
aagaagcaag gactgttaga ggcaggcttt atagtaacaa gacggtgggg caaactctga      420
tttccgtggg ggaatgtcat ggtcttgctt tactaagttt tgagactggc aggtagtga      480
actcattagg ctgagaacct tgtggaatgc acttgacca sctgatagag gaagtagcca      540
ggtgggagcc tttcccagtg ggtgtgggac atatctggca agattttgtg gcactcctgg      600
ttacagatac tggggcagca aataaaaactg aatcttg                                     637

```

```

<210> 308
<211> 647
<212> DNA
<213> Homo sapien

```

<220>
<221> misc_feature
<222> (1)...(647)
<223> n = A,T,C or G

<400> 308

acgattttca	ttatcatgta	aatcgggtca	ctcaaggggc	caaccacagc	tgggagccac	60
tgctcagggg	aaggttcata	tgggactttc	tactgcccac	ggttctatac	aggatataaa	120
ggngcctcac	agtatagatc	tggtagcaaa	gaagaagaaa	caaacactga	tctctttctg	180
ccaccctctc	gacccttttg	aactcctctg	accctttaga	acaagcctac	ctaataatctg	240
ctagagaaaa	gaccaacaac	ggcctcaaag	gatctcttac	catgaaggtc	tcagctaatt	300
cttggctaag	atgtgggttc	cacattaggt	tctgaatatg	gggggaaggg	tcaatttgct	360
cattttgtgt	gtggataaag	tcaggatgcc	cagggggccag	agcagggggc	tgcttgcttt	420
gggaacaatg	gctgagcata	taaccatagg	ttatggggaa	caaaacaaca	tcaaagtcac	480
tgtatcaatt	gccatgaaga	cttgaggggac	ctgaatctac	cgattcatct	taaggcagca	540
ggaccagttt	gagtggcaac	aatgcagcag	cagaatcaat	ggaaacaaca	gaatgattgc	600
aatgtccttt	tttttctcct	gcttctgact	tgataaaagg	ggaccgt		647

<210> 309
<211> 460
<212> DNA
<213> Homo sapien

<400> 309

actttatagt	ttaggctgga	cattggaaaa	aaaaaaaaagc	cagaacaaca	tgtgatagat	60
aatatgattg	gctgcacact	tccagactga	tgaatgatga	acgtgatgga	ctattgtatg	120
gagcacatct	tcagcaagag	ggggaaatac	tcattcattt	tggccagcag	ttgtttgatc	180
accaaaccatc	atgccagaat	actcagcaaa	ccttcttagc	tcttgagaag	tcaaagtcag	240
ggggaattta	ttcctggcaa	ttttaattgg	actccttatg	tgagagcagc	ggctaccagg	300
ctgggggtgt	ggagcgaacc	cgtcactagt	ggacatgcag	tggcagagct	cctggtaacc	360
acctagagga	atacacaggc	acatgtgtga	tgccaagcgt	gacacctgta	gcactcaaatt	420
ttgtcttggt	tttgtctttc	ggtgtgtaag	attcttaagt			460

<210> 310
<211> 539
<212> DNA
<213> Homo sapien

<400> 310

acgggactta	tcaaataaag	ataggaaaag	aagaaaactc	aaatattata	ggcagaaatg	60
ctaaagggtt	taaaatatgt	caggattgga	agaaggcatg	gataaagaac	aaagtccagt	120
taggaaagag	aaacacagaa	ggaagagaca	caataaaaag	cattatgtat	tctgtgagaa	180
gtcagacagt	aagatttgtg	ggaaatgggt	tggtttggtg	tatgggtatg	atttttagcaa	240
taatctttat	ggcagagaaa	gctaaaatcc	tttagcttgc	gtgaatgatc	acttgctgaa	300
ttcctcaagg	taggcatgat	gaaggagggt	ttagaggaga	cacagacaca	atgaactgac	360
ctagatagaa	agccttagta	tactcagcta	ggaatagtga	ttctgagggc	acactgtgac	420
atgattatgt	cattacatgt	atggtagtga	tggggatgat	aggaaggaag	aacttatggc	480
atattttcac	ccccacaaaa	gtcagttaaa	tattgggaca	ctaaccatcc	aggccaaga	539

<210> 311
<211> 526
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(526)
<223> n = A,T,C or G

<400> 311
caaatttgag ccaatgacat agaattttac aaatcaagaa gcttattctg gggccatttc 60
ttttgacgtt ttctctaaac tactaaagag gcattaatga tccataaatt atattatcta 120
catttacagc atttaaaatg tggtcagcat gaaatattag ctacagggga agctaaataa 180
attaacatg gaataaagat ttgtccttaa atataatcta caagaagact ttgatatttg 240
tttttcacaa gtgaagcatt cttataaagt gtcataacct ttttggggaa actatgggaa 300
aaaatgggga aactctgaag ggttttaagt atcttacctg aagctacaga ctccataacc 360
tctctttaca gggagctcct gcagccccta cagaaatgag tggctgagat tcttgattgc 420
acagcaagag cttctcatct aaaccctttc cctttttagt atctgtgtat caagtataaa 480
agttctataa actgtagtnt acttatttta atccccaaag cacagt 526

<210> 312
<211> 500
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(500)
<223> n = A,T,C or G

<400> 312
cctctctctc cccacccccct gactctagag aactggggtt tctcccagta ctccagcaat 60
tcattttctga aagcagttga gccactttat tccaaagtac actgcagatg ttcaaactct 120
ccattttctc ttcccttcca cctgccagtt ttgctgactc tcaacttgct atgagtgtaa 180
gcattaagga cattatgctt cttcgattct gaagacaggc cctgctcatg gatgactctg 240
gcttcttagg aaaatatattt tcttccaaaa tcagtaggaa atctaaactt atccccctct 300
tgcagatgtc tagcagcttc agacatttgg ttaagaacct atgggaaaaa aaaaaatcct 360
tgctaattgt gtttcctttg taaaccanga ttcttatttg nctggatatag aatatcagct 420
ctgaacgtgt ggtaaagatt tttgtgtttg aatataggag aaatcagttt gctgaaaagt 480
tagtcttaat tatctatttg 500

<210> 313
<211> 718
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(718)
<223> n = A,T,C or G

<400> 313
ggagatttgt gtggtttgca gccgagggag accaggaaga tctgcatggt gggaaggacc 60
tgatgataca gaggtgagaa ataagaaagg ctgctgactt taccatctga ggccacacat 120
ctgctgaaat ggagataatt aacatcacta gaaacagcaa gatgacaata taatgtctaa 180
gtagtacat gtttttgcac atttccagcc cttttaaata tccacacaca caggaagcac 240
aaaaggaagc acagagatcc ctgggagaaa tgcccggccg ccactctggg tcatcgatga 300
gcctcgccct gtgcctgntc ccgcttgtag gggaaggaca ttagaaaatg aattgatgtg 360
ttccttaaag gatggcagga aaacagatcc tgttggtgat atttatttga acgggattac 420

agatttgaaa tgaagtcaca aagtgagcat taccaatgag aggaaaacag acgagaaaat	480
cttgatgggt cacaagacat gcaacaaaca aaatggaata ctgtgatgac acgagcagcc	540
aactggggag gagataccac ggggcagagg tcaggattct ggcctgctg cctaactgtg	600
cgttatacca atcatttcta tttctaccct caaacaagct gtngaataac tgacttacgg	660
ttcttntggc ccacattttc atnatccacc cntcntttt aannttantc caaantgt	718

<210> 314

<211> 358

<212> DNA

<213> Homo sapien

<400> 314

gtttattttac attacagaaa aaacatcaag acaatgtata ctatttcaaa tatatccata	60
cataatcaaa tatagctgta gtacatgttt tcattgggtg agattaccac aaatgcaagg	120
caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg tgtagtccaa	180
gctctcggtg gtccagccac tgtgaaacat gctcccttta gattaacctc gtggacgctc	240
ttgttgatt gctgaactgt agtgcctctg attttgcttc tgtctgtgaa ttctgttgct	300
tctggggcat ttccttgta tgcagaggac caccacacag atgacagcaa tctgaatt	358

<210> 315

<211> 341

<212> DNA

<213> Homo sapien

<400> 315

taccacctcc ccgctggcac tgatgagccg catcaccatg gtcaccagca ccatgaaggc	60
atagggtgat atgaggacat ggaatgggcc cccaaggatg gtctgtccaa agaagcgagt	120
gacccccatt ctgaagatgt ctggaacctc taccagcagg atgatgatag cccaatgac	180
agtcaccagc tccccgacca gccggatata gtccttaggg gtcatgtagg ctctctgaag	240
tagcttctgc tgtaagaggg tgttgctccg ggggctcgtg cggttattgg tcttgggctt	300
gagggggcgg tagatgcagc acatggtgaa gcagatgatg t	341

<210> 316

<211> 151

<212> DNA

<213> Homo sapien

<400> 316

agactgggca agactcttac gccccacact gcaatttggt cttgttgccg tatccattta	60
tgtggggcctt tctcgagttt ctgattataa acaccactgg agcgatgtgt tgactggact	120
cattcaggga gctctggttg caatattagt t	151

<210> 317

<211> 151

<212> DNA

<213> Homo sapien

<400> 317

agaactagtg gatcctaag aaataacctga aacatatatt ggcatttata aatggctcaa	60
atcttcattt atctctggcc ttaaccctgg ctccctgaggc tgcggccagc agatcccagg	120
ccagggtctt gttcttgcca cacctgcttg a	151

<210> 318

<211> 151

<212> DNA

<213> Homo sapien

<400> 318

```
actggtggga ggcgctgttt agttggctgt tttcagaggg gtctttcggg gggacctcct    60
gctgcaggct ggagtgtctt tattcctggc gggagaccgc acattccact gctgaggctg    120
tgggggcggg ttatcaggca gtgataaaca t                                  151
```

<210> 319

<211> 151

<212> DNA

<213> Homo sapien

<400> 319

```
aactagtggg tccagagcta taggtacagt gtgatctcag ctttgcaaac acattttcta    60
catagatagt actaggtatt aatagatatg taaagaaaga aatcacacca ttaataatgg    120
taagattggg tttatgtgat tttagtgggt a                                  151
```

<210> 320

<211> 150

<212> DNA

<213> Homo sapien

<400> 320

```
aactagtggg tccactagtc cagtgtgggt gaattccatt gtgttggggg tctagatcgc    60
gagcggctgc cctttttttt tttttttttg ggggggaatt tttttttttt aatagttatt    120
gagtgttcta cagcttacag taaataccat                                  150
```

<210> 321

<211> 151

<212> DNA

<213> Homo sapien

<400> 321

```
agcaactttg tttttcatcc aggttatatt aggcttagga tttcctctca cactgcagtt    60
taggggtggc ttgtaaccag ctatggcata ggtgttaacc aaaggctgag taaacatggg    120
tgcctctgag aaatcaaagt cttcatacac t                                  151
```

<210> 322

<211> 151

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(151)

<223> n = A,T,C or G

<400> 322

```
atccagcatc ttctcctggt tcttgccctc ctttttcttc ttcttasatt ctgcttgagg    60
tttgggcttg gtcagtttgc cacagggctt ggagatgggt acagtcttct ggcattcggc    120
attgtgcagg gctcgcttca nacttccagt t                                  151
```

<210> 323

<211> 151

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(151)

<223> n = A,T,C or G

<400> 323

tgaggacttg tktttctttt ctttattttt aatcctctta ckttgtaa	atattgccta	60
nagactcant tactaccag tttgtggttt twtgggagaa atgtaactgg	acagttagct	120
gttcaatyaa aaagacactt ancccatgtg g		151

<210> 324

<211> 461

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(461)

<223> n = A,T,C or G

<400> 324

acctgtgtgg aatttcagct ttccatcatgc aaaaggattt tgtatccccg	gcctacttga	60
agaagtgggc agctaaagga atccagggtt ttgggtggac tgtaataacc	tttgatgaaa	120
agagttacta cgaatcccat cttgggtcca gctatatcac tgacagcatg	gtagaagact	180
gcgaacctca cttctagact ttcaagggtg gacgaaacgg gtccagaaac	tgccaggggc	240
ctcatcacagg gatatacaaaa taccctttgt gctacccagg cctggggaa	tcaggtgact	300
cacacaaatg caatagttgg tcaactgcatt tttacctgaa ccaaagctaa	acccgggtgt	360
gccaccatgc accatggcat gccagagttc aacactgttg ctcttgaaaa	ttgggtctga	420
aaaaacgcac aagagccct gccctgcct agctgangca c		461

<210> 325

<211> 400

<212> DNA

<213> Homo sapien

<400> 325

acactgtttc catgttatgt ttctacacat tgctacctca gtgctcctgg	aaacttagct	60
tttgatgtct ccaagtagtc caccttcatt taactctttg aaactgtatc	atctttgcc	120
agtaagagtg gtggcctatt tcagctgctt tgacaaaatg actggctcct	gacttaacgt	180
tctataaatg aatgtgctga agcaaagtgc ccatgggtggc ggcgaagaag	agaaagatgt	240
gttttgttt ggactctctg tggctccctc caatgctgtg gggttccaac	caggggaagg	300
gtcccttttg cattgccaag tgccataacc atgagcacta cgctaccatg	gttctgcctc	360
ctggccaagc aggtctggtt gcaagaatga aatgaatgat		400

<210> 326

<211> 1215

<212> DNA

<213> Homo sapien

<400> 326

ggaggactgc agcccgact cgcagccctg gcaggcggca ctgggtcatgg	aaaacgaatt	60
gttctgctcg ggcgtcctgg tgcacccgca gtgggtgctg tcagccgcac	actgtttcca	120
gaactcctac accatcgggc tgggctgca cagtcttgag gccgaccaag	agccagggag	180

```

ccagatggtg gaggccagcc tctccgtacg gcacccagag tacaacagac ccttgctcgc      240
taacgacctc atgctcatca agttggacga atccgtgtcc gagtctgaca ccataccggag      300
catcagcatt gcttcgcagt gccctaccgc ggggaactct tgcctcgttt ctggctgggg      360
tctgctggcg aacggcagaa tgcctaccgt gctgcagtgc gtgaacgtgt cgggtggtgtc      420
tgaggagggtc tgcagtaagc tctatgaccc gctgtaccac cccagcatgt tctgcgccgg      480
cggaggggcaa gaccagaagg actcctgcaa cggtgactct gggggggcccc tgatctgcaa      540
cgggtacttg cagggccttg tgtctttcgg aaaagccccg tgtggccaag ttggcgtgcc      600
aggtgtctac accaacctct gcaaattcac tgagtggata gagaaaaccg tccaggccag      660
ttaactctgg ggactgggaa cccatgaaat tgacccccaa atacatcctg cggaaggaat      720
tcaggaatat ctgttcccag cccctcctcc ctcaggccca ggagtccagg cccccagccc      780
ctcctccctc aaaccaaggg tacagatccc cagccccctc tccctcagac ccaggagtcc      840
agacccccca gcccctcctc cctcagaccc aggagtccag cccctcctcc ctcagaccca      900
ggagtccaga cccccagcc cctcctccct cagaccaggg ggtccaggcc cccaaccct      960
cctccctcag actcagaggt ccaagcccc aaccctcct tccccagacc cagaggcca      1020
ggccccagcc cctcctccct cagaccagc ggtccaatgc cacctagact ctccctgtac      1080
acagtcccc cttgtggcac gttgaaccaa ccttaccagt tggtttttca tttttgtcc      1140
ctttccctta gatccagaaa taaagtctaa gagaagcgca aaaaaaaaaa aaaaaaaaaa      1200
aaaaaaaaaa aaaaaa                                     1215

```

<210> 327

<211> 220

<212> PRT

<213> Homo sapien

<400> 327

```

Glu Asp Cys Ser Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met
1          5          10          15
Glu Asn Glu Leu Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val
20          25          30
Leu Ser Ala Ala His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly
35          40          45
Leu His Ser Leu Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu
50          55          60
Ala Ser Leu Ser Val Arg His Pro Glu Tyr Asn Arg Pro Leu Leu Ala
65          70          75          80
Asn Asp Leu Met Leu Ile Lys Leu Asp Glu Ser Val Ser Glu Ser Asp
85          90          95
Thr Ile Arg Ser Ile Ser Ile Ala Ser Gln Cys Pro Thr Ala Gly Asn
100          105          110
Ser Cys Leu Val Ser Gly Trp Gly Leu Leu Ala Asn Gly Arg Met Pro
115          120          125
Thr Val Leu Gln Cys Val Asn Val Ser Val Val Ser Glu Glu Val Cys
130          135          140
Ser Lys Leu Tyr Asp Pro Leu Tyr His Pro Ser Met Phe Cys Ala Gly
145          150          155          160
Gly Gly Gln Asp Gln Lys Asp Ser Cys Asn Gly Asp Ser Gly Gly Pro
165          170          175
Leu Ile Cys Asn Gly Tyr Leu Gln Gly Leu Val Ser Phe Gly Lys Ala
180          185          190
Pro Cys Gly Gln Val Gly Val Pro Gly Val Tyr Thr Asn Leu Cys Lys
195          200          205
Phe Thr Glu Trp Ile Glu Lys Thr Val Gln Ala Ser
210          215          220

```

<210> 328

<211> 234
 <212> DNA
 <213> Homo sapien

<400> 328
 cgctcgtctc tggtagctgc agccaaatca taaacggcga ggactgcagc ccgcactcgc 60
 agccctggca ggcggcactg gtcattggaaa acgaattgtt ctgctcgggc gtcctgggtgc 120
 atccgcagtg ggtgctgtca gccacacact gtttccagaa ctctacacc atcgggctgg 180
 gcctgcacag tcttgaggcc gaccaagagc cagggagcca gatggtggag gcca 234

<210> 329
 <211> 77
 <212> PRT
 <213> Homo sapien

<400> 329
 Leu Val Ser Gly Ser Cys Ser Gln Ile Ile Asn Gly Glu Asp Cys Ser
 1 5 10 15
 Pro His Ser Gln Pro Trp Gln Ala Ala Leu Val Met Glu Asn Glu Leu
 20 25 30
 Phe Cys Ser Gly Val Leu Val His Pro Gln Trp Val Leu Ser Ala Thr
 35 40 45
 His Cys Phe Gln Asn Ser Tyr Thr Ile Gly Leu Gly Leu His Ser Leu
 50 55 60
 Glu Ala Asp Gln Glu Pro Gly Ser Gln Met Val Glu Ala
 65 70 75

<210> 330
 <211> 70
 <212> DNA
 <213> Homo sapien

<400> 330
 cccaacacaa tggcccgatc ccattccctga ctccgccctc aggatcgctc gtctctggta 60
 gctgcagcca 70

<210> 331
 <211> 22
 <212> PRT
 <213> Homo sapien

<400> 331
 Gln His Asn Gly Pro Ile Pro Ser Leu Thr Pro Pro Ser Gly Ser Leu
 1 5 10 15
 Val Ser Gly Ser Cys Ser
 20

<210> 332
 <211> 2507
 <212> DNA
 <213> Homo sapien

<400> 332
 tgggtgccgct gcagccggca gagatggttg agctcatgtt cccgctgttg ctctctcttc 60
 tgcccttctt tctgtatatg gctgcgcccc aaatcaggaa aatgctgtcc agtggggtgt 120

gtacatcaac	tggttcagctt	cctgggaaag	tagttgtggt	cacaggagct	aatacaggta	180
tcgggaagga	gacagccaaa	gagctggctc	agagaggagc	tcgagtatat	ttagcttgcc	240
gggatgtgga	aaagggggaa	ttggtggcca	aagagatcca	gaccacgaca	gggaaccagc	300
aggtgttggt	gcggaaactg	gacctgtctg	atactaagtc	tattcgagct	tttgctaagg	360
gcttcttagc	tgaggaaaag	cacctccacg	ttttgatcaa	caatgcagga	gtgatgatgt	420
gtccgtactc	gaagacagca	gatggctttg	agatgcacat	aggagtcaac	cacttgggtc	480
acttcctcct	aacccatctg	ctgctagaga	aactaaagga	atcagcccca	tcaaggatag	540
taaatgtgtc	ttccctcgca	catcacctgg	gaaggatcca	cttcataaac	ctgcagggag	600
agaaattcta	caatgcaggc	ctggcctact	gtcacagcaa	gctagccaac	atcctcttca	660
cccaggaact	ggcccggaga	ctaaaaggct	ctggcgcttac	gacgtattct	gtacaccctg	720
gcacagtcca	atctgaactg	gttcggcact	catctttcat	gagatggatg	tggtggcttt	780
tctccttttt	catcaagact	cctcagcagg	gagcccagac	cagcctgcac	tgtgccttaa	840
cagaaggtct	tgagattcta	agtgggaatc	atttcagtga	ctgtcatgtg	gcatgggtct	900
ctgcccgaagc	tcgtaatgag	actatagcaa	ggcggctgtg	ggacgtcagt	tgtgacctgc	960
tgggcctccc	aatagactaa	caggcagtg	cagttggacc	caagagaaga	ctgcagcaga	1020
ctacacagta	cttcttgtca	aaatgattct	ccttcaaggt	tttcaaaacc	tttagcaca	1080
agagagcaaa	accttccagc	cttgccctgct	tggtgtccag	ttaaaactca	gtgtactgcc	1140
agattcgtct	aaatgtctgt	catgtccaga	tttactttgc	ttctgttact	gccagagtta	1200
ctagagatat	cataatagga	taagaagacc	ctcatatgac	ctgcacagct	catttttcctt	1260
ctgaaagaaa	ctactaccta	ggagaatcta	agctatagca	gggatgattt	atgcaaat	1320
gaactagctt	ctttgttcac	aattcagttc	ctcccaacca	accagtcttc	acttcaagag	1380
ggccacactg	caacctcagc	ttaacatgaa	taacaaagac	tggctcagga	gcagggcttg	1440
cccaggcatg	gtggatcacc	ggagggtcagt	agttcaagac	cagcctggcc	aacatggtga	1500
aacccacact	ctactaaaaa	ttgtgtatat	ctttgtgtgt	cttcctgttt	atgtgtgcca	1560
agggagtatt	ttcaciaaagt	tcaaaacagc	cacaataatc	agagatggag	caaaccagtg	1620
ccatccagtc	tttatgcaaa	tgaaatgctg	caaagggaag	cagattctgt	atatgttggt	1680
aactacccac	caagagcaca	tgggtagcag	ggaagaagta	aaaaaagaga	aggagaatac	1740
tggaagataa	tgcacaaaat	gaagggacta	gttaaggatt	aactagccct	ttaaggatta	1800
actagttaag	gattaatagc	aaaagayatt	aaatatgcta	acatagctat	ggaggaattg	1860
agggcaagca	cccaggactg	atgagggtctt	aacaaaaacc	agtgtggcaa	aaaaaaaaaa	1920
aaaaaaaaaa	aaaaatccta	aaaacaaaca	aacaaaaaaa	acaattcttc	attcagaaaa	1980
attatcttag	ggactgatat	tggtaatatt	ggtcaattta	ataatatttt	ggggcatttc	2040
cttacattgt	cttgacaaga	ttaaaatgtc	tgtgccaata	ttttgtattt	tatttgagaa	2100
cttcttatca	aaagtaatgc	tgccaaagga	agtcctaagga	attagtagtg	ttcccatcac	2160
ttgtttggag	tgtgctattc	taaaagattt	tgatttcctg	gaatgacaat	tatatattta	2220
ctttggtggg	ggaaagagtt	ataggaccac	agtcttcact	tctgatactt	gtaaattaat	2280
ctttttattg	acttgttttg	accattaagc	tatatgttta	gaaatggtca	ttttacggaa	2340
aaattagaaa	aattctgata	atagtgcaga	ataaatgaat	taatgtttta	cttaatttat	2400
attgaactgt	caatgacaaa	taaaaattct	ttttgattat	tttttgtttt	catttaccag	2460
aataaaaaacg	taagaattaa	aagtttgatt	acaaaaaaaa	aaaaaaa		2507

<210> 333

<211> 3030

<212> DNA

<213> Homo sapien

<400> 333

gcaggcgact	tgcgagctgg	gagcgattta	aaacgctttg	gattcccccg	gcctgggtgg	60
ggagagcgag	ctgggtgccc	cctagattcc	ccgccccgc	acctcatgag	ccgaccctcg	120
gctccatgga	gcccggcaat	tatgccacct	tggatggagc	caaggatata	gaaggcttgc	180
tgggagcggg	agggggggcg	aatctggtcg	cccactcccc	tctgaccagc	caccacagcg	240
cgcttacgct	gatgcctgct	gtcaactatg	cccccttgga	tctgccaggc	tcggcgaggc	300
cgccaaagca	atgccaccca	tgccctgggg	tgccccaggg	gacgtcccca	gctcccgtgc	360
cttatgggta	ctttggaggc	gggtactact	cctgccgagt	gtcccggagc	tcgctgaaac	420
cctgtgcccc	ggcagccacc	ctggccgcgt	accccgcgga	gactcccacg	gcccggggaag	480

agtagccag	ycgccccact	gagtttgcct	tctatccggg	atatccggga	acctaccagc	540
ctatggccag	ttacctggac	gtgtctgtgg	tgcagactct	gggtgctcct	ggagaaccgc	600
gacatgactc	cctgttgcct	gtggacagtt	accagtcttg	ggctctcgct	ggtggctgga	660
acagccagat	gtgttgccag	ggagaacaga	acccaccagg	tcccttttgg	aaggcagcat	720
ttgcagactc	cagcgggcag	cacctctctg	acgcctgcgc	ctttcgtcgc	ggccgcaaga	780
aacgcattcc	gtacagcaag	gggcagtgtc	gggagctgga	gcgggagtat	gcggctaaca	840
agttcatcac	caaggacaag	aggcgcaaga	tctcggcagc	caccagcctc	tcggagcgcc	900
agattaccat	ctggttttcag	aaccgcggg	tcaaagagaa	gaaggttctc	gccaaggtga	960
agaacagcgc	tacctcttaa	gagatctcct	tgcttgggtg	ggaggagcga	aagtgggggt	1020
gtcctgggga	gaccaggaac	ctgccaagcc	caggctgggg	ccaaggactc	tgctgagagg	1080
cccctagaga	caacaccctt	cccaggccac	tggtgctggg	actgttctct	aggagcgccc	1140
tgggtaccca	gtatgtgcag	ggagacggaa	ccccatgtga	cagccctactc	caccaggggt	1200
cccaaagaac	ctggcccagt	cataatcatt	catcctgaca	gtggcaataa	tcacgataac	1260
cagtactagc	tgccatgac	gttagcctca	tattttctat	ctagagctct	gtagagcact	1320
ttagaaaccg	ctttcatgaa	ttgagcta	tatgaataaa	tttgaaggc	gatcccttctg	1380
cagggaaagt	ttctctcaga	cccccttcca	ttacacctct	cacctggta	acagcaggaa	1440
gactgaggag	aggggaacgg	gcagattcgt	tgtgtggctg	tgatgtccgt	ttagcatttt	1500
tctcagctga	cagctgggta	ggtggacaat	tgtagaggct	gtctcttctc	ccctccttgt	1560
ccaccccata	gggtgtaccc	actggtcttg	gaagcaccga	tccttaatac	gatgattttt	1620
ctgtcgtgtg	aaaatgaagc	cagcaggctg	cccctagtca	gtccttctct	ccagagaaaa	1680
agagatttga	gaaagtgcct	gggtaattca	ccattaattt	cctcccccaa	actctctgag	1740
tcttccctta	atatttctgg	tggttctgac	caaagcaggt	catggtttgt	tgagcatttg	1800
ggatcccagt	gaagtagatg	tttgtagcct	tgcatactta	gcccttccca	ggcacaacacg	1860
gagtggcaga	gtggtgccaa	ccctgttttc	ccagtccacg	tagacagatt	cacagtgcgg	1920
aattctggaa	gctggagaca	gacgggctct	ttgcagagcc	gggactctga	gagggacatg	1980
agggcctctg	cctctgtgtt	cattctctga	tgctctgtac	ctgggctcag	tgcccgggtgg	2040
gactcatctc	ctggccgcgc	agcaaagcca	gcgggttcgt	gctggctcct	cctgcacctt	2100
aggctggggg	tggggggcct	gccggcgcat	tctccacgat	tgagcgcaca	ggcctgaagt	2160
ctggacaacc	cgcagaaccg	aagctccgag	cagcgggtcg	gtggcgagta	gtggggtcgg	2220
tggcgagcag	ttggtggtgg	gccgcggccg	ccactacctc	gaggacattt	ccctcccggga	2280
gccagctctc	ctagaaaccc	cgcggcgccc	gccgcagcca	agtgtttatg	gccgcgggtc	2340
gggtgggagc	ctagccctgt	ctcctctcct	gggaaggagt	gagggtggga	cgtgacttag	2400
acacctacaa	atctatttac	caaagaggag	cccgggactg	agggaaaagg	ccaaagagtg	2460
tgagtgcag	cggactgggg	gttcagggga	agaggcagag	gaggaggaag	atgagggtcga	2520
tttctgatt	taaaaaatcg	tccaagcccc	gtggtccagc	ttaaggctct	cgtttacatg	2580
cgcgcgtcag	agcaggtcac	tttctgcctt	ccacgtcctc	cttcaaggaa	gccccatgtg	2640
ggtagctttc	aatatcgag	gttcttactc	ctctgcctct	ataagctcaa	acccaccaac	2700
gatcggggcaa	gtaaaccccc	tcctctgcgc	acttcggaa	tgccgagagt	tcagcgcaga	2760
tgggcctgtg	gggagggggc	aagatagatg	agggggagcg	gcaggtgcg	gggtgacccc	2820
ttggagagag	gaaaaaggcc	acaagagggg	ctgccaccgc	cactaacgga	gatggccctg	2880
gtagagacct	ttgggggtct	ggaacctctg	gactccccat	gctctaactc	ccacactctg	2940
ctatcagaaa	cttaaaactt	aggattttct	ctgtttttca	ctcgcaataa	aytcagagca	3000
aacaaaaaaa	aaaaaaaaaa	aaaactcgag				3030

<210> 334

<211> 2417

<212> DNA

<213> Homo sapien

<400> 334

ggcggcgcgt	ctagagctag	tgggatcccc	cgggctgcac	gaattcggca	cgagtgagtt	60
ggagttttac	ctgtattgtt	tttaatttcaa	caagcctgag	gactagccac	aaatgtaccc	120
agtttacaaa	tgaggaaaca	ggtgcaaaaa	ggttgttacc	tgtcaaagg	cgtatgtggc	180
agagccaaga	tttgagccca	gttatgtctg	atgaacttag	cctatgctct	ttaaacttct	240
gaatgctgac	cattgaggat	atctaaactt	agatcaattg	cattttccct	ccaagactat	300

ttactttatca	atacaataat	accaccttta	ccaatctatt	gttttgatac	gagactcaaa	360
tatgccagat	atatgtaaaa	gcaacctaca	agctctctaa	tcatgctcac	ctaaaagatt	420
cccgggatct	aataggctca	aagaaacttc	ttctagaaat	ataaaagaga	aaattggatt	480
atgcaaaaat	tcattattaa	tttttttcat	ccatccttta	attcagcaaa	catttatctg	540
ttgttgactt	tatgcagtat	ggccttttaa	ggattggggg	acagggtgaag	aacgggggtgc	600
cagaatgcat	cctcctacta	atgaggctcag	tacacatttg	catttttaaaa	tgccctgtcc	660
agctgggcat	ggtggatcat	gcctgtaatc	tcaacatttg	aaggccaagg	caggaggatt	720
gcttcagccc	aggagttaa	gaccagcctg	ggcaacatag	aaagacccca	tctctcaatc	780
aatcaatcaa	tgccctgtct	ttgaaaataa	aactctttta	gaaaggttta	atgggcaggg	840
tgtggtagct	catgcctata	atacagcact	ttgggaggct	gaggcaggag	gatcacttta	900
gcccagaagt	tcaagaccag	cctgggcaac	aagtgcaccc	tcatctcaat	tttttaataa	960
aatgaatata	tacataagga	aagataaaaa	gaaaagttta	atgaaagaat	acagtataaa	1020
acaaaatctct	tggacctaaa	agtatttttg	ttcaagccaa	atattgtgaa	tcacctctct	1080
gtgttgagga	tacagaatat	ctaagccag	gaaactgagc	agaaagttca	tgtactaact	1140
aatcaacccg	aggcaaggca	aaaatgagac	taactaatca	atccgaggca	agggggcaaat	1200
tagacggaac	ctgactctgg	tctattaagc	gacaactttc	cctctgttgt	atttttcttt	1260
tattcaatgt	aaaaggataa	aaactctcta	aaactaaaaa	caatgtttgt	caggagttac	1320
aaaccatgac	caactaatta	tggggaatca	taaaatatga	ctgtatgaga	tcttgatggt	1380
ttacaaagtg	taccactgt	taatcacttt	aaacattaat	gaacttaaaa	atgaatttac	1440
ggagattgga	atgtttcttt	cctgttgtat	tagttggctc	aggctgccat	aacaaaatac	1500
cacagactgg	gaggcttaag	taacagaaat	tcatttctca	cagttctggg	ggctggaagt	1560
ccacgatcaa	ggtgcaggaa	aggcaggctt	cattctgagg	ccccctctct	ggctcacatg	1620
tggccaccct	ccactgctg	gctcacatga	cctctttgtg	ctcctggaaa	gagggtgtgg	1680
gggacagagg	gaaagagaag	gagagggaac	tctctggtgt	ctcgtctttc	aaggacccta	1740
acctgggcca	ctttggccca	ggcactgtgg	ggtggggggg	tgtggctgct	ctgctctgag	1800
tggccaagat	aaagcaacag	aaaaatgtcc	aaagctgtgc	agcaaagaca	agccaccgaa	1860
cagggatctg	ctcatcagtg	tggggacctc	caagtgggcc	accctggagg	caagccccc	1920
cagagcccat	gcaagggtgg	agcagcagaa	gaagggaatt	gtccctgtcc	ttggcacatt	1980
cctcaccgac	ctggtgatgc	tggacactgc	gatgaatggt	aatgtggatg	agaatatgat	2040
ggactccag	aaaaggagac	ccagctgtct	aggtggctgc	aaatcattac	agccttcac	2100
ctggggagga	actggggggc	tgggttctggg	tcagagagca	gcccagtgag	ggtgagagct	2160
acagcctgtc	ctgccagctg	gatccccagt	cccggccaac	cagtaataca	ggctgagcag	2220
atcaggcttc	ccggagctgg	tcttggggaag	ccagccctgg	ggtgagttgg	ctcctgctgt	2280
ggtactgaga	caatattgtc	ataaattcaa	tgcgcccttg	tatccctttt	tcttttttat	2340
ctgtctacat	ctataatcac	tatgcatact	agtctttgtt	agtgtttcta	ttcmacttaa	2400
tagagatatg	ttatact					2417

<210> 335

<211> 2984

<212> DNA

<213> Homo sapien

<400> 335

atccctcctt	ccccactctc	ctttccagaa	ggcacttggg	gtcttatctg	ttggactctg	60
aaaacacttc	agggcgccct	ccaaggcttc	cccaaaccct	taagcagccg	cagaagcgct	120
cccagagctgc	cttctccac	actcaggtga	tcgagttgga	gaggaagttc	agccatcaga	180
agtacctgtc	ggccccgaa	cgggcccacc	tggccaagaa	cctcaagctc	acggagacct	240
aagtgaagat	atggttccag	aacagacgct	ataagactaa	gcgaaagcag	ctctcctcgg	300
agctgggaga	cttggagaag	cactcctctt	tgccggccct	gaaagaggag	gccttctccc	360
gggectccct	ggtctccgtg	tataacagct	atccttacta	cccatacctg	tactgctgtg	420
gcagctggag	cccagctttt	tggtaatgcc	agctcaggtg	acaaccatta	tgatcaaaaa	480
ctgccttccc	cagggtgtct	ctatgaaaag	cacaaggggg	caaggtcagg	gagcaagagg	540
tgtgcacacc	aaagctattg	gagatttgcg	tggaaatctc	asattcttca	ctggtgagac	600
aatgaaacaa	cagagacagt	gaaagtttta	atacctaa	cattcccca	gtgcatactg	660
taggtcattt	tttttgcttc	tggctacctg	tttgaagggg	agagagggaa	aatcaagtg	720

tattttccag	cactttgtat	gattttggat	gagctgtaca	cccaaggatt	ctgttctgca	780
actccatcct	cctgtgtcac	tgaatatcaa	ctctgaaaga	gcaaacctaa	caggagaaag	840
gacaaccagg	atgaggatgt	caccaactga	attaaactta	agtccagaag	cctcctgttg	900
gccttggaat	atggccaagg	ctctctctgt	ccctgtaaaa	gagaggggca	aatagagagt	960
ctccaagaga	acgccctcat	gctcagcaca	tatttgcata	ggagggggag	atgggtggga	1020
ggagatgaaa	atatcagctt	ttcttattcc	tttttattcc	ttttaaaatg	gtatgccaac	1080
ttaagtattt	acaggggtgc	ccaaatagaa	caagatgcac	tcgctgtgat	tttaagacaa	1140
gctgtataaa	cagaactcca	ctgcaagagg	gggggcccgg	ccaggagaat	ctccgcttgt	1200
ccaagacagg	ggcctaagga	gggtctccac	actgctgcta	ggggctgttg	cattttttta	1260
ttagtagaaa	gtggaaaggc	ctcttctcaa	cttttttccc	ttgggctgga	gaatttagaa	1320
tcagaagtgt	cctggagtgt	tcaggctatc	atatatactg	tatcctgaaa	ggcaacataa	1380
ttcttccttc	cctcctttta	aaattttgtg	ttcctttttg	cagcaattac	tcactaaagg	1440
gcttcatttt	agtccagatt	tttagtctgg	ctgcacctaa	cttatgcctc	gcttatttag	1500
cccagatctt	gggtcttttt	tttttttttt	tttttccgtc	tcccaaagc	tttatctgtc	1560
ttgacttttt	aaaaaagttt	gggggagcat	tctgaattgg	ctaaaagaca	tgcattttta	1620
aaactagcaa	ctcttatttc	tttcctttta	aaatacatag	cattaaatcc	caaactctat	1680
ttaaagacct	gacagcttga	gaaggctcact	actgcattta	taggaccttc	tgggtggtct	1740
gctgttacgt	ttgaagtctg	acaatccttg	agaatctttg	catgcagagg	aggttaagagg	1800
tattggattt	tcacagagga	agaacacagc	gcagaatgaa	gggccaggct	tactgagctg	1860
tccagtggag	ggctcatggg	tgggacatgg	aaaagaaggc	agcctaggcc	ctggggagcc	1920
cagtccactg	agcaagcaag	ggactgagtg	agccttttgc	aggaaaaggc	taagaaaaag	1980
gaaaaccatt	ctaaaacaca	acaagaaact	gtccaaatgc	tttgggaact	gtgtttattg	2040
cctataatgg	gtcccaaaaa	tgggtaacct	agacttcaga	gagaatgagc	agagagcaaa	2100
ggagaaatct	ggctgtcctt	ccattttcat	tctgttatct	cagggtgagct	ggtagagggg	2160
agacattaga	aaaaaatgaa	acaacaaaac	aattactaat	gaggtacgct	gaggcctggg	2220
agtctcttga	ctccactact	taattccgtt	tagtgagaaa	cctttcaatt	ttcttttatt	2280
agaagggccca	gcttactgtt	ggtggcaaaa	ttgccaaact	aagttaatat	aaagtgtggc	2340
aatttcaccc	cattttctgt	ggtttgggct	ccacattgca	atgttcaatg	ccacgtgctg	2400
ctgacaccga	ccggagtact	agccagcaca	aaaggcaggg	tagcctgaat	tgttttctgc	2460
tctttacatt	tcttttaaaa	taagcattta	gtgctcagtc	cctactgagt	actctttctc	2520
tcccctcttc	tgaatttaaa	tctttcaact	tgcattttgc	aaggattaca	catttctctg	2580
tgatgtatat	tgtgttgcaa	aaaaaaaaaa	aagtgtcttt	gtttaaaatt	acttggtttg	2640
tgaatccatc	ttgctttttc	cccattggaa	ctagtcatca	acccatctct	gaactggtag	2700
aaaaacatct	gaagagctag	tctatcagca	tctgacaggt	gaattggatg	gttctcagaa	2760
ccattttcacc	cagacagcct	gtttctatcc	tgtttaataa	attagtttgg	gttctctaca	2820
tgcataacaa	accctgctcc	aatctgtcac	ataaaagtct	gtgacttgaa	gtttagtcag	2880
cacccccacc	aaactttatt	tttctatgtg	ttttttgcaa	catatgagtg	ttttgaaaat	2940
aaagtaccca	tgtctttatt	agaaaaaaaa	aaaaaaaaaa	aaaa		2984

<210> 336

<211> 147

<212> PRT

<213> Homo sapien

<400> 336

Pro	Ser	Phe	Pro	Thr	Leu	Leu	Ser	Arg	Arg	His	Leu	Gly	Ser	Tyr	Leu
1			5					10						15	
Leu	Asp	Ser	Glu	Asn	Thr	Ser	Gly	Ala	Leu	Pro	Arg	Leu	Pro	Gln	Thr
			20					25					30		
Pro	Lys	Gln	Pro	Gln	Lys	Arg	Ser	Arg	Ala	Ala	Phe	Ser	His	Thr	Gln
			35					40					45		
Val	Ile	Glu	Leu	Glu	Arg	Lys	Phe	Ser	His	Gln	Lys	Tyr	Leu	Ser	Ala
			50					55				60			
Pro	Glu	Arg	Ala	His	Leu	Ala	Lys	Asn	Leu	Lys	Leu	Thr	Glu	Thr	Gln
65					70					75					80

Val Lys Ile Trp Phe Gln Asn Arg Arg Tyr Lys Thr Lys Arg Lys Gln
 85 90 95
 Leu Ser Ser Glu Leu Gly Asp Leu Glu Lys His Ser Ser Leu Pro Ala
 100 105 110
 Leu Lys Glu Glu Ala Phe Ser Arg Ala Ser Leu Val Ser Val Tyr Asn
 115 120 125
 Ser Tyr Pro Tyr Tyr Pro Tyr Leu Tyr Cys Val Gly Ser Trp Ser Pro
 130 135 140
 Ala Phe Trp
 145

<210> 337
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 337
 Ala Leu Thr Gly Phe Thr Phe Ser Ala
 1 5

<210> 338
 <211> 9
 <212> PRT
 <213> Homo sapien

<400> 338
 Leu Leu Ala Asn Asp Leu Met Leu Ile
 1 5

<210> 339
 <211> 318
 <212> PRT
 <213> Homo sapien

<400> 339
 Met Val Glu Leu Met Phe Pro Leu Leu Leu Leu Leu Leu Pro Phe Leu
 1 5 10 15
 Leu Tyr Met Ala Ala Pro Gln Ile Arg Lys Met Leu Ser Ser Gly Val
 20 25 30
 Cys Thr Ser Thr Val Gln Leu Pro Gly Lys Val Val Val Val Thr Gly
 35 40 45
 Ala Asn Thr Gly Ile Gly Lys Glu Thr Ala Lys Glu Leu Ala Gln Arg
 50 55 60
 Gly Ala Arg Val Tyr Leu Ala Cys Arg Asp Val Glu Lys Gly Glu Leu
 65 70 75 80
 Val Ala Lys Glu Ile Gln Thr Thr Thr Gly Asn Gln Gln Val Leu Val
 85 90 95
 Arg Lys Leu Asp Leu Ser Asp Thr Lys Ser Ile Arg Ala Phe Ala Lys
 100 105 110
 Gly Phe Leu Ala Glu Glu Lys His Leu His Val Leu Ile Asn Asn Ala
 115 120 125
 Gly Val Met Met Cys Pro Tyr Ser Lys Thr Ala Asp Gly Phe Glu Met
 130 135 140
 His Ile Gly Val Asn His Leu Gly His Phe Leu Leu Thr His Leu Leu

145 150 155 160
 Leu Glu Lys Leu Lys Glu Ser Ala Pro Ser Arg Ile Val Asn Val Ser
 165 170 175
 Ser Leu Ala His His Leu Gly Arg Ile His Phe His Asn Leu Gln Gly
 180 185 190
 Glu Lys Phe Tyr Asn Ala Gly Leu Ala Tyr Cys His Ser Lys Leu Ala
 195 200 205
 Asn Ile Leu Phe Thr Gln Glu Leu Ala Arg Arg Leu Lys Gly Ser Gly
 210 215 220
 Val Thr Thr Tyr Ser Val His Pro Gly Thr Val Gln Ser Glu Leu Val
 225 230 235 240
 Arg His Ser Ser Phe Met Arg Trp Met Trp Trp Leu Phe Ser Phe Phe
 245 250 255
 Ile Lys Thr Pro Gln Gln Gly Ala Gln Thr Ser Leu His Cys Ala Leu
 260 265 270
 Thr Glu Gly Leu Glu Ile Leu Ser Gly Asn His Phe Ser Asp Cys His
 275 280 285
 Val Ala Trp Val Ser Ala Gln Ala Arg Asn Glu Thr Ile Ala Arg Arg
 290 295 300
 Leu Trp Asp Val Ser Cys Asp Leu Leu Gly Leu Pro Ile Asp
 305 310 315

<210> 340

<211> 483

<212> DNA

<213> Homo sapien

<400> 340

gccgagggtct	gccttcacac	ggaggacacg	agactgcttc	ctcaaggggt	cctgcctgcc	60
tggacactgg	tgggagggcg	tgttttagttg	gctgttttca	gaggggtctt	tcggagggac	120
ctcctgctgc	aggctggagt	gtctttattc	ctggcgggag	accgcacatt	ccactgctga	180
ggttgtgggg	gcggtttatc	aggcagtgat	aaacataaga	tgtcatttcc	ttgactccgg	240
ccttcaattt	tctctttggc	tgacgacgga	gtccgtgggtg	tcccgatgta	actgaccocc	300
gctccaaacg	tgacatcaact	gatgctcttc	tcgggggtgc	tgatggcccc	cttgggtcacg	360
tgctcaatct	cgccattcga	ctcttgctcc	aaactgtatg	aagacacctg	actgcacggt	420
ttttctgggc	ttccagaatt	taaagtgaag	ggcagcactc	ctaagctccg	actccgatgc	480
ctg						483

<210> 341

<211> 344

<212> DNA

<213> Homo sapien

<400> 341

ctgctgctga	gtcacagatt	tcattataaa	tagcctccct	aaggaaaata	cactgaatgc	60
tatttttact	aaccattcta	tttttataga	aatagctgag	agttttctaa	ccaactctct	120
gctgccttac	aagtattaaa	tattttactt	ctttccataa	agagtagctc	aaaatatgca	180
attaatttaa	taattttctga	tgatggtttt	atctgcagta	atatgtatat	catctattag	240
aatttactta	atgaaaaact	gaagagaaca	aaatttgtaa	ccactagcac	ttaagtactc	300
ctgattctta	acattgtctt	taatgaccac	aagacaacca	acag		344

<210> 342

<211> 592

<212> DNA

<213> Homo sapien

<400> 342

acagcaaaaa	agaaactgag	aagcccaaty	tgctttcttg	ttaacatcca	cttatccaac	60
caatgtggaa	acttcttata	cttgggtcca	ttatgaagtt	ggacaattgc	tgctatcaca	120
cctggcaggt	aaaccaatgc	caagagagtg	atggaaacca	ttggcaagac	tttgttgatg	180
accaggattg	gaattttata	aaaatattgt	tgatgggaag	ttgctaaagg	gtgaattact	240
tccctcagaa	gagtgtaaaag	aaaagtcaga	gatgctataa	tagcagctat	tttaattggc	300
aagtgccact	gtggaaagag	ttcctgtgtg	tgctgaagtt	ctgaagggca	gtcaaattca	360
tcagcatggg	ctgtttgggtg	caaatgcaaa	agcacaggtc	tttttagcat	gctggctctc	420
cccgtgtcct	tatgcaaata	atcgtcttct	tctaaatttc	tcctaggctt	cattttccaa	480
agttcttctt	ggtttgtgat	gtcttttctg	ctttccatta	attctataaa	atagtatggc	540
ttcagccacc	cactcttcgc	cttagcttga	ccgtgagttc	cggctgccgc	tg	592

<210> 343

<211> 382

<212> DNA

<213> Homo sapien

<400> 343

ttcttgacct	cctctcctt	caagctcaaa	caccacctcc	cttattcagg	accggcactt	60
cttaatgttt	gtggctttct	ctccagcctc	tcttaggagg	ggtaatggtg	gagttggcat	120
cttgtaactc	tcctttctcc	tttcttcccc	ttctctgcc	cgcctttccc	atcctgctgt	180
agacttcttg	attgtcagtc	tytgtcacat	ccagtgattg	ttttggtttc	tgttcccttt	240
ctgactgccc	aaggggctca	gaaccccagc	aatcccttcc	tttcactacc	ttcttttttg	300
ggggtagttg	gaagggactg	aaattgtggg	gggaaggtag	gaggcacatc	aataaagagg	360
aaaccaccaa	gctgaaaaaa	aa				382

<210> 344

<211> 536

<212> DNA

<213> Homo sapien

<400> 344

ctgggcctga	agctgtaggg	taaatcagag	gcaggcttct	gagtgatgag	agtcctgaga	60
caataggcca	cataaacttg	gctggatgga	acctcacaat	aagggtgtca	cctcttggtt	120
gtttaggggg	atgccaagga	taaggccagc	tcagttatat	gaagagaagc	agaacaaaca	180
agtccttcag	agaaatggat	gcaatcagag	tgggatcccc	gtcacatcaa	ggtcacactc	240
caccttcagt	tgcttgaatg	gttgccaggt	cagaaaaatc	caccccttac	gagtgcggct	300
tcgaccttat	atccccgcc	cgcgtccctt	tctccataaa	attcttctta	gtagctatta	360
ccttcttatt	atttgatcta	gaaattgccc	tcctttttacc	cctaccatga	gccctacaaa	420
caactaacct	gccactaata	gttatgtcat	ccctcttatt	aatcatcatc	ctagccctaa	480
gtctggccta	tgagtgacta	caaaaaggat	tagactgagc	cgaataacaa	aaaaaa	536

<210> 345

<211> 251

<212> DNA

<213> Homo sapien

<400> 345

accttttgag	gtctctctca	ccacctccac	agccaccgtc	accgtgggat	gtgctggatg	60
tgaatgaagc	ccccatcttt	gtgcctcctg	aaaagagagt	ggaagtgtcc	gaggactttg	120
gcgtgggcca	ggaaatcaca	tcctacactg	cccaggagcc	agacacattt	atggaacaga	180
aaataacata	tcggatttgg	agagacactg	ccaactggct	ggagattaat	ccggacactg	240
gtgccatttc	c					251

<210> 346
 <211> 282
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(282)
 <223> n = A,T,C or G

<400> 346
 cgcgtctctg acactgtgat catgacaggg gttcaaacag aaagtgcctg ggccctcctt 60
 ctaagtcttg ttaccaaaaa aaggaaaaag aaaagatctt ctcaagtaca aattctggga 120
 agggagacta tacctggctc ttgccctaag tgagaggtct tccctcccg accaaaaaat 180
 agaaaggctt tctatttcac tggcccaggt agggggaagg agagtaactt tgagtctgtg 240
 ggtctcattt cccaagggtc cttcaatgct catnaaaacc aa 282

<210> 347
 <211> 201
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(201)
 <223> n = A,T,C or G

<400> 347
 acacacataa tattataaaa tgccatctaa ttggaaggag ctttctatca ttgcaagtca 60
 taaatataac ttttaaaaana ntactancag cttttaccta ngctcctaaa tgcttgtaaa 120
 tctgagactg actggaccca ccagaccca gggcaaagat acatggtacc atatcatctt 180
 tataaagaat tttttttgt c 201

<210> 348
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 348
 ctgttaatca caacatttgt gcatcacttg tgccaagtga gaaaatgttc taaaatcaca 60
 agagagaaca gtgccagaat gaaactgacc ctaagtccca ggtgcccctg ggcaggcaga 120
 aggagacact ccagcatgg aggagggtt atcttttcat cctaggtcag gtctacaatg 180
 ggggaagggtt ttattataga actcccaaca gcccacctca ctctgcccac ccacccgatg 240
 gccctgcttc c 251

<210> 349
 <211> 251
 <212> DNA
 <213> Homo sapien

<400> 349
 taaaaatcaa gccatttaat tgtatctttg aaggtaaaca atatatggga gctggatcac 60
 aacccttgag gatgccagag ctatgggtcc agaacatggg gtggtattat caacagagtt 120
 cagaaggggtc tgaactctac gtgttaccag agaacataat gcaattcatg cattccactt 180
 agcaattttg taaaatacca gaaacagacc ccaagagtct ttcaagatga ggaaaattca 240

actcctgggtt t

251

<210> 350

<211> 908

<212> DNA

<213> Homo sapien

<400> 350

ctggacactt	tgcgagggct	tttgctggct	gctgctgctg	cccgatcatgc	tactcatcgt	60
agcccgcccg	gtgaagctcg	ctgctttccc	tacctcctta	agtgactgcc	aaacgcccac	120
cggctggaat	tgctctgggt	atgatgacag	agaaaatgat	ctcttcctct	gtgacaccaa	180
cacctgtaaa	tttgatgggg	aatgtttaag	aattggagac	actgtgactt	gcgtctgtca	240
gttcaagtgc	aacaatgact	atgtgcctgt	gtgtgggtcc	aatggggaga	gctaccagaa	300
tgagtgttac	ctgcgacagg	ctgcatgcaa	acagcagagt	gagatacttg	tggtgtcaga	360
aggatcatgt	gccacagtcc	atgaaggctc	tggagaaact	agtcaaaagg	agacatccac	420
ctgtgatatt	tgccagtttg	gtgcagaatg	tgacgaagat	gccgaggatg	tctgggtgtg	480
gtgtaatat	gactgtttct	aaaccaactt	caatcccctc	tgcgcttctg	atgggaaatc	540
ttatgataat	gcatgccaaa	tcaaagaagc	atcgtgtcag	aaacaggaga	aaattgaagt	600
catgtctttg	ggtcgatgtc	aagataaacac	aactacaact	actaagtctg	aagatgggca	660
ttatgcaaga	acagattatg	cagagaatgc	taacaaatta	gaagaaagtg	ccagagaaca	720
ccacatacct	tgtccggaac	attacaatgg	cttctgcatg	catgggaagt	gtgagcattc	780
tatcaatatg	caggagccat	cttgagggtg	tgatgctggg	tatactggac	aacactgtga	840
aaaaaaggac	tacagtgttc	tatacgttgt	tcccggctct	gtacgatttc	agtatgtctt	900
aatcgcatg						908

<210> 351

<211> 472

<212> DNA

<213> Homo sapien

<400> 351

ccagttattt	gcaagtggta	agagcctatt	taccataaat	aatactaaga	accaactcaa	60
gtcaaacctt	aatgccattg	ttattgtgaa	ttaggattaa	gtagtaattt	tcaaaattca	120
cattaacttg	attttaaaaat	cagwtttgyg	agtcattttac	cacaagctaa	atgtgtacac	180
tatgataaaa	acaaccattg	tattcctgtt	tttctaaaca	gtcctaattt	ctaactctgt	240
atatatcctt	cgacatcaat	gaactttgtt	ttcttttact	ccagtaataa	agtaggcaca	300
gatctgtcca	caacaaactt	gccctctcat	gccttgccctc	tcaccatgct	ctgctccagg	360
tcagccccct	tttggcctgt	ttgttttgtc	aaaaacctaa	tctgcttctt	gcttttcttg	420
gtaatatata	tttaggggaag	atgttgcttt	gccacacac	gaagcaaagt	aa	472

<210> 352

<211> 251

<212> DNA

<213> Homo sapien

<400> 352

ctcaaagcta	atctctcggt	aatcaaacca	gaaaagggca	aggatcttag	gcatgggtgga	60
tgtggataag	gccagggtcaa	tggctgcaag	catgcagaga	aagaggtaca	tcggagcgtg	120
caggctgcgt	tccgtcctta	cgatgaagac	cacgatgcag	tttccaaaca	ttgccactac	180
atacatggaa	aggaggggga	agccaaccca	gaaatgggct	ttctctaata	ctgggatacc	240
aataagcaca	a					251

<210> 353

<211> 436

<212> DNA

<213> Homo sapien

<400> 353

tttttttttt	tttttttttt	tttttttaca	caatgcagtc	atattattat	tgagtatgtg	60
cacattatgg	tattattact	atactgatta	tatttatcat	gtgacttcta	attaraaaat	120
gtatccaaaa	gcaaaacagc	agatatata	aattaaagag	acagaagata	gacattaaca	180
gataaggcaa	cttatacatt	gacaatccaa	atccaatata	tttaaacatt	tgggaaatga	240
ggggggacaaa	tggaagccar	atcaaatttg	tgtaaaacta	ttcagtatgt	ttcccttgc	300
tcatgtctga	raaggctctc	ccttcaatgg	ggatgacaaa	ctccaaatgc	cacacaaatg	360
ttaacagaat	actagattca	cactggaacg	ggggtaaaga	agaaattatt	ttctataaaa	420
gggctcctaa	tgtagt					436

<210> 354

<211> 854

<212> DNA

<213> Homo sapien

<400> 354

ccttttctag	ttcaccagtt	ttctgcaagg	atgctgggta	gggagtgtct	gcaggaggag	60
caagtctgaa	accaaatacta	ggaaacatag	gaaacgagcc	aggcacaggg	ctgggtgggccc	120
atcagggacc	accctttggg	ttgatatttt	gcttaaatctg	catcttttga	gtaagatcat	180
ctggcagtag	aagctgttct	ccagggtacat	ttctctagct	catgtacaaa	aacatcctga	240
aggactttgt	caggtgcctt	gctaaaagcc	agatgcgttc	ggcacttcct	tggtctgagg	300
ttaattgcac	acctacaggg	actgggctca	tgctttcaag	tattttgtcc	tcacttttagg	360
gtgagtga	gatccccatt	ataggagcac	ttgggagaga	tcataataaaa	gctgactcct	420
gagtacatgc	agtaatgggg	tagatgtgtg	tggtgtgtct	tcattcctgc	aagggtgctt	480
gttagggagt	gtttccagga	ggaacaagtc	tgaaccaat	catgaaataa	atgggtagggtg	540
tgaactggaa	aactaattca	aaagagagat	cgtgatata	gtgtgggtga	tacaccttgg	600
caatatggaa	ggctctaatt	tgcccatatt	tgaataata	attcagcttt	ttgtaataca	660
aaataacaaa	ggattgagaa	tcattggtgtc	taattgtata	aagacccagg	aaacataaat	720
atatcaactg	cataaatgta	aaatgcatgt	gacccaagaa	ggccccaag	tggcagacaa	780
cattgtacce	attttccctt	ccaaaatgtg	agcggcgggc	ctgctgcttt	caaggctgtc	840
acacgggatg	tcag					854

<210> 355

<211> 676

<212> DNA

<213> Homo sapien

<400> 355

gaaattaagt	atgagctaaa	ttccctgtta	aaacctctag	gggtgacaga	tctcttcaac	60
caggtcaaag	ctgatctttc	tggaatgtca	ccaaccaagg	gcctatatatt	atcaaaaagcc	120
atccacaagt	catacctgga	tgtcagcgaa	gagggcacgg	aggcagcagc	agccactggg	180
gacagcatcg	ctgtaaaaag	cctaccaatg	agagctcagt	tcaaggcgaa	ccaccccttc	240
ctgtttctta	taaggcacac	tcataccaac	acgatcctat	tctgtggcaa	gcttgccctc	300
ccctaatacag	atgggggtga	gtaaggctca	gagttgcaga	tgagggtgcag	agacaatcct	360
gtgactttcc	cacggccaaa	aagctgttca	cacctcacgc	acctctgtgc	ctcagtttgc	420
tcattctgaa	aataaggtcta	ggatttcttc	caaccatttc	atgagttgtg	aagctaaggc	480
tttgttaatc	atggaaaaag	gtagacttat	gcagaaaagcc	tttctggctt	tcttatctgt	540
ggtgtctcat	ttgagtgtcg	tccagtgcga	tgatcaagtc	aatgagtaaa	attttaaggg	600
attagatttt	cttgacttgt	atgtatctgt	gagatcttga	ataagtgacc	tgacatctct	660
gcttaaagaa	aaccag					676

<210> 356

<211> 574

<212> DNA
<213> Homo sapien

<400> 356

tttttttttt	tttttcagga	aaacattctc	ttactttatt	tgcattctcag	caaaggttct	60
catgtggcac	ctgactggca	tcaaaccaaa	gttcgtaggc	caacaaagat	gggccactca	120
caagcttccc	attttagat	ctcagtgcct	atgagtatct	gacacctgtt	cctctcttca	180
gtctcttagg	gaggcttaaa	tctgtctcag	gtgtgctaag	agtgccagcc	caaggkggtc	240
aaaagtccac	aaaactgcag	tctttgctgg	gataagtaagc	caagcagtgc	ctggacagca	300
gagttctttt	cttgggcaac	agataaccag	acaggactct	aatcgtgctc	ttattcaaca	360
ttcttctgtc	tctgcctaga	ctggaataaa	aagccaatct	ctctcgtggc	acaggggaagg	420
agatacaagc	tcgtttacat	gtgatagatc	taacaaaggc	atctaccgaa	gtctgggtctg	480
gatagacggc	acagggagct	cttaggtcag	cgctgctggt	tggaggacat	tcctgagtc	540
agctttgcag	cctttgtgca	acagtacttt	ccca			574

<210> 357
<211> 393
<212> DNA
<213> Homo sapien

<400> 357

tttttttttt	tttttttttt	tttttttttt	tacagaatat	aratgcttta	tcactgkact	60
taatattgkg	kcttgttcac	tatacttaaa	aatgcaccac	tcataaatat	ttaattcagc	120
aagccacaac	caaracttga	ttttatcaac	aaaaaccctt	aaatataaac	ggsaaaaaag	180
atagatatata	ttattccagt	ttttttaaaa	cttaaaaarat	attccattgc	cgaattaara	240
araarataag	tgttatatgg	aaagaagggc	attcaagcac	actaaaraaa	cctgaggkaa	300
gcataatctg	tacaaaatta	aactgtcctt	tttggcattt	taacaaattt	gcaacgktct	360
tttttttctt	tttctgtttt	tttttttttt	tac			393

<210> 358
<211> 630
<212> DNA
<213> Homo sapien

<400> 358

acaggggtaaa	caggaggatc	cttgctctca	cggagcttac	attctagcag	gaggacaata	60
ttaatgttta	taggaaaatg	atgagtttat	gacaaaggaa	gtagatagtg	ttttacaaga	120
gcatagagta	gggaagctaa	tccagcacag	ggaggtcaca	gagacatccc	taagggaagt	180
gagtttaaac	tgagagaagc	aagtgcctaa	actgaaggat	gtgttgaaga	agaagggaga	240
gtagaacaat	ttgggcagag	ggaaccttat	agaccctaag	gtgggaaggt	tcaaagaact	300
gaaagagagc	tagaacagct	ggagccgttc	tccggtgtaa	agaggagtca	aagagataag	360
attaaagatg	tgaagattaa	gatcttggtg	gcattcaggg	attggcactt	ctacaagaaa	420
tcactgaagg	gagtaatgtg	acattacttt	tcacttcagg	atggccattc	taactccagg	480
gggtagactg	gactaggtaa	gactggaggc	aggtagacct	cttctaaggc	ctgcgatagt	540
gaaagacaaa	aataagtggg	gaaattcagg	ggatagttaa	aatcagtagg	acttaatgag	600
caagccagag	gttcctccac	aacaaccagt				630

<210> 359
<211> 620
<212> DNA
<213> Homo sapien

<400> 359

acagcattcc	aaaatatata	tctagagact	aarrgtaaat	gctctatagt	gaagaagtaa	60
taattaaaaa	atgctactaa	tatagaaaat	ttataatcag	aaaaataaat	attcagggag	120

ctcaccagaa	gaataaagtg	ctctgccagt	tattaaagga	ttactgctgg	tgaattaaat	180
atggcattcc	ccaagggaaa	tagagagatt	cttctggatt	atgttcaata	tttatttcac	240
aggattaact	gttttaggaa	cagatataaa	gcttcgccac	ggaagagatg	gacaaagcac	300
aaagacaaca	tgatacctta	ggaagcaaca	ctaccctttc	aggcataaaa	tttggagaaa	360
tgcaacatta	tgcttcatga	ataatatgta	gaaagaaggt	ctgatgaaaa	tgacatcctt	420
aatgtaagat	aactttataa	gaattctggg	tcaaataaaa	ttctttgaag	aaaacatcca	480
aatgtcattg	acttatcaaa	tactatcttg	gcatataacc	tatgaaggca	aaactaaaca	540
aacaaaaagc	tcacaccaaa	caaaaccatc	aacttatttt	gtattctata	acatacgaga	600
ctgtaaagat	gtgacagtgt					620

<210> 360

<211> 431

<212> DNA

<213> Homo sapien

<400> 360

aaaaaaaaaa	agccagaaca	acatgtgata	gataatatga	ttggctgcac	acttccagac	60
tgatgaatga	tgaacgtgat	ggactattgt	atggagcaca	tcttcagcaa	gagggggaaa	120
tactcatcat	ttttggccag	cagttgtttg	atcaccaaac	atcatgccag	aatactcagc	180
aaaccttctt	agctcttgag	aagtcaaagt	ccgggggaat	ttattcctgg	caattttaat	240
tggactcctt	atgtgagagc	agcggctacc	cagctggggg	ggtggagcga	acccgtcact	300
agtggacatg	cagtggcaga	gctcctggta	accacctaga	ggaatacaca	ggcacatgtg	360
tgatgccaaag	cgtagacacct	gtagcactca	aatttgtctt	gtttttgtct	ttcgggtgtgt	420
agattccttag	t					431

<210> 361

<211> 351

<212> DNA

<213> Homo sapien

<400> 361

acactgattt	ccgatcaaaa	gaatcatcat	ctttaccttg	acttttcagg	gaattactga	60
actttcttct	cagaagatag	ggcacagcca	ttgccttggc	ctcacttgaa	gggtctgcat	120
ttgggtctct	tggtctcttg	ccaagtctcc	cagccactcg	agggagaaat	atcggggagg	180
ttgacttctt	ccggggcttt	cccaggggct	tcaccgtgag	ccctgcggcc	ctcaggggtg	240
caatcctgga	ttcaatgtct	gaaacctcgc	tctctgcctg	ctggacttct	gaggccgtca	300
ctgccactct	gtcctccagc	tctgacagct	cctcatctgt	ggtcctgttg	t	351

<210> 362

<211> 463

<212> DNA

<213> Homo sapien

<400> 362

acttcatcag	gccataatgg	gtgcctcccg	tgagaatcca	agcacctttg	gactgcgcga	60
tgtagatgag	ccggctgaag	atcttgcgca	tgcgcggctt	cagggcgaaag	ttcttggcgc	120
ccccgggtc	agaaatgacc	agggtgggtg	ttttcaggtg	ccagtgtctg	gtcagcagct	180
cgtaaaggat	ttccgcgtcc	gtgtcgcagg	acagacgtat	atacttcctt	ttcttcccca	240
gtgtctcaaa	ctgaatatcc	ccaaaggcgt	cggtaggaaa	ttccttgggtg	tgtttcttgt	300
agttccattt	ctcacttttg	ttgatctggg	tgcttccat	gtgctggctc	tgggcatagc	360
cacacttgca	cacattctcc	ctgataagca	cgatgggtgtg	gacaggaagg	aaggatttca	420
ttgagcctgc	ttatggaaac	tggtattgtt	agcttaaata	gac		463

<210> 363

<211> 653

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(653)

<223> n = A,T,C or G

<400> 363

acccccgagt	ncctgnctgg	catactgnga	acgaccaacg	acacacccaa	gctcggcctc	60
ctcttgngga	ttctgggtga	catcttcattg	aatggcaacc	gtgccagwga	ggctgtcctc	120
tgggaggcac	tacgcaagat	gggactgcgt	cctgggggtga	gacatcctct	ccttgagat	180
ctaacgaaac	ttctcaccta	tgagttgtaa	agcagaaata	cctgnactac	agacgagtgc	240
ccaacagcaa	ccccccggaa	gtatgagttc	ctctrgggcc	tccgttccta	ccatgagasc	300
tagcaagatg	naagtgttga	gantcattgc	agaggttcag	aaaagagacc	cntcgtgact	360
ggtctgcaca	gttcatggag	gctgcagatg	aggccttgga	tgctctggat	gctgctgcag	420
ctgaggccga	agcccgggct	gaagcaagaa	cccgcattgg	aattggagat	gaggctgtgt	480
ntgggcccctg	gagctgggat	gacattgagt	ttgagctgct	gacctgggat	gaggaaggag	540
atcttgagaga	tccntgggtcc	agaattccat	ttaccttctg	ggccagatac	caccagaatg	600
cccgtctccag	attccctcag	accttttgccg	gtcccattat	tggtcstggt	ggt	653

<210> 364

<211> 401

<212> DNA

<213> Homo sapien

<400> 364

actagaggaa	agacgttaaa	ccactctact	accacttgtg	gaactctcaa	agggtaaatg	60
acaaagccaa	tgaatgactc	taaaaacaat	atttacattt	aatggtttgt	agacaataaa	120
aaaacaagg	ggatagatct	agaattgtaa	cattttaaga	aaaccatagc	atttgacaga	180
tgagaaagct	caattataga	tgcaaagtta	taactaaact	actatagtag	taaagaaata	240
catttcacac	ccttcatata	aattcactat	cttggttga	ggcactccat	aaaatgtatc	300
acgtgcatag	taaatcttta	tatttgctat	ggcgttgac	tagaggactt	ggactgcaac	360
aagtggatgc	gcggaaaatg	aaatcttctt	caatagccca	g		401

<210> 365

<211> 356

<212> DNA

<213> Homo sapien

<400> 365

ccagtgtcat	atttgggctt	aaaatttcaa	gaagggcact	tcaaattggct	ttgcatttgc	60
atgtttcagt	gctagagcgt	aggaatagac	cctggcgctc	actgtgagat	gttcttcagc	120
taccagagca	tcaagtctct	gcagcaggct	attcttgggt	aaagaaatga	cttcacaaa	180
ctctccatcc	cctggctttg	gcttcggcct	tgcgttttcg	gcatcatctc	cgtaaatggt	240
gactgtcacg	atgtgtatag	tacagtttga	caagcctggg	tccatacaga	ccgctggaga	300
acattcggca	atgtccctct	tgtagccagt	ttcttcttcg	agctcccgga	gagcag	356

<210> 366

<211> 1851

<212> DNA

<213> Homo sapien

<400> 366

tcatacccat	tgccagcagc	ggcaccgtta	gtcagggtttt	ctgggaatcc	cacatgagta	60
------------	------------	------------	-------------	------------	------------	----

cttccgtggt	cttcattctt	cttcaatagc	cataaatctt	ctagctctgg	ctggctgttt	120
tcacttcctt	taagcctttg	tgactcttcc	tctgatgtca	gctttaagtc	ttgttctgga	180
ttgctgtttt	cagaagagat	ttttaacatc	tgtttttctt	tgtagtcaga	aagtaactgg	240
caaattacat	gatgatgact	agaaacagca	tactctctgg	ccgtctttcc	agatcttgag	300
aagatacatc	aacattttgc	tcaagtagag	ggctgactat	acttgctgat	ccacaacata	360
cagcaagtat	gagagcagtt	cttccatata	tatccagcgc	atttaaattc	gcttttttct	420
tgattaaaaa	tttcaccact	tgctgttttt	gctcatgtat	accaagtagc	agtgggtgta	480
ggccatgctt	gttttttgat	tcgatatacag	caccgtataa	gagcagtgc	ttggccatta	540
atztatcttc	attgtagaca	gcatagtgta	gagtggtatt	tccataactca	tctggaatat	600
ttggatcagt	gccatgttcc	agcaacatta	acgcacattc	atcttctctg	cattgtacgg	660
cctttgtcag	agctgtcctc	tttttgttgt	caaggacatt	aagttgacat	cgtctgtcca	720
gcacgagttt	tactacttct	gaattcccat	tggcagaggg	cagatgtaga	gcagtcctct	780
tttgcttgct	cctcttggtc	acatccgtgt	ccctgagcat	gacgatgaga	tcctttctgg	840
ggactttacc	ccaccaggca	gctctgtgga	gcttgtccag	atcttctcca	tggacgtggt	900
acctgggac	catgaaggcg	ctgtcategt	agtctcccca	agcgaccacg	ttgctcttgc	960
cgctcccctg	cagcagggga	agcagtggca	gcaccacttg	caectcttgc	tccaagcgt	1020
cttcacagag	gagtcgttgt	ggtctccaga	agtgccacg	ttgctcttgc	cgctcccct	1080
gtccatccag	ggaggaagaa	atgcaggaaa	tgaaagatgc	atgcacgatg	gtatactct	1140
cagccatcaa	acttctggac	agcaggtcac	ttccagcaag	gtggagaaag	ctgtccaccc	1200
acagaggatg	agatccagaa	accacaatat	ccattcacaa	acaaacactt	ttcagccaga	1260
cacaggtact	gaaatcatgt	catctgcggc	aacatggtgg	aacctaccca	atcacacatc	1320
aagagatgaa	gacactgcag	tatatctgca	caacgtaata	ctcttcatcc	ataacaaaat	1380
aatataattt	tcctctggag	ccatatggat	gaactatgaa	ggaagaactc	cccgaagaag	1440
ccagtcgcag	agaagccaca	ctgaagctct	gtcctcagcc	atcagcgcca	cggacaggar	1500
tgtgtttctt	ccccagtgat	gcagcctcaa	gttatcccg	agctgcccga	gcacacggtg	1560
gctcctgaga	aacaccccag	ctcttccgg	ctaacacagg	caagtcaata	aatgtgataa	1620
tcacataaac	agaattaaaa	gcaaagtcac	ataagcatct	caacagacac	agaaaaggca	1680
tttgacaaaa	tccagcatcc	ttgtatttat	tgttgcagtt	ctcagaggaa	atgcttctaa	1740
cttttcccca	tttagtatta	tgttggctgt	gggcttgtca	taggtgggtt	ttattacttt	1800
aaggatatgtc	ccttctatgc	ctgttttgc	gaggggttta	attctcgtgc	c	1851

<210> 367

<211> 668

<212> DNA

<213> Homo sapien

<400> 367

cttgagcttc	caaataygga	agactggccc	ttacacasgt	caatgttaaa	atgaatgcat	60
ttcagtat	tgaagataaa	attrgtagat	ctataccttg	ttttttgatt	cgatatcagc	120
accrtataag	agcagtgc	tggccattaa	tttatcttcc	attrtagaca	gcrtagtgya	180
gagtggtatt	tccataactca	tctggaatat	ttggatcagt	gccatgttcc	agcaacatta	240
acgcacattc	atcttctctg	cattgtacgg	cctgtcagta	ttagacccaa	aaacaaatta	300
catatcttag	gaattcaaaa	taacattcca	cagctttcac	caactagtta	tatttaaagg	360
agaaaaactca	tttttatgcc	atgtattgaa	atcaaaccce	cctcatgctg	atatagttgg	420
ctactgcata	cctttatcag	agctgtcctc	tttttgttgt	caaggacatt	aagttgacat	480
cgtctgtcca	gcaggagttt	tactacttct	gaattcccat	tggcagaggg	cagatgtaga	540
gcagtcctat	gagagtgaga	agacttttta	ggaaattgta	gtgcactagc	tacagccata	600
gcaatgattc	atgtaactgc	aaacactgaa	tagcctgcta	ttactctgcc	ttcaaaaaaa	660
aaaaaaaa						668

<210> 368

<211> 1512

<212> DNA

<213> Homo sapien

<400> 368

gggtcgccca	gggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggtcgggc	trgaatcccc	tgctgggggt	ggcaggtttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagttggg	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgttaaaagc	agatgggtgg	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtgaagaag	ccatttggtc	tcaggagcaa	gatgggcaag	300
tggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagt	600
gccttcatgg	agcccaggta	ccacgtccgt	ggagaagatc	tggacaagct	ccacagagct	660
gcctgggtggg	gtaaagtccc	cagaaaggat	ctcatcgcca	tgctcaggga	cactgacgtg	720
aacaagaagg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcgct	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	aggtatagat	ctactaattt	tatcttcaaa	atactgaaat	gcattcattt	1080
taacattgac	gtgtgtaagg	gccagtcttc	cgtatttgga	agctcaagca	taacttgaat	1140
gaaaaatatt	tgaaatgacc	taattatctm	agactttatt	ttaaataattg	ttattttcaa	1200
agaagcatta	gagggtagac	tttttttttt	ttaaatgcac	ttctggtaaa	tacttttggt	1260
gaaaacactg	aatttgtaaa	aggtataact	tactattttt	caatttttcc	ctcctaggat	1320
ttttttcccc	taatgaatgt	aagatggcaa	aatttgccct	gaaatagggt	ttacatgaaa	1380
actccaagaa	aagttaaaca	tgtttcagtg	aatagagatc	ctgctccttt	ggcaagttcc	1440
taaaaaacag	taatagatac	gaggtgatgc	gcctgtcagt	ggcaagggtt	aagatatttc	1500
tgatctcgtg	cc					1512

<210> 369

<211> 1853

<212> DNA

<213> Homo sapien

<400> 369

gggtcgccca	gggggsgcgt	gggctttcct	cgggtgggtg	tgggttttcc	ctgggtgggg	60
tgggtcgggc	trgaatcccc	tgctgggggt	ggcaggtttt	ggctgggatt	gacttttytc	120
ttcaaacaga	ttggaaaccc	ggagttacct	gctagttggg	gaaactgggt	ggtagacgcg	180
atctgttggc	tactactggc	ttctcctggc	tgttaaaagc	agatgggtgg	tgaggttgat	240
tccatgccgg	ctgcttcttc	tgtgaagaag	ccatttggtc	tcaggagcaa	gatgggcaag	300
tggtgctgcc	gttgcttccc	ctgctgcagg	gagagcggca	agagcaacgt	gggcacttct	360
ggagaccacg	acgactctgc	tatgaagaca	ctcaggagca	agatgggcaa	gtggtgccgc	420
cactgcttcc	cctgctgcag	ggggagtggc	aagagcaacg	tgggcgcttc	tggagaccac	480
gacgaytctg	ctatgaagac	actcaggaac	aagatgggca	agtgggtgctg	ccactgcttc	540
ccctgctgca	gggggagcrg	caagagcaag	gtgggcgctt	ggggagacta	cgatgacagy	600
gccttcatgg	akcccaggta	ccacgtccrt	ggagaagatc	tggacaagct	ccacagagct	660
gcctgggtggg	gtaaagtccc	cagaaaggat	ctcatcgcca	tgctcaggga	cackgaygtg	720
aacaagargg	acaagcaaaa	gaggactgct	ctacatctgg	cctctgccaa	tgggaattca	780
gaagtagtaa	aactcstgct	ggacagacga	tgtcaactta	atgtccttga	caacaaaaag	840
aggacagctc	tgayaaaggc	cgtacaatgc	caggaagatg	aatgtgcgct	aatgttgctg	900
gaacatggca	ctgatccaaa	tattccagat	gagtatggaa	ataccactct	rcactaygct	960
rtctayaatg	aagataaatt	aatggccaaa	gcactgctct	tatayggtgc	tgatatcgaa	1020
tcaaaaaaca	agcatggcct	cacaccactg	ytacttggtr	tacatgagca	aaaacagcaa	1080
gtsgtgaaat	ttttaatyaa	gaaaaaagcg	aattttaaata	gcrctggata	gatatggaag	1140
ractgctctc	atacttgctg	tatgttggtg	atcagcaagt	atagtcagcc	ytctacttga	1200
gcaaaaatrtt	gatgtatctt	ctcaagatct	ggaaagacgg	ccagagagta	tgctgtttct	1260

agtcacatc	atgtaatttg	ccagttactt	tctgactaca	aagaaaaaca	gatgttaaaa	1320
atctcttctg	aaaacagcaa	tccagaacaa	gacttaaaagc	tgacatcaga	ggaagagtca	1380
caaaggctta	aaggaagtga	aaacagccag	ccagaggcat	ggaaactttt	aaattttaaac	1440
ttttggttta	atgttttttt	tttttgctt	aataatatta	gatagtccca	aatgaaatwa	1500
cctatgagac	taggctttga	gaatcaatag	attctttttt	taagaatctt	ttggctagga	1560
gcggtgtctc	acgcctgtaa	ttccagcacc	ttgagaggct	gaggtgggca	gatcacgaga	1620
tcaggagatc	gagaccatcc	tggttaacac	ggtgaaaccc	catctctact	aaaaatacaa	1680
aaacttagct	gggtgtggtg	gcgggtgcct	gtagtccag	ctactcagga	rgctgaggca	1740
ggagaatggc	atgaacccgg	gaggtggagg	ttgcagtga	ccgagatccg	ccactacact	1800
ccagcctggg	tgacagagca	agactctgtc	tcaaaaaaaaa	aaaaaaaaaa	aaa	1853

<210> 370

<211> 2184

<212> DNA

<213> Homo sapien

<400> 370

ggcacgagaa	ttaaaaccct	cagcaaaaaca	ggcatagaag	ggacatacct	taaagtaata	60
aaaaccacct	atgacaagcc	cacagccaac	ataataactaa	atgggggaaaa	gttagaagca	120
tttctcttga	gaactgcaac	aataaatata	aggatgctgg	attttgtcaa	atgccttttc	180
tgtgtctgtt	gagatgctta	tgtgactttg	cttttaattc	tgtttatgtg	attatcacat	240
ttattgactt	gcctgtgtta	gaccggaaga	gctgggggtg	ttctcaggag	ccaccgtgtg	300
ctgcggcagc	ttcgggataa	cttgaggctg	catcactggg	gaagaaacac	aytctgtcc	360
gtggcgctga	tggtgagga	cagagcttca	gtgtggcttc	tctgogactg	gcttcttcgg	420
ggagttcttc	cttcatagtt	catccatatt	gtccagagg	aaaattatat	tattttgtta	480
tggatgaaga	gtattacgtt	gtgcagatat	actgcagtgt	cttcactctc	tgatgtgtga	540
ttgggtaggt	tccaccatgt	tgccgcagat	gacatgattt	cagtacctgt	gtctggctga	600
aaagtgtttg	tttgtgaatg	gatattgtgg	tttctggatc	tcactctctg	tggttgagca	660
gctttctcca	ccttgcttga	agtgcactgc	tgccagaag	tttgatggct	gaggagtata	720
ccatcgtgca	tgcatctttc	atttcctgca	tttcttcttc	cctggatgga	cagggggagc	780
ggcaagagca	acgtgggcac	ttctggagac	cacaacgact	cctctgtgaa	gacgcttggg	840
agcaagaggt	gcaagtgggtg	ctgccactgc	ttccctgct	gcaggggagc	ggcaagagca	900
acgtggctgc	ttggggagac	tacgatgaca	gcgccttcat	ggatcccagg	taccacgtcc	960
atggagaaga	tctggacaag	ctccacagag	ctgcctgggtg	gggtaaagtc	cccagaaagg	1020
atctcatcgt	catgctcagg	gacacggatg	tgaacaagag	ggacaagcaa	aagaggactg	1080
ctctacatct	ggcctctgcc	aatgggaatt	cagaagtgt	aaaactcgtg	ctggacagac	1140
gatgtcaact	taatgtcctt	gacaacaaaa	agaggacagc	tctgacaaag	gccgtacaat	1200
gccaggaaga	tgaatgtgcg	ttaatgttgc	tggaaacatg	cactgatcca	aatattccag	1260
atgagtatgg	aaataccact	ctacactatg	ctgtctacaa	tgaagataaa	ttaatggcca	1320
aagcactgct	cttatacggg	gctgatatcg	aatcaaaaaa	caagcatggc	ctcacaccac	1380
tgctacttgg	tatacatgag	caaaaacagc	aagtgggtgaa	atttttaatc	aagaaaaaag	1440
cgaattttaa	tgcgctggat	agatatggaa	gaactgctct	catacttgct	gtatgtgtg	1500
gatcagcaag	tatagtcagc	cctctacttg	agcaaaatgt	tgatgtatct	tctcaagatc	1560
tggaaagacg	gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	1620
ttctgactac	aaagaaaaaac	agatgttaaa	aatctcttct	gaaaacagca	atccagaaca	1680
agacttaaa	ctgacatcag	aggaagagtc	acaaaggctt	aaaggaagtg	aaaacagcca	1740
gccagaggca	tggaaacttt	taaaatttaa	cttttggttt	aatgtttttt	ttttttgcct	1800
taataatatt	agatagtccc	aaatgaaatw	acctatgaga	ctaggctttg	agaatcaata	1860
gattcttttt	ttaagaatct	tttggtcagg	agcgggtgtc	cacgcctgta	attccagcac	1920
cttgagaggg	tgaggtgggc	agatcacgag	atcaggagat	cgagaccatc	ctggctaaca	1980
cggtgaaacc	ccatctctac	taaaaatata	aaaacttagc	tgggtgtggt	ggcgggtgcc	2040
tgtagtccca	gctactcagg	argctgaggg	aggagaatgg	catgaacccg	ggaggtggag	2100
gttgagtga	gccgagatcc	gccactacac	tccagcctgg	gtgacagagc	aagactctgt	2160
ctcaaaaaaa	aaaaaaaaaa	aaaa				2184

<210> 371
 <211> 1855
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(1855)
 <223> n = A,T,C or G

<400> 371

tgcacgcac	ggccagtgtc	tgtgccacgt	acactgacgc	cccctgagat	gtgcacgccg	60
cacgcgcacg	ttgcacgcgc	ggcagcggct	tggctggctt	gtaacggctt	gcacgcgcac	120
gccgcccccg	cataaccgtc	agactggcct	gtaacggctt	gcaggcgcac	gccgcacgcg	180
cgtaacggct	tggctgccct	gtaacggctt	gcacgtgcat	gctgcacgcg	cgtaacggc	240
ttggctggca	tgtagccgct	tggcttggct	ttgcattt	tgctkggctk	ggcgttgkty	300
tcttggttg	acgttccctc	cttggatkg	cgtttccctc	ttggatkgac	gtttcytyty	360
tcgcgttcct	ttgctggact	tgacctttty	tctgctgggt	ttggcattcc	tttgggggtg	420
gctgggtgtt	ttctccgggg	gggkkgccc	ttctgggggt	gggcgtgggk	cgccccagg	480
gggcgtgggc	tttccccggg	tgggtgtggg	ttttctggg	gtgggggtggg	ctgtgctggg	540
atccccctgc	tgggggttggc	agggattgac	tttttcttc	aaacagattg	gaaacccgga	600
gtaacntgct	agttggtgaa	actggttggt	agacgcgac	tgctggtact	actgtttctc	660
ctggctgtta	aaagcagatg	gtggctgagg	ttgattcaat	gccggctgct	tcttctgtga	720
agaagccatt	tggctcag	agcaagatgg	gcaagtgggtg	cgccactgct	tcccctgctg	780
cagggggagc	ggcaagagca	acgtgggcac	ttctggagac	cacaacgact	cctctgtgaa	840
gacgcttggg	aagcaagagt	gcaagtgggtg	ctgcccactg	cttccccctgc	tgcaggggag	900
cggcaagagc	aacgtggkcg	cttggggaga	ctacgatgac	agcgccttca	tggakcccag	960
gtaccacgtc	crtggagaag	atctggacaa	gctccacaga	gctgcctggt	ggggtaaagt	1020
ccccagaaag	gatctcatcg	tcatgctcag	ggacactgay	gtgaacaaga	rggacaagca	1080
aaagaggact	gctctacatc	tggcctctgc	caatgggaat	tcagaagtag	taaaactcgt	1140
gctggacaga	cgatgtcaac	ttaatgtcct	tgacaacaaa	aagaggacag	ctctgacaaa	1200
ggccgtacaa	tgccaggaag	atgaatgtgc	gttaatgttg	ctggaacatg	gcactgatcc	1260
aaatattcca	gatgagtatg	gaaataccac	tctacactat	gctgtctaca	atgaagataa	1320
attaatggcc	aaagcactgc	tcttatacgg	tgctgatatc	gaatcaaaaa	acaaggtata	1380
gatctactaa	ttttatcttc	aaaatactga	aatgcattca	ttttaacatt	gacgtgtgta	1440
agggccagtc	ttccgtat	ggaagctcaa	gcataaacttg	aatgaaaata	ttttgaaatg	1500
acctaattat	ctaagacttt	attttaaata	ttgttat	caaagaagca	ttagagggtg	1560
cagttttttt	tttttaa	cacttctggt	aaatactttt	gttgaaaaca	ctgaatttgt	1620
aaaaggtaat	acttactatt	tttcaat	tccctcctag	gatttttttc	ccctaataa	1680
tgtaagatgg	caaaatttgc	cctgaaatag	gttttacatg	aaaactccaa	gaaaagttaa	1740
acatgtttca	gtgaatagag	atcctgctcc	tttggaagt	tcctaaaaaa	cagtaataga	1800
tacgaggtga	tgcgcctgtc	agtggcaagg	tttaagatat	ttctgatctc	gtgcc	1855

<210> 372
 <211> 1059
 <212> DNA
 <213> Homo sapien

<400> 372

gcaacgtggg	cacttctgga	gaccacaacg	actcctctgt	gaagacgctt	gggagcaaga	60
ggtgcaagt	gtgctgccc	ctgcttcccc	tgctgcagg	gagcggcaag	agcaacgtgg	120
gcgcttgrgg	agactmcgat	gacagygcct	tcatggagcc	caggtaccac	gtccgtggag	180
aagatctgga	caagctccac	agagctgccc	tgggtgggta	aagtccccag	aaaggatctc	240
atcgtcatgc	tcagggacac	tgaygtgaac	aagarggaca	agcaaaagag	gactgctcta	300
catctggcct	ctgccaatgg	gaattcagaa	gtagtataaac	tctgtgctgga	cagacgatgt	360

caacttaatg	tccttgacaa	caaaaagagg	acagctctga	yaaaggccgt	acaatgccag	420
gaagatgaat	gtgctgtaat	gttgctggaa	catggcactg	atccaaatat	tccagatgag	480
tatggaaata	ccactctrca	ctaygctrct	tayaatgaag	ataaattaat	ggccaaagca	540
ctgctcttat	ayggtgctga	tatcgaatca	aaaaacaagg	tatagatcta	ctaattttat	600
cttcaaaaata	ctgaaatgca	ttcattttta	cattgacgtg	tgttaagggcc	agtcttccgt	660
atlttggaagc	tcaagcataa	cttgaatgaa	aatattttga	aatgacctaa	ttatctaaga	720
ctttattttta	aatattgtta	ttttcaaaga	agcattagag	ggtacagttt	ttttttttta	780
aatgcacttc	tggtaaatac	ttttgttgaa	aacactgaat	ttgtaaaagg	taatacttac	840
tattttttcaa	tttttccctc	ctaggatttt	tttcccctaa	tgaatgtaag	atggcaaaat	900
ttgccctgaa	ataggtttta	catgaaaact	ccaagaaaag	ttaaactatg	ttcagtgaat	960
agagatcctg	ctcctttggc	aagtctctaa	aaaacagtaa	tagatacgag	gtgatgcgcc	1020
tgtcagtgcc	aaggtttaag	atattttctga	tctcgtgcc			1059

<210> 373

<211> 1155

<212> DNA

<213> Homo sapien

<400> 373

atggtggttg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atlttggtctc	60
aggagcaaga	tgggcaagtg	gtgctgccgt	tgttccccct	gctgcagggg	gagcggcaag	120
agcaacgtgg	gcacttcttg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcaggg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tgggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaagggt	gggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccaggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctgggtgggg	aaagtcccc	gaaaggatct	catcgctcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaaggcc	tacaatgcc	ggaagatgaa	660
tgtgctgtaa	tgttgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttgggtgta	840
catgagcaaa	aacagcaagt	cgtgaaatct	ttaatcaaga	aaaaagcgaa	tttaaattgca	900
ctggatagat	atggaaggac	tgctctcata	cttgcctgat	gttgtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaaa	tgtctcaaga	1140
accagaaata	ataaa					1155

<210> 374

<211> 2000

<212> DNA

<213> Homo sapien

<400> 374

atggtggttg	aggttgattc	catgccggct	gcctcttctg	tgaagaagcc	atlttggtctc	60
aggagcaaga	tgggcaagtg	gtgctgccgt	tgttccccct	gctgcagggg	gagcggcaag	120
agcaacgtgg	gcacttcttg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcaggg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tgggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaagggt	gggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccaggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctgggtgggg	aaagtcccc	gaaaggatct	catcgctcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540

tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgtaa	tgttgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatgggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttggtgta	840
catgagcaaa	aacagcaagt	cgtgaaattt	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttggtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaag	1140
ctgacatcag	aggaagagtc	acaaagggtc	aaaggcagtg	aaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtgt	cactgctggc	1320
aatggtgata	atggattaat	tcctcaaagg	aagagcagaa	cacctgaaaa	tcagcaattt	1380
cctgacaacg	aaagtgaaga	gtatcacaga	atttgcgaat	tagtttctga	ctacaaagaa	1440
aaacagatgc	caaaatactc	ttctgaaaac	agcaaccag	aacaagactt	aaagctgaca	1500
tcagaggaag	agtcacaaaag	gcttgagggc	agtgaanaatg	gccagccaga	gctagaaaat	1560
tttatggcta	tcgaagaaat	gaagaagcac	ggaagtactc	atgtcggatt	cccagaaaaac	1620
ctgactaatg	gtgccactgc	tggcaatggt	gatgatggat	taattcctcc	aaggaagagc	1680
agaacacctg	aaagccagca	atttctctgac	actgagaatg	aagagtatca	cagtgcagaa	1740
caaaatgata	ctcagaagca	attttgtaga	gaacagaaca	ctggaatatt	acacgatgag	1800
attctgattc	atgaagaaaa	gcagatagaa	gtgggtgaaa	aaatgaattc	tgagctttct	1860
cttagttgta	agaaagaaaa	agacatcttg	catgaaaata	gtacgttgcg	ggaagaaatt	1920
gccatgctaa	gactggagct	agacacaatg	aaacatcaga	gccagctaaa	aaaaaaaaaa	1980
aaaaaaaaaa	aaaaaaaaaa					2000

<210> 375

<211> 2040

<212> DNA

<213> Homo sapien

<400> 375

atggtggttg	agggtgatcc	catgccggct	gcctcttctg	tgaagaagcc	atttggtctc	60
aggagcaaga	tgggcaagtg	gtgctgccgt	tgcttcccc	gctgcaggga	gagcggcaag	120
agcaacgtgg	gcacttctgg	agaccacgac	gactctgcta	tgaagacact	caggagcaag	180
atgggcaagt	ggtgccgcca	ctgcttcccc	tgctgcaggg	ggagtggcaa	gagcaacgtg	240
ggcgcttctg	gagaccacga	cgactctgct	atgaagacac	tcaggaacaa	gatgggcaag	300
tgggtgctgcc	actgcttccc	ctgctgcagg	gggagcggca	agagcaagg	gggcgcttgg	360
ggagactacg	atgacagtgc	cttcatggag	cccagggtacc	acgtccgtgg	agaagatctg	420
gacaagctcc	acagagctgc	ctgggtgggt	aaagtcccca	gaaaggatct	catcgtcatg	480
ctcagggaca	ctgacgtgaa	caagaaggac	aagcaaaaaga	ggactgctct	acatctggcc	540
tctgccaatg	ggaattcaga	agtagtaaaa	ctcctgctgg	acagacgatg	tcaacttaat	600
gtccttgaca	acaaaaagag	gacagctctg	ataaaggccg	tacaatgcca	ggaagatgaa	660
tgtgcgtaa	tgttgctgga	acatggcact	gatccaaata	ttccagatga	gtatggaaat	720
accactctgc	actacgctat	ctataatgaa	gataaattaa	tggccaaagc	actgctctta	780
tatgggtgctg	atatcgaatc	aaaaaacaag	catggcctca	caccactgtt	acttggtgta	840
catgagcaaa	aacagcaagt	cgtgaaattt	ttaatcaaga	aaaaagcgaa	tttaaatgca	900
ctggatagat	atggaaggac	tgctctcata	cttgctgtat	gttggtggatc	agcaagtata	960
gtcagccttc	tacttgagca	aaatattgat	gtatcttctc	aagatctatc	tggacagacg	1020
gccagagagt	atgctgtttc	tagtcatcat	catgtaattt	gccagttact	ttctgactac	1080
aaagaaaaac	agatgctaaa	aatctcttct	gaaaacagca	atccagaaca	agacttaaag	1140
ctgacatcag	aggaagagtc	acaaagggtc	aaaggcagtg	aaaatagcca	gccagagaaa	1200
atgtctcaag	aaccagaaat	aaataaggat	ggtgatagag	aggttgaaga	agaaatgaag	1260
aagcatgaaa	gtaataatgt	gggattacta	gaaaacctga	ctaattggtgt	cactgctggc	1320
aatggtgata	atggattaat	tcctcaaagg	aagagcagaa	cacctgaaaa	tcagcaattt	1380

```

cctgacaacg aaagtgaaga gtatcacaga atttgcgaat tagttttctga ctacaaagaa 1440
aaacagatgc caaaatactc ttctgaaaac agcaaccag aacaagactt aaagctgaca 1500
tcagaggaag agtcacaaag gcttgagggc agtgaaaatg gccagccaga gaaaagatct 1560
caagaaccag aaataaataa ggatgggtgat agagagctag aaaattttat ggctatcgaa 1620
gaaatgaaga agcacggaag tactcatgtc ggattcccag aaaacctgac taatgggtgcc 1680
actgctggca atggtgatga tggattaatt cctccaagga agagcagaac acctgaaagc 1740
cagcaatttc ctgacactga gaatgaagag tatcacagtg acgaacaaaa tgataactcag 1800
aagcaatttt gtgaagaaca gaacactgga atattacacg atgagattct gattcatgaa 1860
gaaaagcaga tagaagtggg tgaaaaaatg aattctgagc tttctcttag ttgtaagaaa 1920
gaaaaagaca tcttgcacga aaatagtacg ttgcgggaag aaattgccat gctaagactg 1980
gagctagaca caatgaaaca tcagagccag ctaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2040

```

<210> 376

<211> 329

<212> PRT

<213> Homo sapien

<400> 376

```

Met Asp Ile Val Val Ser Gly Ser His Pro Leu Trp Val Asp Ser Phe
 1             5             10             15
Leu His Leu Ala Gly Ser Asp Leu Leu Ser Arg Ser Leu Met Ala Glu
      20             25             30
Glu Tyr Thr Ile Val His Ala Ser Phe Ile Ser Cys Ile Ser Ser Ser
      35             40             45
Leu Asp Gly Gln Gly Glu Arg Gln Glu Gln Arg Gly His Phe Trp Arg
      50             55             60
Pro Gln Arg Leu Leu Cys Glu Asp Ala Trp Glu Gln Glu Val Gln Val
65             70             75             80
Val Leu Pro Leu Leu Pro Leu Leu Gln Gly Ser Gly Lys Ser Asn Val
      85             90             95
Val Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe Met Asp Pro Arg Tyr
      100            105            110
His Val His Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp
      115            120            125
Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp
      130            135            140
Val Asn Lys Arg Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser
145            150            155            160
Ala Asn Gly Asn Ser Glu Val Val Lys Leu Val Leu Asp Arg Arg Cys
      165            170            175
Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Thr Lys Ala
      180            185            190
Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly
      195            200            205
Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr
      210            215            220
Ala Val Tyr Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr
225            230            235            240
Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu
      245            250            255
Leu Gly Ile His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys
      260            265            270
Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu
      275            280            285
Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile Val Ser Pro Leu Leu

```

```
<210> 377
<211> 148
<212> PRT
<213> Homo sapien
```

```
<220>  
<221> VARIANT  
<222> (1)...(148)  
<223> Xaa = Any Amino Acid
```

[illegible]

```
<210> 378
<211> 1719
<212> PRT
<213> Homo sapien
```

<div> <div><400></div> <div>378</div> </div>															
Met	Val	Val	Glu	Val	Asp	Ser	Met	Pro	Ala	Ala	Ser	Ser	Val	Lys	Lys
1				5					10					15	
Pro	Phe	Gly	Leu	Arg	Ser	Lys	Met	Gly	Lys	Trp	Cys	Cys	Arg	Cys	Phe
			20					25					30		
Pro	Cys	Cys	Arg	Glu	Ser	Gly	Lys	Ser	Asn	Val	Gly	Thr	Ser	Gly	Asp
		35					40					45			
His	Asp	Asp	Ser	Ala	Met	Lys	Thr	Leu	Arg	Ser	Lys	Met	Gly	Lys	Trp
	50					55					60				
Cys	Arg	His	Cys	Phe	Pro	Cys	Cys	Arg	Gly	Ser	Gly	Lys	Ser	Asn	Val
65					70					75				80	
Gly	Ala	Ser	Gly	Asp	His	Asp	Asp	Ser	Ala	Met	Lys	Thr	Leu	Arg	Asn

85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
 165 170 175
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
 180 185 190
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195 200 205
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210 215 220
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
 225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val
 340 345 350
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
 355 360 365
 Ser Ser Glu Asn Ser Asn Pro Glu Asn Val Ser Arg Thr Arg Asn Lys
 370 375 380
 Pro Arg Thr His Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser
 385 390 395 400
 Ser Val Lys Lys Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys
 405 410 415
 Cys Arg Cys Phe Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly
 420 425 430
 Thr Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys
 435 440 445
 Met Gly Lys Trp Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly
 450 455 460
 Lys Ser Asn Val Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys
 465 470 475 480
 Thr Leu Arg Asn Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys
 485 490 495
 Cys Arg Gly Ser Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp
 500 505 510
 Asp Ser Ala Phe Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu
 515 520 525

Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp
 530 535 540
 Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln
 545 550 555 560
 Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val
 565 570 575
 Val Lys Leu Leu Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn
 580 585 590
 Lys Lys Arg Thr Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu
 595 600 605
 Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp
 610 615 620
 Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys
 625 630 635 640
 Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys
 645 650 655
 Asn Lys His Gly Leu Thr Pro Leu Leu Gly Val His Glu Gln Lys
 660 665 670
 Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala
 675 680 685
 Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly
 690 695 700
 Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser
 705 710 715 720
 Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser
 725 730 735
 His His His Val Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln
 740 745 750
 Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys
 755 760 765
 Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser
 770 775 780
 Gln Pro Glu Lys Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp
 785 790 795 800
 Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly
 805 810 815
 Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn
 820 825 830
 Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe
 835 840 845
 Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser
 850 855 860
 Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn
 865 870 875 880
 Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu
 885 890 895
 Glu Gly Ser Glu Asn Gly Gln Pro Glu Leu Glu Asn Phe Met Ala Ile
 900 905 910
 Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe Pro Glu Asn
 915 920 925
 Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro
 930 935 940
 Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu
 945 950 955 960
 Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe

965 970 975
 Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile Leu Ile His
 980 985 990
 Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser
 995 1000 1005
 Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu
 1010 1015 1020
 Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr Met Lys His
 1025 1030 1035 104
 Gln Ser Gln Leu Pro Arg Thr His Met Val Val Glu Val Asp Ser Met
 1045 1050 1055
 Pro Ala Ala Ser Ser Val Lys Lys Pro Phe Gly Leu Arg Ser Lys Met
 1060 1065 1070
 Gly Lys Trp Cys Cys Arg Cys Phe Pro Cys Cys Arg Glu Ser Gly Lys
 1075 1080 1085
 Ser Asn Val Gly Thr Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr
 1090 1095 1100
 Leu Arg Ser Lys Met Gly Lys Trp Cys Arg His Cys Phe Pro Cys Cys
 1105 1110 1115 112
 Arg Gly Ser Gly Lys Ser Asn Val Gly Ala Ser Gly Asp His Asp Asp
 1125 1130 1135
 Ser Ala Met Lys Thr Leu Arg Asn Lys Met Gly Lys Trp Cys Cys His
 1140 1145 1150
 Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Lys Val Gly Ala Trp
 1155 1160 1165
 Gly Asp Tyr Asp Asp Ser Ala Phe Met Glu Pro Arg Tyr His Val Arg
 1170 1175 1180
 Gly Glu Asp Leu Asp Lys Leu His Arg Ala Ala Trp Trp Gly Lys Val
 1185 1190 1195 120
 Pro Arg Lys Asp Leu Ile Val Met Leu Arg Asp Thr Asp Val Asn Lys
 1205 1210 1215
 Lys Asp Lys Gln Lys Arg Thr Ala Leu His Leu Ala Ser Ala Asn Gly
 1220 1225 1230
 Asn Ser Glu Val Val Lys Leu Leu Asp Arg Arg Cys Gln Leu Asn
 1235 1240 1245
 Val Leu Asp Asn Lys Lys Arg Thr Ala Leu Ile Lys Ala Val Gln Cys
 1250 1255 1260
 Gln Glu Asp Glu Cys Ala Leu Met Leu Leu Glu His Gly Thr Asp Pro
 1265 1270 1275 128
 Asn Ile Pro Asp Glu Tyr Gly Asn Thr Thr Leu His Tyr Ala Ile Tyr
 1285 1290 1295
 Asn Glu Asp Lys Leu Met Ala Lys Ala Leu Leu Leu Tyr Gly Ala Asp
 1300 1305 1310
 Ile Glu Ser Lys Asn Lys His Gly Leu Thr Pro Leu Leu Leu Gly Val
 1315 1320 1325
 His Glu Gln Lys Gln Gln Val Val Lys Phe Leu Ile Lys Lys Lys Ala
 1330 1335 1340
 Asn Leu Asn Ala Leu Asp Arg Tyr Gly Arg Thr Ala Leu Ile Leu Ala
 1345 1350 1355 136
 Val Cys Cys Gly Ser Ala Ser Ile Val Ser Leu Leu Leu Glu Gln Asn
 1365 1370 1375
 Ile Asp Val Ser Ser Gln Asp Leu Ser Gly Gln Thr Ala Arg Glu Tyr
 1380 1385 1390
 Ala Val Ser Ser His His His Val Ile Cys Gln Leu Leu Ser Asp Tyr
 1395 1400 1405

Lys Glu Lys Gln Met Leu Lys Ile Ser Ser Glu Asn Ser Asn Pro Glu
 1410 1415 1420
 Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Phe Lys Gly
 1425 1430 1435 144
 Ser Glu Asn Ser Gln Pro Glu Lys Met Ser Gln Glu Pro Glu Ile Asn
 1445 1450 1455
 Lys Asp Gly Asp Arg Glu Val Glu Glu Glu Met Lys Lys His Glu Ser
 1460 1465 1470
 Asn Asn Val Gly Leu Leu Glu Asn Leu Thr Asn Gly Val Thr Ala Gly
 1475 1480 1485
 Asn Gly Asp Asn Gly Leu Ile Pro Gln Arg Lys Ser Arg Thr Pro Glu
 1490 1495 1500
 Asn Gln Gln Phe Pro Asp Asn Glu Ser Glu Glu Tyr His Arg Ile Cys
 1505 1510 1515 152
 Glu Leu Val Ser Asp Tyr Lys Glu Lys Gln Met Pro Lys Tyr Ser Ser
 1525 1530 1535
 Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu Glu Glu
 1540 1545 1550
 Ser Gln Arg Leu Glu Gly Ser Glu Asn Gly Gln Pro Glu Lys Arg Ser
 1555 1560 1565
 Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Leu Glu Asn Phe
 1570 1575 1580
 Met Ala Ile Glu Glu Met Lys Lys His Gly Ser Thr His Val Gly Phe
 1585 1590 1595 160
 Pro Glu Asn Leu Thr Asn Gly Ala Thr Ala Gly Asn Gly Asp Asp Gly
 1605 1610 1615
 Leu Ile Pro Pro Arg Lys Ser Arg Thr Pro Glu Ser Gln Gln Phe Pro
 1620 1625 1630
 Asp Thr Glu Asn Glu Glu Tyr His Ser Asp Glu Gln Asn Asp Thr Gln
 1635 1640 1645
 Lys Gln Phe Cys Glu Glu Gln Asn Thr Gly Ile Leu His Asp Glu Ile
 1650 1655 1660
 Leu Ile His Glu Glu Lys Gln Ile Glu Val Val Glu Lys Met Asn Ser
 1665 1670 1675 168
 Glu Leu Ser Leu Ser Cys Lys Lys Glu Lys Asp Ile Leu His Glu Asn
 1685 1690 1695
 Ser Thr Leu Arg Glu Glu Ile Ala Met Leu Arg Leu Glu Leu Asp Thr
 1700 1705 1710
 Met Lys His Gln Ser Gln Leu
 1715

<210> 379

<211> 656

<212> PRT

<213> Homo sapien

<400> 379

Met Val Val Glu Val Asp Ser Met Pro Ala Ala Ser Ser Val Lys Lys
 1 5 10 15
 Pro Phe Gly Leu Arg Ser Lys Met Gly Lys Trp Cys Cys Arg Cys Phe
 20 25 30
 Pro Cys Cys Arg Glu Ser Gly Lys Ser Asn Val Gly Thr Ser Gly Asp
 35 40 45
 His Asp Asp Ser Ala Met Lys Thr Leu Arg Ser Lys Met Gly Lys Trp
 50 55 60

Cys Arg His Cys Phe Pro Cys Cys Arg Gly Ser Gly Lys Ser Asn Val
 65 70 75 80
 Gly Ala Ser Gly Asp His Asp Asp Ser Ala Met Lys Thr Leu Arg Asn
 85 90 95
 Lys Met Gly Lys Trp Cys Cys His Cys Phe Pro Cys Cys Arg Gly Ser
 100 105 110
 Gly Lys Ser Lys Val Gly Ala Trp Gly Asp Tyr Asp Asp Ser Ala Phe
 115 120 125
 Met Glu Pro Arg Tyr His Val Arg Gly Glu Asp Leu Asp Lys Leu His
 130 135 140
 Arg Ala Ala Trp Trp Gly Lys Val Pro Arg Lys Asp Leu Ile Val Met
 145 150 155 160
 Leu Arg Asp Thr Asp Val Asn Lys Lys Asp Lys Gln Lys Arg Thr Ala
 165 170 175
 Leu His Leu Ala Ser Ala Asn Gly Asn Ser Glu Val Val Lys Leu Leu
 180 185 190
 Leu Asp Arg Arg Cys Gln Leu Asn Val Leu Asp Asn Lys Lys Arg Thr
 195 200 205
 Ala Leu Ile Lys Ala Val Gln Cys Gln Glu Asp Glu Cys Ala Leu Met
 210 215 220
 Leu Leu Glu His Gly Thr Asp Pro Asn Ile Pro Asp Glu Tyr Gly Asn
 225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His Val
 340 345 350
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
 355 360 365
 Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
 370 375 380
 Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
 385 390 395 400
 Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
 405 410 415
 Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
 420 425 430
 Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
 435 440 445
 Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu
 450 455 460
 Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu
 465 470 475 480
 Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp
 485 490 495
 Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu

Asn	Gly	Gln	Pro	Glu	Leu	Glu	Asn	Phe	Met	Ala	Ile	Glu	Glu	Met	Lys
		515					520					525			
Lys	His	Gly	Ser	Thr	His	Val	Gly	Phe	Pro	Glu	Asn	Leu	Thr	Asn	Gly
	530					535					540				
Ala	Thr	Ala	Gly	Asn	Gly	Asp	Asp	Gly	Leu	Ile	Pro	Pro	Arg	Lys	Ser
545					550					555					560
Arg	Thr	Pro	Glu	Ser	Gln	Gln	Phe	Pro	Asp	Thr	Glu	Asn	Glu	Glu	Tyr
				565					570					575	
His	Ser	Asp	Glu	Gln	Asn	Asp	Thr	Gln	Lys	Gln	Phe	Cys	Glu	Glu	Gln
		580						585				590			
Asn	Thr	Gly	Ile	Leu	His	Asp	Glu	Ile	Leu	Ile	His	Glu	Glu	Lys	Gln
	595						600					605			
Ile	Glu	Val	Val	Glu	Lys	Met	Asn	Ser	Glu	Leu	Ser	Leu	Ser	Cys	Lys
	610					615					620				
Lys	Glu	Lys	Asp	Ile	Leu	His	Glu	Asn	Ser	Thr	Leu	Arg	Glu	Glu	Ile
625					630					635					640
Ala	Met	Leu	Arg	Leu	Glu	Leu	Asp	Thr	Met	Lys	His	Gln	Ser	Gln	Leu
				645					650					655	

<210> 380

<211> 671

<212> PRT

<213> Homo sapien

<400> 380

Met	Val	Val	Glu	Val	Asp	Ser	Met	Pro	Ala	Ala	Ser	Ser	Val	Lys	Lys
1				5					10					15	
Pro	Phe	Gly	Leu	Arg	Ser	Lys	Met	Gly	Lys	Trp	Cys	Cys	Arg	Cys	Phe
		20						25					30		
Pro	Cys	Cys	Arg	Glu	Ser	Gly	Lys	Ser	Asn	Val	Gly	Thr	Ser	Gly	Asp
	35						40					45			
His	Asp	Asp	Ser	Ala	Met	Lys	Thr	Leu	Arg	Ser	Lys	Met	Gly	Lys	Trp
	50					55					60				
Cys	Arg	His	Cys	Phe	Pro	Cys	Cys	Arg	Gly	Ser	Gly	Lys	Ser	Asn	Val
65					70				75						80
Gly	Ala	Ser	Gly	Asp	His	Asp	Asp	Ser	Ala	Met	Lys	Thr	Leu	Arg	Asn
			85						90					95	
Lys	Met	Gly	Lys	Trp	Cys	Cys	His	Cys	Phe	Pro	Cys	Cys	Arg	Gly	Ser
		100						105					110		
Gly	Lys	Ser	Lys	Val	Gly	Ala	Trp	Gly	Asp	Tyr	Asp	Asp	Ser	Ala	Phe
	115						120					125			
Met	Glu	Pro	Arg	Tyr	His	Val	Arg	Gly	Glu	Asp	Leu	Asp	Lys	Leu	His
	130					135					140				
Arg	Ala	Ala	Trp	Trp	Gly	Lys	Val	Pro	Arg	Lys	Asp	Leu	Ile	Val	Met
145					150					155					160
Leu	Arg	Asp	Thr	Asp	Val	Asn	Lys	Lys	Asp	Lys	Gln	Lys	Arg	Thr	Ala
				165					170					175	
Leu	His	Leu	Ala	Ser	Ala	Asn	Gly	Asn	Ser	Glu	Val	Val	Lys	Leu	Leu
		180						185					190		
Leu	Asp	Arg	Arg	Cys	Gln	Leu	Asn	Val	Leu	Asp	Asn	Lys	Lys	Arg	Thr
	195						200					205			
Ala	Leu	Ile	Lys	Ala	Val	Gln	Cys	Gln	Glu	Asp	Glu	Cys	Ala	Leu	Met
	210					215					220				
Leu	Leu	Glu	His	Gly	Thr	Asp	Pro	Asn	Ile	Pro	Asp	Glu	Tyr	Gly	Asn

225 230 235 240
 Thr Thr Leu His Tyr Ala Ile Tyr Asn Glu Asp Lys Leu Met Ala Lys
 245 250 255
 Ala Leu Leu Leu Tyr Gly Ala Asp Ile Glu Ser Lys Asn Lys His Gly
 260 265 270
 Leu Thr Pro Leu Leu Leu Gly Val His Glu Gln Lys Gln Gln Val Val
 275 280 285
 Lys Phe Leu Ile Lys Lys Lys Ala Asn Leu Asn Ala Leu Asp Arg Tyr
 290 295 300
 Gly Arg Thr Ala Leu Ile Leu Ala Val Cys Cys Gly Ser Ala Ser Ile
 305 310 315 320
 Val Ser Leu Leu Leu Glu Gln Asn Ile Asp Val Ser Ser Gln Asp Leu
 325 330 335
 Ser Gly Gln Thr Ala Arg Glu Tyr Ala Val Ser Ser His His His Val
 340 345 350
 Ile Cys Gln Leu Leu Ser Asp Tyr Lys Glu Lys Gln Met Leu Lys Ile
 355 360 365
 Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp Leu Lys Leu Thr Ser Glu
 370 375 380
 Glu Glu Ser Gln Arg Phe Lys Gly Ser Glu Asn Ser Gln Pro Glu Lys
 385 390 395 400
 Met Ser Gln Glu Pro Glu Ile Asn Lys Asp Gly Asp Arg Glu Val Glu
 405 410 415
 Glu Glu Met Lys Lys His Glu Ser Asn Asn Val Gly Leu Leu Glu Asn
 420 425 430
 Leu Thr Asn Gly Val Thr Ala Gly Asn Gly Asp Asn Gly Leu Ile Pro
 435 440 445
 Gln Arg Lys Ser Arg Thr Pro Glu Asn Gln Gln Phe Pro Asp Asn Glu
 450 455 460
 Ser Glu Glu Tyr His Arg Ile Cys Glu Leu Val Ser Asp Tyr Lys Glu
 465 470 475 480
 Lys Gln Met Pro Lys Tyr Ser Ser Glu Asn Ser Asn Pro Glu Gln Asp
 485 490 495
 Leu Lys Leu Thr Ser Glu Glu Glu Ser Gln Arg Leu Glu Gly Ser Glu
 500 505 510
 Asn Gly Gln Pro Glu Lys Arg Ser Gln Glu Pro Glu Ile Asn Lys Asp
 515 520 525
 Gly Asp Arg Glu Leu Glu Asn Phe Met Ala Ile Glu Glu Met Lys Lys
 530 535 540
 His Gly Ser Thr His Val Gly Phe Pro Glu Asn Leu Thr Asn Gly Ala
 545 550 555 560
 Thr Ala Gly Asn Gly Asp Asp Gly Leu Ile Pro Pro Arg Lys Ser Arg
 565 570 575
 Thr Pro Glu Ser Gln Gln Phe Pro Asp Thr Glu Asn Glu Glu Tyr His
 580 585 590
 Ser Asp Glu Gln Asn Asp Thr Gln Lys Gln Phe Cys Glu Glu Gln Asn
 595 600 605
 Thr Gly Ile Leu His Asp Glu Ile Leu Ile His Glu Glu Lys Gln Ile
 610 615 620
 Glu Val Val Glu Lys Met Asn Ser Glu Leu Ser Leu Ser Cys Lys Lys
 625 630 635 640
 Glu Lys Asp Ile Leu His Glu Asn Ser Thr Leu Arg Glu Glu Ile Ala
 645 650 655
 Met Leu Arg Leu Glu Leu Asp Thr Met Lys His Gln Ser Gln Leu
 660 665 670

<210> 381
<211> 251
<212> DNA
<213> Homo sapien

<400> 381
ggagaagcgt ctgctggggc aggaaggggt ttccctgccc tctcacctgt ccctcaccaa 60
ggtaacatgc ttcccctaag ggtatcccaa cccagggggc tcaccatgac ctctgagggg 120
ccaatatccc aggagaagca ttggggagtt gggggcaggt gaaggaccca ggactcacac 180
atcctggggc tccaaggcag aggagaggggt cctcaagaag gtcaggagga aaatccgtaa 240
caagcagtca g 251

<210> 382
<211> 3279
<212> DNA
<213> Homo sapiens

<400> 382
cttcctgcag ccccatgct ggtgaggggc acgggcagga acagtggacc caacatggaa 60
atgctggagg gtgtcaggaa gtgatcgggc tctggggcag ggaggagggg tggggagtggt 120
cactgggagg ggacatcctg cagaaggtag gagtgcagca acacccgctg caggggaggg 180
gagagccctg cggcacctgg gggagcagag ggagcagcac ctgcccaggc ctgggaggag 240
gggcctggag ggcgtgagga ggagcaggg ggctgcattg ctggagtgag ggatcagggg 300
cagggcgcgga gatggcctca cacaggggaag agagggcccc tcctgcaggg cctcacctgg 360
gccacaggag gacactgctt ttcctctgag gagtgcaggag ctgtggatgg tgctggacag 420
aagaaggaca gggcctggct caggtgtcca gaggtgtcg ctggcttccc tttgggatca 480
gactgcaggg agggagggcg gcagggttgt ggggggagtg acgatgagga tgacctgggg 540
gtggctccag gccttgcccc tgcctggggc ctcacccagc ctcctcaca gtctcctggc 600
cctcagtctc tcccctccac tccatcctcc atctggcctc agtgggtcat tctgatcact 660
gaactgacca taccagccc tgcccacggc cctccatggc tccccaatgc cctggagagg 720
ggacatctag tcagagagta gtctgaaga ggtggcctct gcgatgtgcc tgtgggggca 780
gcacctgca gatggtccc gcccctatcc tgcagacctg tctgcaggga ctgtcctcct 840
ggaccttgcc cctgtgagc gagctggacc ctgaagtccc cccccatag gccagactg 900
gagcctgtgt cctctgttg gactccctgc ccatattctt gtgggagtggt gttctggaga 960
catttctgtc tgttcctgag agctgggaat tgctctcagt catctgcctg cgcggttctg 1020
agagatggag ttgcctaggc agttattggg gccaatcttt ctcactgtgt ctctcctcct 1080
ttacccttag ggtgattctg ggggtccact tgtctgtaat ggtgtgcttc aaggtatcac 1140
atcatggggc cctgagccat gtgcctgcc tgaaaagcct gctgtgtaca ccaaggtggg 1200
gcattaccgg aagtggatca aggacaccat cgcagccaac ccctgagtgc cctgtccca 1260
cccctacctc tagtaaatat aagtcacact cacgttctgg catcacttgg cctttctgga 1320
tgctggacac ctgaagcttg gaactcacct ggccgaagct cgagcctcct gagtccact 1380
gacctgtgct ttctgggtgt gagtccaggg ctgctaggaa aaggaatggg cagacacagg 1440
tgtatgccaa tgtttctgaa atgggtataa tttcgctcct tccttcggaa cactggctgt 1500
ctctgaagac ttctcgctca gtttcagtga ggacacacac aaagacgtgg gtgacctagt 1560
tgtttgtggg gtgcagagat gggaggggtg gggcccaccc tggaaagagtg gacagtgaca 1620
caaggtggac actctctaca gatcactgag gataagctgg agccacaatg catgaggcac 1680
acacacagca aggttgacgc tgtaaacata gccacgctg tcctgggggc actgggaagc 1740
ctagataagg ccgtgagcag aaagaagggg aggtacctcc tatgttggtg aaggagggac 1800
tagggggaga aactgaaagc tgattaatta caggaggttt gttcaggtcc cccaaaccac 1860
cgtcagattt gatgatttcc tagcaggact tacagaaata aagagctatc atgctgtggg 1920
ttattatggg ttgttacatt gataggatac atactgaaat cagcaaacaa aacagatgta 1980
tagattagag tgtggagaaa acagaggaaa acttgcagtt acgaagactg gcaacttggc 2040
ttactaagt ttccagactg gcaggaagtc aaacctatta ggctgaggac cttgtggagt 2100
gtagctgatac cagctgatag aggaactagc caggtggggg cctttccctt tggatggggg 2160

```

gcatatccga cagttattct ctccaagtgg agacttacgg acagcatata attctccctg 2220
caaggatgta tgataaatatg tacaaagtaa ttccaactga ggaagctcac ctgatacctta 2280
gtgtccaggg tttttactgg ggggtctgtag gacgagtatg gagtacttga ataattgacc 2340
tgaagtccctc agacctgagg ttccctagag ttcaaacaga tacagcatgg tccagagtcc 2400
cagatgtaca aaaacagggga ttcatcacaa atcccatctt tagcatgaag ggtctggcat 2460
ggcccaaggc cccaagtata tcaaggcact tgggcagaac atgccaagga atcaaatgtc 2520
atctcccagg agttattcaa ggggtgagccc tttacttggg atgtacaggc tttgagcagt 2580
gcagggctgc tgagtcaacc ttttattgta caggggatga gggaaagggg gaggatgagg 2640
aagccccctt ggggatttgg tttggtcttg tgatcaggtg gtctatgggg ctatccctac 2700
aaagaagaat ccagaaatag gggcacattg aggaatgata ctgagcccaa agagcattca 2760
atcattgttt tatttgcctt cttttcacac cattggtgag ggagggatta ccacctggg 2820
gttatgaaga tggttgaaca cccacacat agcaccggag atatgagatc aacagtttct 2880
tagccataga gattcacagc ccagagcagg aggacgtgc acaccatgca ggatgacatg 2940
ggggatgcmc tcgggattgg tgtgaagaag caaggactgt tagaggcagg ctttatagta 3000
acaagacggg ggggcaaact ctgatttccg tgggggaatg tcatggtctt gctttactaa 3060
gttttgagac tggcaggtag tgaaactcat taggctgaga accttgtgga atgcagctga 3120
cccagctgat agaggaagta gccaggtggg agcctttccc agtgggtgtg ggacatatct 3180
ggcaagattt tgtggcactc ctggttacag atactggggc agcaaataaa actgaatctt 3240
gttttcagac cttaaaaaaa aaaaaaaaaa aaaagtttt 3279

```

<210> 383

<211> 155

<212> PRT

<213> Homo sapiens

<400> 383

```

Met Ala Gly Val Arg Asp Gln Gly Gln Gly Ala Arg Trp Pro His Thr
          5                                10                    15

```

```

Gly Lys Arg Gly Pro Leu Leu Gln Gly Leu Thr Trp Ala Thr Gly Gly
          20                                25                    30

```

```

His Cys Phe Ser Ser Glu Glu Ser Gly Ala Val Asp Gly Ala Gly Gln
          35                                40                    45

```

```

Lys Lys Asp Arg Ala Trp Leu Arg Cys Pro Glu Ala Val Ala Gly Phe
          50                                55                    60

```

```

Pro Leu Gly Ser Asp Cys Arg Glu Gly Gly Arg Gln Gly Cys Gly Gly
          65                                70                    75                    80

```

```

Ser Asp Asp Glu Asp Asp Leu Gly Val Ala Pro Gly Leu Ala Pro Ala
          85                                90                    95

```

```

Trp Ala Leu Thr Gln Pro Pro Ser Gln Ser Pro Gly Pro Gln Ser Leu
          100                               105                   110

```

```

Pro Ser Thr Pro Ser Ser Ile Trp Pro Gln Trp Val Ile Leu Ile Thr
          115                               120                   125

```

```

Glu Leu Thr Ile Pro Ser Pro Ala His Gly Pro Pro Trp Leu Pro Asn
          130                               135                   140

```

```

Ala Leu Glu Arg Gly His Leu Val Arg Glu
          145                               150

```

<210> 384
<211> 557
<212> DNA
<213> Homo sapiens

<400> 384
ggatcctcta gagcgccgc ctactactac taaattcgcg gccgcgtcga cgaagaagag 60
aaagatgtgt tttgttttgg actctctgtg gtcccttcca atgctgtggg tttccaacca 120
ggggaagggg ccccttttgca ttgccaagtg ccataaccat gagcactact ctaccatggg 180
tctgcctcct ggccaagcag gctggtttgc aagaatgaaa tgaatgattc tacagctagg 240
acttaacctt gaaatggaaa gtcttgcaat cccatttgca ggatccgtct gtgcacatgc 300
ctctgtagag agcagcattc ccagggacct tggaaacagt tggcactgta aggtgcttgc 360
tccccaagac acatcctaaa aggtgttcta atggtgaaaa cgtcttcctt ctttattgcc 420
ccttcttatt tatgtgaaca actgtttgtc tttttttgta tcttttttaa actgtaaagt 480
tcaattgtga aaatgaatat catgcaaata aattatgcga ttttttttcc aaagtaaaaa 540
aaaaaaaaaa aaaaaaaa 557

<210> 385
<211> 337
<212> DNA
<213> Homo sapiens

<400> 385
ttcccagggtg atgtgcgagg gaagacacat ttactatcct tgatggggct gattcccttta 60
gtttctctag cagcagatgg gttaggagga agtgacccaa gtggttgact cctatgtgca 120
tctcaaagcc atctgctgtc ttcgagtacg gacacatcat cactcctgca ttgttgatca 180
aaacgtggag gtgcttttcc tcagctaaga agcccttagc aaaagctcga atagacttag 240
tatcagacag gtccagtttc cgcaccaaca cctgctgggt cctgtcgtg gtctggatct 300
ctttggccac caattcccc ttttccacat cccggca 337

<210> 386
<211> 300
<212> DNA
<213> Homo sapiens

<400> 386
gggcccgccta ccggcccagg cccgcctcgc cgagtcctcc tccccgggtg cctgcccgcga 60
gcccgcctcgc cccagagggg gggcgcgggg ctgcctctac cggctggcgg ctgtaactca 120
gcgaccttgg cccgaaggct ctagcaagga cccaccgacc ccagccgcgg cggcgggcggc 180
gcggaactttg cccggtgtgt ggggcggagc ggactgcgtg tccgcggacg ggcagcgaag 240
atgttagcct tcgctgccag gaccgtggac cgatcccagg gctgtggtgt aacctcagcc 300

<210> 387
<211> 537
<212> DNA
<213> Homo sapiens

<400> 387
gggcccagctc gggcaccaag ggactctttg caggcttcc tctcggatc atcaaggctg 60
ccccctcctg tgccatcatg atcagcacct atgagttcgg caaaagcttc ttccagaggc 120
tgaaccagga ccggcttctg ggcggctgaa aggggcaagg aggcaaggac cccgtctctc 180
ccacggatgg ggagagggca ggagagagacc cagccaagtg ctttttcctc agcactgagg 240
gaggggggctt gtttcccttc cctcccggcg acaagctcca gggcaggggt gtccctctgg 300

gcggcccagc acttcctcag acacaacttc ttcttgctgc tccagtcgtg gggatcatca 360
cttaccacc cccaagttc aagaccaa atctccagctg ccccttcgt gtttccctgt 420
gtttgctgta gctgggcatg tctccaggaa ccaagaagcc ctcagcctgg tgtagtctcc 480
ctgacccttg ttaattcctt aagtctaaag atgatgaact tcaaaaaaaaa aaaaaa 537

<210> 388

<211> 520

<212> DNA

<213> Homo sapiens

<400> 388

aggataattt ttaaaccaat caaatgaaaa aaacaaacaa acaaaaaagg aaatgtcatg 60
tgaggttaaa ccagtttgca ttccccta atgtggaaaaa taagaggact actcagcact 120
gtttgaagat tgccctctct acagcttctg agaattgtgt tatttcactt gccaagtga 180
ggacccccct cccaacatgc cccagccac ccctaagcat ggtccctgt caccaggcaa 240
ccaggaaact gctacttggt gacctacca gagaccagga gggtttggt agtcacagg 300
acttccccca cccagaaga ttagcatccc atactagact cataactcaac tcaactaggc 360
tcatactcaa ttgatggtta ttagacaatt ccatttcttt ctgggttatta taaacagaaa 420
atctttcctc ttctcattac cagtaaaggc tcttggtatc tttctgttgg aatgatttct 480
atgaacttgt cttattttaa tgggtgggtt ttttctggt 520

<210> 389

<211> 365

<212> DNA

<213> Homo sapiens

<400> 389

cgttgcccc gtttgacaga aggaaaggcg gagcttattc aaagtctaga gggagtggag 60
gagtttaaggc tggatttcag atctgcctgg ttccagccgc agtgtgccct ctgctcccc 120
aacgactttc caaataatct caccagcgcc ttccagctca ggcgtcctag aagcgtcttg 180
aagcctatgg ccagctgtct ttgtgttccc tctcacccgc ctgtcctcac agctgagact 240
cccaggaaac cttcagacta ccttcctctg ccttcagcaa ggggcgttgc ccacattctc 300
tgagggtcag tggaagaacc tagactccca ttgctagagg tagaaagggg aagggtgctg 360
gggag 365

<210> 390

<211> 221

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(221)

<223> n = A,T,C or G

<400> 390

tgctctcca tcttgcccc gacttctctg tcaggaaagt ggggatggac cccatctgca 60
tacacggntt ctcaggggtg tggaacatct ctgcttgccg tttcaggaag gcctctggct 120
gctctangag tctgancnga ntcgttgccc cantntgaca naaggaaagg cggagcttat 180
tcaaagtcta gagggagtgg aggagttaag gctggatttc a 221

<210> 391

<211> 325

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(325)

<223> n = A,T,C or G

<400> 391

```
tggagcaggt cccgaggcct ccctagagcc tggggccgac tctgtgncga tgcangcttt 60
ctctcgcgcc cagcctggag ctgctcctgg catctaccaa caatcagncg aggcgagcag 120
tagccagggc actgctgcca acagccagtc cnnataccat catgtnaccc ggtgngctct 180
naanttingat ntccanagcc ctacccatcn tagttctgct cteccaccgg ntaccagccc 240
cactgcccag gaatcctaca gccagtaccc tgtcccgacg tctctaccta ccagtacgat 300
gagacctccg gctactacta tgacc                                     325
```

<210> 392

<211> 277

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(277)

<223> n = A,T,C or G

<400> 392

```
atattgttta actccttctt ttatatcttt taacattttc atggngaaag gttcacatct 60
agtctcactt nggcnagn gnctcctacttg agtctcttcc ccggcctggn ccagtngnaa 120
antaccanga accgncatgn cttaanaacn ncctggtttn tgggttnntc aatgactgca 180
tgcagtgcac caccctgtcc actacgtgat gctgtaggat taaagtctca cagtgggcgg 240
ctgaggatac agcgccgcgt cctgtgttgc tggggaa                                     277
```

<210> 393

<211> 566

<212> DNA

<213> Homo sapiens

<400> 393

```
actagtccag tgtggtggaa ttcgcgccg cgctgacgga caggtcagct gtctggctca 60
gtgatctaca ttctgaagtt gtctgaaaat gtcttcatga tttaaattcag cctaaacgtt 120
ttgccgggaa cactgcagag acaatgctgt gagtttccaa ccttagccca tctgcgggca 180
gagaaggctc agtttgtcca tcagcattat catgatatca ggactgggta cttgggtaag 240
gaggggtcta ggagatctgt cctttttaga gacaccttac ttataatgaa gtatttggga 300
gggtggtttt caaaagtaga aatgtcctgt attccgatga tcctcctgta aacattttat 360
catttattaa tcctccctgc ctgtgtctat tatttatattc atatctctac gctggaaact 420
ttctgcctca atgtttactg tgcctttgtt tttgctagtt tgtgttggtg aaaaaaaaaa 480
cattctctgc ctgagtttta atttttgtcc aaagttattt taatctatac aattaaaagc 540
ttttgcctat caaaaaaaaaa aaaaaa                                     566
```

<210> 394

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(384)

<223> n = A,T,C or G

<400> 394

```
gaacatacat gtccccggcac ctgagctgca gtctgacatc atcgccatca cgggcctcgc 60
tgcaaattng gaccggggcca aggctggact gctggagcgt gtgaaggagc tacaggccna 120
gcaggaggac cgggcttttaa ggagtttttaa gctgagtgtc actgtagacc ccaaatacca 180
tcccaagatt atcggggagaa aggggggcagt aattacccaa atccggttgg agcatgacgt 240
gaacatccag tttcctgata aggacgatgg gaaccagccc caggacccaa ttaccatcac 300
agggtacgaa aagaacacag aagctgccag ggatgctata ctgagaattg tgggtgaact 360
tgagcagatg gtttctgagg acgt                                     384
```

<210> 395

<211> 399

<212> DNA

<213> Homo sapiens

<400> 395

```
ggcaaaactg tgtgacctca ataagacctc gcagatccaa ggtcaagtat cagaagtgac 60
tctgaccttg gactccaaga cctacatcaa cagcctggct atattagatg atgagccagt 120
tatcagaggt ttcattcatt cggaaattgt ggagtctaag gaaatcatgg cctctgaagt 180
attcagctct ttcagtagc ctgagttctc tatagagttg cctaacacag gcagaattgg 240
ccagctactt gtctgcaatt gtatcttcaa gaataccctg gccatccctt tgactgacgt 300
caagttctct ttggaaagcc tgggcatctc ctactacag acctctgacc atgggacggg 360
gcagcctggt gagaccatcc aatcccaaat aaaatgcac                                     399
```

<210> 396

<211> 403

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(403)

<223> n = A,T,C or G

<400> 396

```
tggagttntc agtgcaaaaca agccataaag ctccagtagc aaattactgt ctacagaaa 60
gacattttca acttctgctc cagctgctga taaaacaaat catgtgttta gcttgactcc 120
agacaaggac aacctgttcc ttcataactc tctagagaaa aaaaggagtt gttagtagat 180
actaaaaaaaa gtggatgaat aatctggata ttttctctaa aaagattcct tgaaacacat 240
taggaaaatg gagggcctta tgatcagaat gctagaatta gtccattgtg ctgaagcagg 300
gttttagggga gggagtgagg gataaaaagaa ggaaaaaaag aagagtgaga aaacctattt 360
atcaaagcag gtgctatcac tcaatgttag gcctgctct ttt                                     403
```

<210> 397

<211> 100

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(100)

<223> n = A,T,C or G

<400> 397

actagtnacag tgtggtggaa ttcgcggccg cgtcgacctt naanccatct ctatagcaaa 60
tccatccccg ctctgtgttg gtnacagaat gactgacaaa 100

<210> 398

<211> 278

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(278)

<223> n = A,T,C or G

<400> 398

gcggccgcgt cgacagcagt tccgccagcg ctgcgccctg ggtggggatg tgctgcacgc 60
ccacctggag atctggaagt cagcggcctg gatgaaagag cggacttcac ctggggcgat 120
tcaactactgt ccctcgacca gtgaggagag ctggaccgac agcgaggttg actcatcatg 180
ctccggggcag cccatccacc tgtggcagtt cctcaaggag ttgctactca agccccacag 240
ctatggccgc ttcattangt ggctcaacaa ggagaagg 278

<210> 399

<211> 298

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(298)

<223> n = A,T,C or G

<400> 399

acggaggtgg aggaagcgc cctgggatcg anaggatggg tcttgnatt gaccnccctn 60
ggggtgccng catggagcgc atggggcgcg gcctgggcca cggcatggat cgcgtgggct 120
ccgagatcga gcgcattggc ctggatcatg accgcatggg ctccgtggag cgcattgggct 180
ccggcattga gcgcattggc ccgctgggcc tcgaccacat ggccctccanc attgancgca 240
tgggccagac catggagcgc attggctctg gcgtggagcn catgggtgcc ggcatggg 298

<210> 400

<211> 548

<212> DNA

<213> Homo sapiens

<400> 400

acatcaacta cttcctcatt ttaaggtatg gcagttccct tcatcccctt ttcctgcctt 60
gtacatgtac atgtatgaaa tttccttctc ttaccgaact ctctccacac atcacaagg 120
caaagaacca cagccttaga agggtaagag ggcaccctat gaaatgaaat ggtgatttct 180
tgagtctctt ttttccacgt ttaagggggc atggcaggac ttagagttgc gagttaagac 240
tgcagagggc tagagaatta tttcatacag gctttgaggc caccatgtc acttatcccg 300
tataccctct caccatcccc ttgtctactc tgatgcccc aagatgcaac tgggcagcta 360
gttgccccca taattctggg cctttgttgt ttgttttaat tacttgggca tcccaggaag 420
ctttccagtg atctcctacc atgggcccc ctcttgggat caagcccctc ccaggccctg 480
tccccagccc ctcttgcctc agcccacccg cttgccttgg tgctcagccc tccatttggg 540
agcaggtt 548

<210> 401
<211> 355
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(355)
<223> n = A,T,C or G

<400> 401
actgtttcca tggtatgttt ctacacattg ctacctcagt gtcctcggaa acttagcttt 60
tgatgtctcc aagtagtcca ccttcattta actctttgaa actgtatcat ctttgccaag 120
taagagtggg ggcctatttc agctgctttg acaaaatgac tggctcctga cttaacgttc 180
tataaatgaa tgtgctgaag caaagtgcc atgggtggcg cgaagaagan aaagatgtgt 240
tttgttttgg actctctgtg gtcccttcca atgctgnngg tttccaacca ggggaagggt 300
cccttttgca ttgccaagtg ccataaccat gagcactact ctaccatggn tctgc 355

<210> 402
<211> 407
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(407)
<223> n = A,T,C or G

<400> 402
atggggcaag ctggataaag aaccaagacc cactggagta tgctgtcttc aagaaacca 60
tctcacatgc ggtggcatat ataggctcaa aataaaggaa tggagaaaaa tatttcaagc 120
aaatggaaaa cagaaaaaag caggtgttgc actcctactt tctgacaaaa cagactatgc 180
gaataaagat aaaaaagaga aggacattac aaagggtggc ctgacctttg ataaatctca 240
ttgcttgata ccaacctggg ctgttttaat tgcccaaacc aaaaggataa tttgctgagg 300
ttgtggagct tctcccctgc agagagtccc tgatctccca aaatttggtt gagatgtaag 360
gntgattttg ctgacaactc cttttctgaa gttttactca tttccaa 407

<210> 403
<211> 303
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(303)
<223> n = A,T,C or G

<400> 403
cagtatttat agccnaactg aaaagctagt agcaggcaag tctcaaatec aggcacaaaa 60
tctaagcaa gagccatggc atgggtgaaa tgcaaaagga gagtctggcc aatctacaaa 120
tagagaacaa gacctactca gtcataaaca aaaaggcaga caccaacatg gatctcatgg 180
gggattggat attgtaatta tagagcagga agatgacagt gatcgtcatt tggcacaaaa 240
tcttaacaac gaccgaaacc cattatttac ataaacctcc attcggtaac catgttgaaa 300
gga 303

<210> 404
<211> 225
<212> DNA
<213> Homo sapiens

<400> 404
aagtgtgaact tttaaaaaatt tagtggattt tgaaaattct tagaggaaag taaaggaaaa 60
attgttaatg cactcattta cctttacatg gtgaaagtcc tctcttgatc ctacaaacag 120
acattttcca ctctgtgttc catagtgtt aagtgtatca gatgtgttgg gcatgtgaat 180
ctccaagtgc ctgtgtaata aataaagtat ctttatttca ttcatt 225

<210> 405
<211> 334
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(334)
<223> n = A,T,C or G

<400> 405
gagctgttat actgtgagtt ctactaggaa atcatcaaatt ctgaggggtg tctggaggac 60
ttcaatacac ctccccccat agtgaatcag cttccagggg gtccagtcct tctccttact 120
tcatccccat cccatgccaa aggaagacct tccctccttg gctcacagcc ttctctaggc 180
ttccagtgct ctccaggaca gagtgggtta tgttttcagc tccatccttg ctgtgagtg 240
ctgggtgcgtg tgtgcctcca gcttctgctc agtgcttcat ggacagtgct cagcccatgt 300
cactctccac tctctcannng tggatccac ccct 334

<210> 406
<211> 216
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(216)
<223> n = A,T,C or G

<400> 406
tttcatacct aatgaggagg ttganatnac atnnaaccag gaaatgcatg gatctcaang 60
gaaacaaaca cccaataaac tcggagtggc agactgacaa ctgtgagaca tgcacttgct 120
acnaaacaca aatttnatgt tgcacccttg tttctacacc tgtgggttat gacaaagaca 180
actgccaaag aatnttcaag aaggaggact gccant 216

<210> 407
<211> 413
<212> DNA
<213> Homo sapiens

<400> 407
gctgacttgc tagtatcatc tgcattcatt gaagcacaag aacttcatgc cttgactcat 60
gtaaatgcaa taggattaaa aaataaattt gatatcacat ggaaacagac aaaaaatatt 120
gtacaacatt gcacccagtg tcagattcta cacctggcca ctgaggaagc aagagttaat 180
cccagaggct tatgtcctaa tgtgttatgg caaatggatg tcatgcacgt accttcattt 240

ggaaaattgt catttgtcca tgtgacagtt gatacttatt cacatttcat atgggcaacc 300
tgccagacag gagaaagtct tcccatgtta aaagacattt attatcttgt tttcctgtca 360
tgggagttcc agaaaaagtt aaaacagaca atgggccagg ttctgtagta aag 413

<210> 408
<211> 183
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(183)
<223> n = A,T,C or G

<400> 408
ggagctngcc ctcaattcct ccatntctat gttancatat ttaatgtctt ttgnnattaa 60
tncttaacta gttaatcctt aaagggctan ntaatcctta actagtcctt ccattgtgag 120
cattatcctt ccagtattcn ccttctnttt tatttactcc ttcttggtta cccatgtact 180
ntt 183

<210> 409
<211> 250
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(250)
<223> n = A,T,C or G

<400> 409
cccacgcatg ataagctctt tatttctgta agtcctgcta ggaaatcatc aaatctgacg 60
gtgggttggg ggacctgaac aaacctcctg taattaatca gctttcagtt tctcccccta 120
gtccctcctt caacaacata ggaggatcct ccccttcttt ctgctcacgg ccttatctag 180
gcttcccagt gccccagga cagcgtgggc tatgtttaca ggcgttcctt gctggggggg 240
ggcctatgc 250

<210> 410
<211> 306
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(306)
<223> n = A,T,C or G

<400> 410
ggctggtttg caagaatgaa atgaatgatt ctacagctag gacttaacct tgaaatggaa 60
agtcttgcaa tccatttgc aggatccgtc tgtgcacatg cctctgtaga gacgacatt 120
cccagggacc ttggaaacag ttggcactgt aagggtgctt ctcccccaaga cacatcctaa 180
aagggtgttg aatggtgaaa accgcttcct tctttattgc cccttcttat ttatgtgaac 240
nactggttgg ctttttttgn atctttttta aactggaaag ttcaattgng aaaatgaata 300
tcntgc 306

<210> 411
<211> 261
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(261)
<223> n = A,T,C or G

<400> 411
agagatattn cttaggtnaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaagtgc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa ggngaggcaa a 261

<210> 412
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 412
gttcaatgtt acctgacatt tctacaacac cccactcacc gatgtattcg ttgcccagtg 60
ggaacatacc agcctgaatt tggaaaaaat aattgtgttt cttgcccagg aaatactacg 120
actgactttg atggctccac aaacataacc cagtgtaaaa acagaagatg tggaggggag 180
ctgggagatt tcaactgggta cattgaattc ccaactacc cangcaatta cccagccaac 240
a 241

<210> 413
<211> 231
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(231)
<223> n = A,T,C or G

<400> 413
aactcttaca atccaagtga ctcatctgtg tgcttgaate ctttccactg tctcatctcc 60
ctcatccaag ttcttagtac cttctctttg ttgtgaagga taatcaaact gaacaacaaa 120
aagtttactc tctcatcttg gaacctaaaa actctcttct tcttgggtct gagggctcca 180
agaatccttg aatcanttct cagatcattg gggacaccan atcaggaacc t 231

<210> 414
<211> 234
<212> DNA
<213> Homo sapiens

<400> 414

actgtccatg aagcactgag cagaagctgg aggcacaacg caccagacac tcacagcaag 60
gatggagctg aaaacataac ccactctgtc ctggaggcac tgggaagcct agagaaggct 120
gtgagccaag gagggagggt cttccttttg catgggatgg ggatgaagta aggagagggg 180
ctggaccccc tggaagctga ttcactatgg ggggagggtg attgaagtcc tcca 234

<210> 415

<211> 217

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(217)

<223> n = A,T,C or G

<400> 415

gcataggatt aagactgagt atcttttcta cattctttta actttctaag gggcacttct 60
caaaacacag accaggtagc aaatctccac tgctctaagg ntctcaccac cactttctca 120
cacctagcaa tagtagaatt cagtcctact tctgaggcca gaagaatggt tcagaaaaat 180
antggattat aaaaaataac aattaagaaa aataatc 217

<210> 416

<211> 213

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(213)

<223> n = A,T,C or G

<400> 416

atgcatatnt aaagganact gcctcgcttt tagaagacat ctggnctgct ctctgcatga 60
ggcacagcag taaagctctt tgattcccag aatcaagaac tctccccttc agactattac 120
cgaatgcaag gtgggttaatt gaaggccact aattgatgct caaatagaag gatattgact 180
atattggaac agatggagtc tctactacaa aag 213

<210> 417

<211> 303

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(303)

<223> n = A,T,C or G

<400> 417

nagtcttcag gcccatcagg gaagttcaca ctggagagaa gtcatacata tgtactgtat 60
gtgggaaagg ctttactctg agttcaaate ttcaagccca tcagagagtc cacactggag 120
agaagccata caaatgcaat gagtgtggga agagcttcag gagggattcc cattatcaag 180
ttcatctagt ggtccacaca ggagagaaac cctataaatg tgagatatgt gggaagggct 240
tcantcaaag ttcgtatctt caaatccatc ngaaggncca cagtatanan aaacctttta 300
agt 303

<210> 418
<211> 328
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(328)
<223> n = A,T,C or G

<400> 418
tttttggcgg tgggtggggca gggacggggac angagtctca ctctgttgcc caggctggag 60
tgcacaggca tgatctcggc tcactacaac ccctgcctcc catgtccaag cgattcttgt 120
gcctcagcct tcctgttagc tagaattaca ggcacatgcc accacaccca gctagttttt 180
gtatttttag tagagacagg gtttcacat gttggccagg ctggtctcaa actcctnacc 240
tcagnggtca ggctgggtctc aaactcctga cctcaagtga tctgcccacc tcagcctccc 300
aaagtgtctan gattacaggc cgtgagcc 328

<210> 419
<211> 389
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(389)
<223> n = A,T,C or G

<400> 419
cctcctcaag acggcctgtg gtccgcctcc cggcaaccaa gaagcctgca gtgccatattg 60
acccttgagc catggactgg agcctgaaag gcagcgtaca ccctgtcctc gatcttgctg 120
cttgtttctc ctctgtggct ccattcatag cacagttgtt gcactgaggc ttgtgcaggc 180
cgagcaaggc caagctggct caaagagcaa ccagtcaact ctgccacggg gtgccaggca 240
ccggttctcc agccaccaac ctcaactcgt cccgcaaagt gcacatcagt tcttctaccc 300
taaaggtagg accaaagggc atctgctttt ctgaagtcct ctgctctatc agccatcacg 360
tggcagccac tcnggctgtg tcgacgcgg 389

<210> 420
<211> 408
<212> DNA
<213> Homo sapiens

<400> 420
gttcctccta actcctgcc aaaacagctc tcttcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggtt tcttggttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgactttggt gtttcggcat ggagaccgaa 180
gtcccattga cactttccc actgaccca taaaggaatc ctcatggcca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtccata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg aagtgtatg acaaacctgg caagcccc 408

<210> 421
<211> 352
<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(352)

<223> n = A,T,C or G

<400> 421

```
gctcaaaaat ctttttactg atnggcatgg ctacacaatc attgactatt acggaggcca 60
gaggagaatg aggcctggcc tgggagccct gtgcctacta naagcacatt agattatcca 120
ttcactgaca gaacaggtct tttttgggtc cttcttctcc accacnatac acttgacgtc 180
ctccttcttg aagattcttt ggcagttgtc tttgtcataa cccacaggtg tagaaacaag 240
ggtgcaacat gaaatttctg tttcgtagca agtgcattgc tcacaaggtg gcangtctgc 300
cactccgagt ttattgggtg tttgtttcct ttgagatcca tgcatttcct gg 352
```

<210> 422

<211> 337

<212> DNA

<213> Homo sapiens

<400> 422

```
atgccaccat gctggcaatg cagcggggcgg tcgaaggcct gcatatccag cccaagctgg 60
cgatgatcga cggcaaccgt tgcccgaagt tgccgatgcc agccgaagcg gtggtcaagg 120
gcatagcaa ggtgccggcg atcgcgggcg cgtcaatcct ggccaaggtc agccgtgatc 180
gtgaaatggc agctgtcgaa ttgatctacc cgggttatgg catcgggcgg cataagggtc 240
atccgacacc ggtgcacctg gaagccttgc agcggctggg gccgacgccg attcaccgac 300
gcttcttccg ccggtacggc tggcctatga aaattat 337
```

<210> 423

<211> 310

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(310)

<223> n = A,T,C or G

<400> 423

```
gctcaaaaat ctttttactg atatggcatg gctacacaat cattgactat tagaggccag 60
aggagaatga ggcctggcct gggagccctg tgcctactan aagcncatta gattatccat 120
tcactgacag aacaggtctt ttttgggtcc ttcttctcca ccacgatata cttgcagtcc 180
tccttcttga agattctttg gcagttgtct ttgtcataac ccacaggtgt anaaacaagg 240
gtgcaacatg aaatttctgt ttcgtagcaa gtgcatgtct cacagttgtc aagtctgccc 300
tccgagttaa 310
```

<210> 424

<211> 370

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(370)

<223> n = A,T,C or G

<400> 424
gctcaaaaat ctttttactg atagggcatgg ctacacaatc attgactatt agaggccaga 60
ggagaatgag gcctggcctg ggagccctgt gcctactaga agcacattag attatccatt 120
cactgacaga acaggtcttt tttgggtcct tcttctccac cacgatatac ttgcagtcct 180
ccttcttgaa gattctttgg cagttgtctt tgtcataacc cacaggtgta gaaacatcct 240
ggttgaatct cctggaactc cctcattagg tatgaaatag catgatgcat tgcataaagt 300
cacgaagggtg gcaaagatca caacgctgcc cagganaaca ttcattgtga taagcaggac 360
tccgtcgacg 370

<210> 425
<211> 216
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(216)
<223> n = A,T,C or G

<400> 425
aattgctatn ntttattttg ccactcaaaa taattaccaa aaaaaaaaaa tnttaaataga 60
taacaacnca acatcaagggn aaananaaca ggaatggntg acntngcata aatngggccga 120
anattatcca ttatnttaag ggttgacttc aggntacagc acacagacaa acatgcccag 180
gaggntntca ggaccgctcg atgtnttntg aggagg 216

<210> 426
<211> 596
<212> DNA
<213> Homo sapiens

<400> 426
cttccagtga ggataaccct gttgccccgg gccgaggttc tccattaggc tctgattgat 60
tggcagtcag tgatggaagg gtgttctgat cattccgact gcccgaaggg tcgctggcca 120
gctctctgtt ttgctgagtt ggcagtagga cctaatttgt taattaagag tagatggtga 180
gctgtccttg tattttgatt aacctaattg ccttcccagc acgactcgga ttcagctgga 240
gacatcacgg caacttttaa tgaaatgatt tgaagggccca ttaagaggca cttcccgtta 300
ttaggcagtt catctgcact gataacttct tggcagctga gctggtcgga gctgtggccc 360
aaacgcacac ttggcttttg gttttgagat acaactctta atcttttagt catgcttgag 420
ggtggatggc cttttcagct ttaacccaat ttgactgcc ttggaagtgt agccaggaga 480
atacactcat atactcgtgg gcttagaggc cacagcagat gtcattggtc tactgcctga 540
gtcccgtctg tcccatccca ggaccttcca tcggcgagta cctgggagcc cgtgct 596

<210> 427
<211> 107
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(107)
<223> n = A,T,C or G

<400> 427
gaagaattca agttagggtt attcaaaggg cttacngaga atcctanacc caggncccag 60

cccgggagca gccttanaga gctcctgttt gactgcccgg ctcagng

107

<210> 428
 <211> 38
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(38)
 <223> n = A,T,C or G

<400> 428
 gaacttcna anaangactt tattcactat tttacatt

38

<210> 429
 <211> 544
 <212> DNA
 <213> Homo sapiens

<400> 429
 ctttgctgga cggaataaaa gtggacgcaa gcatgacctc ctgatgaggg cgctgcattt 60
 attgaagagc ggctgcagcc ctgcggttca gattaaaatc cgagaattgt atagacgccg 120
 atatccacga actcttgaag gactttctga tttatccaca atcaaatacat cggttttcag 180
 tttggatggt ggctcatcac ctgtagaacc tgacttggcc gtggctggaa tccactcggt 240
 gccttccact tcagttacac ctcaactcacc atctctctct gttggttctg tgctgcttca 300
 agataactaag cccacatttg agatgcagca gccatctccc ccaattcttc ctgtccatcc 360
 tgatgtgcag ttaaaaaatc tgccctttta tgatgtcctt gatgttctca tcaagcccac 420
 gagtttagtt caaagcagta ttcagcgatt tcaagagaag ttttttatTT ttgctttgac 480
 acctcaacaa gttagagaga tatgcatatc cagggatttt ttgccagggtg gtaggagaga 540
 ttat 544

<210> 430
 <211> 507
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(507)
 <223> n = A,T,C or G

<400> 430
 cttatcncaa tggggctccc aaacttgggt gtgcagtgga aactccgggg gaattttgaa 60
 gaacactgac acccatcttc cacccecgaca ctctgattta attgggctgc agtgagaaca 120
 gagcatcaat ttaaaaagct gcccagaatg ttntcctggg cagcgttggt atctttgccn 180
 ctttcgtgac tttatgcaat gcatcatgct atttcatacc taatgagggg gttccaggag 240
 attcaaccag gatgtttcta cncctgtggg ttatgacaaa gacaactgcc aaagaatntt 300
 caagaaggag gactgcaagt atatcgtggt ggagaagaag gacccaaaaa agacctgttc 360
 tgtcagttaa tggataatct aatgtgcttc tagtaggcac agggctccca ggccaggcct 420
 cattctcttc tggcctctaa tagtcaatga ttgtgtagcc atgcctatca gtaaaaagat 480
 ttttgagcaa aaaaaaaaaa aaaaaaa 507

<210> 431
 <211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 431

```
gaaaattcag aatggataaa aacaaatgaa gtacaaaata tttcagattt acatagcgat 60
aaacaagaaa gcacttatca ggaggactta caaatggaag tacactctan aaccatcatc 120
tatcatggct aaatgtgaga ttagcacagc tgtattattt gtacattgca aacacctaga 180
aagagatggg aaacaaaatc ccaggagttt tgtgtgtgga gtcctgggtt ttccaacaga 240
catcattcca gcattctgag attagggnga ttggggatca ttctggagtt ggaatgttca 300
acaaaagtga tgttgttagg taaaatgtac aacttctgga tctatgcaga cattgaaggt 360
gcaatgagtc tggcttttac tctgctgttt ct 392
```

<210> 432

<211> 387

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(387)

<223> n = A,T,C or G

<400> 432

```
ggtatcanta cataatcaaa tatagctgta gtacatgttt tcattggngt agattaccac 60
aaatgcaagg caacatgtgt agatctcttg tcttattctt ttgtctataa tactgtattg 120
ngtagtccaa gctctcgna gtccagccac tngaaacat gtcctctta gattaacctc 180
gtggacnctn ttgttgnatt gtctgaactg tagngcctg tattttgctt ctgtctgnga 240
attctgttgc ttctggggca ttcccttgng atgcagagga ccaccacaca gatgacagca 300
atctgaattg ntccaatcac agctgcgatt aagacatact gaaatcgta aggaccggga 360
acaacgtata gaacactgga gtccttt 387
```

<210> 433

<211> 281

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(281)

<223> n = A,T,C or G

<400> 433

```
ttcaactagc anagaanact gcttcagggg gtgtaaaatg aaaggcttcc acgcagttat 60
ctgattaaag aacactaaga gagggacaag gctagaagcc gcaggatgtc tacactatag 120
caggcnctat ttgggttggc tggaggagct gtggaaaaca tggagagatt ggcgctggag 180
atcgccgtgg ctattcctcn ttgntattac accagnaggg ntctctgtnt gccactgggt 240
tnnaaaaccg ntatacaata atgatagaat aggacacaca t 281
```

<210> 434

<211> 484

<212> DNA

<213> Homo sapiens

<400> 434

```
ttttaaaata agcatttagt gctcagtcct tactgagtac tctttctctc cctcctctctg 60
aatttaattc tttcaacttg caatttgcaa ggattacaca tttcactgtg atgtatatattg 120
tggtgcaaaa aaaaaaaagt gtctttgttt aaaattactt ggtttggtgaa tccatcttgc 180
tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa acatctgaag 240
agctagtcta tcagcatctg acaggtgaat tggatggttc tcagaacccat ttcacccaga 300
cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca taacaaaccc 360
tgctccaatc tgtcacataa aagtctgtga cttgaagttt agtcagcacc cccaccaaac 420
tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataaag tacccatgtc 480
ttta
```

484

<210> 435

<211> 424

<212> DNA

<213> Homo sapiens

<400> 435

```
gcgcccgtca gagcaggtca ctttctgcct tccacgtcct ccttcaagga agcccatgt 60
gggtagcttt caatatcgca gggtcttact cctctgcctc tataagctca aaccaccaa 120
cgatcgggca agtaaacccc ctccctcgcc gacttcggaa ctggcgagag ttcagcgcag 180
atgggctgtt ggggaggggg caagatagat gagggggagc ggcatgggtc ggggtgaccc 240
cttggagaga ggaaaaggc cacaagaggg gctgccaccg ccactaacgg agatggccct 300
ggtagagacc tttgggggtc tggaaacctt ggactcccca tgctctaact cccacactct 360
gctatcagaa acttaaactt gaggattttc tctgtttttc actcgcaata aattcagagc 420
aaac
```

424

<210> 436

<211> 667

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(667)

<223> n = A,T,C or G

<400> 436

```
accttgggaa nactctcaca atataaaggg tcgtagactt tactccaaat tccaaaaagg 60
tcctggccat gtaatcctga aagttttccc aaggtagcta taaaatcctt ataagggtgc 120
agcctcttct ggaattcctc tgatttcaaa gtctcactct caagttcttg aaaacgaggg 180
cagttcctga aaggcaggta tagcaactga tcttcagaaa gaggaactgt gtgcaccggg 240
atgggctgcc agagtaggat aggattccag atgctgacac cttctggggg aaacaggggt 300
gccaggtttg tcatagcact catcaaagtc cggtaacgt ctgtgcttcg aatataaacc 360
tgttcatgtt tataggactc attcaagaat tttctatctc tctttcttat atactctcca 420
agttcataat gctgtcccat gccagctgg gtgagttggc caaatccttg tggccatgag 480
gattccttta tggggtcagt gggaaagggtg tcaatgggac ttcgggtctcc atgccgaac 540
accaaagtca caaacttcaa ctccctgggt agtacacttc ggtctagcca gaaaaaagc 600
agaaacaaga agccaaggct aaggcttgct gccctgccag gaggaggggt gcagctctca 660
tgttgag
```

667

<210> 437

<211> 693

<212> DNA

<213> Homo sapiens

<400> 437

```
ctacgtctca accctcattt ttaggtaagg aatcttaagt ccaaagatat taagtgactc 60
acacagccag gtaaggaaag ctggattggc acactaggac tctaccatac cgggttttgt 120
taaagctcag gttaggaggc tgataagctt ggaaggaaact tcagacagct ttttcagatc 180
ataaaagata attcttagcc catgttcttc tccagagcag acctgaaatg acagcacagc 240
aggtactcct ctattttcac ccctcttgct tctactctct ggcagtcaga cctgtgggag 300
gccatgggag aaagcagctc tctggatgtt tgtacagatc atggactatt ctctgtggac 360
catttctcca ggttacccta ggtgtcacta ttggggggag agccagcatc tttagctttc 420
atltgagttt ctgtctgtct tcagtagagg aaacttttgc tcttcacact tcacatctga 480
acacctaact gctgttgctc ctgaggtggg gaaagacaga tatagagctt acagtattta 540
tcctatttct aggcactgag ggctgtgggg taccttgtgg tgccaaaaca gatcctgttt 600
taaggacatg ttgcttcaga gatgtctgta actatctggg ggctctgttg gctctttacc 660
ctgcatcatg tgctctcttg gctgaaaatg acc 693
```

<210> 438

<211> 360

<212> DNA

<213> Homo sapiens

<400> 438

```
ctgcttatca caatgaatgt tctcctgggc agcgttgtga tctttgccac cttcgtgact 60
ttatgcaatg catcatgcta tttcatacct aatgagggag ttccaggaga ttcaaccagg 120
atgtttctac acctgtgggt tatgacaaaag acaactgcc aagaatcttc aagaaggagg 180
actgcaagta tatctgggtg agaagaagga cccaaaaaag acctgttctg tcagtgaatg 240
gataatctaa tgtgcttcta gtaggcacag ggctcccag ccaggcctca ttctcctctg 300
gcctctaata gtcaataatt gtgtagccat gcctatcagt aaaaagattt ttgagcaaac 360
```

<210> 439

<211> 431

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(431)

<223> n = A,T,C or G

<400> 439

```
gttcctnnta actcctgcc aaaaacagctc tctcaacat gagagctgca cccctcctcc 60
tgccaggggc agcaagcctt agccttggct tcttgtttct gctttttttc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgacttttgt gtttcggcat ggagaccgaa 180
gtcccattga cacctttccc actgaccca taaaggaatc ctcattggca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gactcctata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgtcga cgcggcccg 420
aatttagtag t 431
```

<210> 440

<211> 523

<212> DNA

<213> Homo sapiens

<400> 440

```
agagataaag cttaggtcaa agttcataga gttcccatga actatatgac tggccacaca 60
ggatcttttg tatttaagga ttctgagatt ttgcttgagc aggattagat aaggctgttc 120
tttaaagtgc tgaaatggaa cagatttcaa aaaaaaaccc cacaatctag ggtgggaaca 180
aggaaggaaa gatgtgaata ggctgatggg caaaaaacca atttaccat cagttccagc 240
cttctctcaa ggagaggcaa agaaaggaga tacagtggag acatctggaa agttttctcc 300
actggaaaac tgctactatc tgtttttata tttctgttaa aatatatgag gctacagaac 360
taaaaattaa aacctctttg tgtcccttgg tcttggaaca tttatgttcc ttttaaagaa 420
acaaaaatca aactttacag aaagatttga tgtatgtaac acatatagca gctcttgaag 480
tatatatatc atagcaaata agtcactga tgagaacaag cta 523
```

<210> 441

<211> 430

<212> DNA

<213> Homo sapiens

<400> 441

```
gttcctccta actcctgcc aaaacagctc tcctcaacat gagagctgca cccctcctcc 60
tggccagggc agcaagcctt agccttggct tcttgtttct gcttttttcc tggctagacc 120
gaagtgtact agccaaggag ttgaagtttg tgacttttgt gtttcggcat ggagaccgaa 180
gtcccattga cacctttccc actgacccca taaaggaatc ctcattggca caaggatttg 240
gccaactcac ccagctgggc atggagcagc attatgaact tggagagtat ataagaaaga 300
gatatagaaa attcttgaat gagtccata aacatgaaca ggtttatatt cgaagcacag 360
acgttgaccg gactttgatg agtgctatga caaacctggc agcccgctga cgcggccgcg 420
aatttagtag 430
```

<210> 442

<211> 362

<212> DNA

<213> Homo sapiens

<400> 442

```
ctaaggaatt agtaggttc ccatcacttg tttggagtgt gctattctaa aagattttga 60
tttcctggaa tgacaattat attttaactt tgggtggggg aagagttata ggaccacagt 120
cttcacttct gatacttgta aattaatctt ttattgcact tgttttgacc attaagctat 180
atgttttagaa atgggtcatt tacggaaaaa ttagaaaaat tctgataata gtgcagaata 240
aatgaattaa tgttttactt aatttatatt gaactgtcaa tgacaaataa aaattctttt 300
tgattatatt ttgttttcat ttaccagaat aaaaactaag aattaaaagt ttgattacag 360
tc 362
```

<210> 443

<211> 624

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(624)

<223> n = A,T,C or G

<400> 443

```
ttttttttt gcaacacaat atacatcaca gtgaaatgtg taatccttgc aaattgcaag 60
ttgaaagaat taaattcaga ggagggggaga gaaagagtac tcagtaggga ctgagcacta 120
aatgcttatt ttaaaagaaa tgtaaagagc agaaagcaat tcaggctacc ctgccttttg 180
tgctggctag tactccggtc ggtgtcagca gcacgtggca ttgaacattg caatgtggag 240
```



```
cccaaaccac agaaaatggg gtgaaattgg ccaactttct attaacttgg cttcctgttt 300
tataaaatat tgtgaataat atcacctact tcaaagggca gttatgaggc ttaaataaac 360
taacgcctac aaaacactta aacatagata acataggtgc aagtactatg tatctggtac 420
atggtaaaca tccttattat taaagtcaac gctaaaatga atgtgtgtgc atatgctaata 480
agtacagaga gagggcactt aaaccaacta agggcctgga gggaagggtt cctggaaaga 540
ngatgcttgt gctgggtcca aatcttggtc tactatgacc ttggccaaat tatttaaact 600
ttgtccctat ctgctaaaca gatc 624
```

<210> 444

<211> 425

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(425)

<223> n = A,T,C or G

<400> 444

```
gcacatcatt nntcttgcatt tctttgagaa taagaagatc agtaaatagt tcagaagtgg 60
gaagctttgt ccaggcctgt gtgtgaaccc aatgttttgc ttagaaatag aacaagtaag 120
ttcattgcta tagcataaca caaaatttgc ataagtgggtg gtcagcaaata ccttgaatgc 180
tgcttaatgt gagagggttg taaaatcctt tgtgcaacac tctaactccc tgaatgtttt 240
gctgtgctgg gacctgtgca tgccagacaa ggccaagctg gctgaaagag caaccagcca 300
cctctgcaat ctgccacctc ctgctggcag gatttgtttt tgcatactgt gaagagccaa 360
ggaggcacca gggcataagt gagtagactt atggctcgacg cggccgcgaa tttagtagta 420
gtaga 425
```

<210> 445

<211> 414

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(414)

<223> n = A,T,C or G

<400> 445

```
catgtttatg nttttggatt actttgggca cctagtgttt ctaaatcgtc tatcattctt 60
ttctgttttt caaaagcaga gatggccaga gtctcaacaa actgtatctt caagtctttg 120
tgaaattctt tgcattgtggc agattattgg atgtagtctt ctttaactag catataaatc 180
tggtgtgttt cagataaatg aacagcaaaa tgtgggtggaa ttaccatttg gaacattgtg 240
aatgaaaaat tgtgtctcta gattatgtaa caaataacta tttcctaacc attgatcttt 300
ggatttttat aatcctactc acaaatgact aggtctctcc tcttgtattt tgaagcagtg 360
tggtgtgctgg attgataaaa aaaaaaaaaa tgcacgcggc cgcaatttta gtag 414
```

<210> 446

<211> 631

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(631)

<223> n = A,T,C or G

<400> 446

```
acaaattaga anaaagtgcc agagaacacc acataccttg tccggaacat tacaatggct 60
tctgcatgca tgggaagtgt gagcattcta tcaatatgca ggagccatct tgcagggtgtg 120
atgctgggta tactggacaa cactgtgaaa aaaaggacta cagtgttcta tacgttggtc 180
ccggctcctgt acgatttcag tatgtcttaa tcgcagctgt gattggaaca attcagattg 240
ctgtcatctg tgtgggtggc ctctgcatca caagggccaa actttaggta atagcattgg 300
actgagattt gttaaactttc caaccttcca ggaaatgccc cagaagcaac agaattcaca 360
gacagaagca aaatacaggg cactacagtt cagacaatac aacaagagcg tccacgaggt 420
taatctaaag ggagcatgtt tcacagtggc tggactaccg agagcttgga ctacacaata 480
cagtattata gacaaaagaa taagacaaga gatctacaca tgttgccctg catttggtgtg 540
aatctacacc aatgaaaaca tgtactacag ctatatattga ttatgtatgg atatatttga 600
aatagtatac attgtcttga tgttttttct g                                     631
```

<210> 447

<211> 585

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(585)

<223> n = A,T,C or G

<400> 447

```
ccttgggaaa antntcacaa tataaagggt cgtagacttt actccaaatt ccaaaaaggt 60
cctggccatg taatcctgaa agttttccca aggtagctat aaaatcctta taagggtgca 120
gcctcttctg gaattcctct gatttcaaag tctcactctc aagttcttga aaacgagggc 180
agttcctgaa aggcaggat agcaactgat cttcagaaag aggaactgtg tgcaccggga 240
tgggctgcca gagtaggata ggattccaga tgctgacacc ttctggggga aacagggctg 300
ccagggttgt catagcactc atcaaagtcc ggtcaacgtc tgtgcttcga atataaacct 360
gttcatgttt ataggactca ttcaagaatt ttctatatct ctttcttata tactctccaa 420
gttcataatg ctgctccatg cccagctggg tgagttggcc aaatccttgt ggccatgagg 480
attcctttat ggggtcagtg ggaaagggtg caatgggact tcggtctcca tgccgaaaca 540
ccaaagtcac aaacttcaac tccttggcta gtacacttcg gtcta                                     585
```

<210> 448

<211> 93

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(93)

<223> n = A,T,C or G

<400> 448

```
tgctcgtggg tcattctgan nnccgaactg accntgccag ccctgccgan gggccnccat 60
ggctccctag tgccctggag agganggggc tag                                     93
```

<210> 449

<211> 706

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(706)

<223> n = A,T,C or G

<400> 449

```
ccaagttcat gctntgtgct ggacgctgga caggggggcaa aagcnnttgc tcgtgggtca 60
ttctgancac cgaactgacc atgccagccc tgccgatggc cctccatggc tccctagtgc 120
cctggagagg aggtgtctag tcagagagta gtcctggaag gtggcctctg ngaggagcca 180
cggggacagc atcctgcaga tggtcggggc cgctccattc gccattcagg ctgcgcaact 240
gttggggaagg gcgatcgggt cgggcctctt cgctattacg ccagctggcg aaagggggat 300
gtgctgcaag gcgattaagt tgggtaacgc cagggttttc ccagtcncga cgttgtaaaa 360
cgacggccag tgaattgaat ttaggtgacn ctatagaaga gctatgacgt cgcattgcacg 420
cgtacgtaag cttagatcct ctagagcggc cgcctactac tactaaattc gcggccgcgt 480
cgacgtggga tccnactga gagagtggag agtgacatgt gctggacnct gtccatgaag 540
cactgagcag aagctggagg cacaacgcnc cagacactca cagctactca ggaggctgag 600
aacaggttga acctgggagg tggaggttgc aatgagctga gatcaggccn ctgcncccca 660
gcatggatga cagagtgaag ctccatctta aaaaaaaaaa aaaaaa 706
```

<210> 450

<211> 493

<212> DNA

<213> Homo sapiens

<400> 450

```
gagacggagt gtcactctgt tgcccaggct ggagtgcagc aagacactgt ctaagaaaaa 60
acagttttta aaggtaaaac aacataaaaa gaaatatcct atagtggaaa taagagagtc 120
aaatgaggct gagaacttta caaagggatc ttacagacat gtcgccaata tcaactgcacg 180
agcctaagta taagaacaac ctttgggggg aaaccatcat ttgacagtga ggtacaattc 240
caagtccagg agtgaaatgg gtggaattaa actcaaatta atcctgccag ctgaaacgca 300
agagacactg tcagagagtt aaaaagtggg ttctatccat gaggtgatte cacagtcttc 360
tcaagtcaac acatctgtga actcacagac caagttctta aaccactgtt caaactctgc 420
tacacatcag aatcacctgg agagctttac aaactcccat tgccgagggt cgacgcggcc 480
gcgaatttag tag 493
```

<210> 451

<211> 501

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(501)

<223> n = A,T,C or G

<400> 451

```
gggcgcgtcc cattcgccat tcaggctgcg caactgttgg gaagggcgat cgggtcgggc 60
ctcttcgcta ttacgccagc tggcgaaagg gggatgtgct gcaaggcgat taagttgggt 120
aacgccaggg ttttcccagt cncgacgttg taaaacgacg gccagtgaat tgaatttagg 180
tgacnctata gaagagctat gacgtcgcat gcacgcgtac gtaagcttgg atcctctaga 240
gcggccgcct actactacta aattcgcgcc cgcgtcgacg tgggatccnc actgagagag 300
tgagagtgta catgtgctgg acnctgtcca tgaagcactg agcagaagct ggaggcacia 360
cgcncagac actcacagct actcaggagg ctgagaacag gttgaacctg ggaggtggag 420
gttgcaatga gctgagatca ggccnctgcn cccagcatg gatgacagag tgaaactcca 480
```

tcttaaaaaa aaaaaaaaaa a

501

<210> 452

<211> 51

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(51)

<223> n = A,T,C or G

<400> 452

agacggtttc accnttataa cnccttttag gatgggnntt ggggagcaag c

51

<210> 453

<211> 317

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(317)

<223> n = A,T,C or G

<400> 453

tacatcttgc tttttcccca ttggaactag tcattaaccc atctctgaac tggtagaaaa 60
 acatctgaag agctagtcta tcagcatctg gcaagtgaat tggatggttc tcagaacct 120
 ttcacccana cagcctgttt ctatcctgtt taataaatta gtttgggttc tctacatgca 180
 taacaaaccc tgctccaatc tgtcacataa aagtctgtga cttgaagttt antcagcacc 240
 cccaccaaac tttatttttc tatgtgtttt ttgcaacata tgagtgtttt gaaaataagg 300
 taccatgtc tttatta 317

<210> 454

<211> 231

<212> DNA

<213> Homo sapiens

<400> 454

ttcgaggtag aatcaactct cagagtgtag tttccttcta tagatgagtc agcattaata 60
 taagccacgc cacgtctttg aaggagtctt gaattctcct ctgctcactc agtagaacca 120
 agaagaccaa attctttctgc atcccagctt gcaaacaaaa ttgttcttct aggtctccac 180
 ctttcttttt tcagtgttcc aaagctcctc acaatttcat gaacaacagc t 231

<210> 455

<211> 231

<212> DNA

<213> Homo sapiens

<400> 455

taccaaagag ggcataataa tcagtctcac agtaggggttc accatcctcc aagtgaaaaa 60
 cattgttccg aatgggcttt ccacaggcta cacacacaaa acaggaaaca tgccaagttt 120
 gtttcaacgc attgatgact tctccaagga tcttcttttg gcatcgacca cattcagggg 180
 caaagaattt ctcatagcac agctcacaat acagggtctc tttctcctct a 231

<210> 456
<211> 231
<212> DNA
<213> Homo sapiens

<400> 456
ttggcaggta cccttacaaa gaagacacca taccttatgc gttattaggt ggaataatca 60
ttccattcag tattatcggt attattcttg gagaaacct gtctgtttac tgtaaccttt 120
tgcactcaaa ttcctttatc aggaataact acatagccac tatttacaaa gccattggaa 180
cctttttatt tgggtgcagct gctagtcagt ccctgactga cattgccaag t 231

<210> 457
<211> 231
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(231)
<223> n = A,T,C or G

<400> 457
cgaggtagccc aggggtctga aaatctctnn tttantagtc gatagcaaaa ttgttcatca 60
gcattccctta atatgatctt gctataatta gattttttctc cattagagtt catacagttt 120
tatttgattt tatttagcaat ctctttcaga agacccttga gatcattaag ctttgtatcc 180
agttgtctaa atcgatgcct catttcctct gaggtgtcgc tggcttttgc g 231

<210> 458
<211> 231
<212> DNA
<213> Homo sapiens

<400> 458
aggtctgggt cccccactt ccactcccct ctactctctc taggactggg ctgggccaag 60
agaagagggg tggtaggga agccgttgag acctgaagcc ccaccctcta ccttccttca 120
acaccctaac cttgggtaac agcatttgga attatcattt gggatgagta gaatttccaa 180
ggctctgggt taggcatttt ggggggccag accccaggag aagaagattc t 231

<210> 459
<211> 231
<212> DNA
<213> Homo sapiens

<400> 459
ggtaccgagg ctgcgtgaca cagagaaacc ccaacgcgag gaaaggaatg gccagccaca 60
ccttcgcgaa acctgtgggt gccaccagt cctaaccgga caggacagag agacagagca 120
gccctgcact gttttccctc caccacagcc atcctgtccc tcattggctc tgtgctttcc 180
actatacaca gtcaccgtcc caatgagaaa caagaaggag caccctccac a 231

<210> 460
<211> 231
<212> DNA
<213> Homo sapiens

<400> 460

gcagggtataa catgctgcaa caacagatgt gactaggaac ggccggtgac atggggaggg 60
cctatcaccc tattcttggg ggctgcttct tcacagtgat catgaagcct agcagcaaat 120
cccacctccc cacacgcaca cggccagcct ggagcccaca gaagggtcct cctgcagcca 180
gtggagcttg gtccagcctc cagtccaccc ctaccaggct taaggataga a 231

<210> 461

<211> 231

<212> DNA

<213> Homo sapiens

<400> 461

cgagggttga gaagctctaa tgtgcagggg agccgagaag caggcggcct agggaggggtc 60
gcgtgtgctc cagaagagtg tgtgcatgcc agaggggaaa caggcgcctg tgtgtcctgg 120
gtgggggttca gtgaggagtg ggaaattggt tcagcagaac caagccgttg ggtgaataag 180
agggggattc catggcactg atagagccct atagtttcag agctgggaat t 231

<210> 462

<211> 231

<212> DNA

<213> Homo sapiens

<400> 462

aggtaccctc attgtagcca tgggaaaatt gatgttcagt ggggatcagt gaattaaatg 60
gggtcatgca agtataaaaa ttaaaaaaaa aagacttcat gcccaatctc atatgatgtg 120
gaagaactgt tagagagacc aacagggtag tgggttagag atttccagag tcttacattt 180
tctagaggag gtattttaatt tcttctcact catccagtgt tgtatttagg a 231

<210> 463

<211> 231

<212> DNA

<213> Homo sapiens

<400> 463

tactccagcc tggtgacaga gcgagaccct atcaccgccc cccacccccc caaaaaaaaa 60
actgagtaga caggtgtcct cttggcatgg taagtcttaa gtcccctccc agatctgtga 120
catttgacag gtgtcttttc ctctggacct cgggtgtccc atctgagtga gaaaaggcag 180
tggggaggtg gatcttccag tcgaagcggg atagaagccc gtgtgaaaag c 231

<210> 464

<211> 231

<212> DNA

<213> Homo sapiens

<400> 464

gtactctaag attttatcta agttgccttt tctgggtggg aaagtttaac cttagtgact 60
aaggacatca catatgaaga atgtttaagt tggaggtggc aacgtgaatt gcaaacaggg 120
cctgtctcag tgactgtgtg cctgtagtcc cagctactcg ggagtctgtg tgaggccagg 180
gggtgccagcg caccagctag atgctctgta acttctaggc cccattttcc c 231

<210> 465

<211> 231

<212> DNA

<213> Homo sapiens

<400> 465

```

catgttggtg tagctgtggt aatgctggct gcatctcaga caggggtaac ttcagctcct 60
gtggcaaat agcaacaaat tctgacatca tatttatggt ttctgtatct ttgttgatga 120
aggatggcac aatttttgct tgtgttcata atatactcag attagttcag ctccatcaga 180
taaactggag acatgcagga cattagggta gtgttgtagc tctggtaatg a 231

```

<210> 466

<211> 231

<212> DNA

<213> Homo sapiens

<400> 466

```

caggtacctc tttccattgg atactgtgct agcaagcatg ctctccgggg tttttttaat 60
ggccttcgaa cagaacttgc cacataccca ggtataatag tttctaacat ttgccagga 120
cctgtgcaat caaatattgt ggagaattcc ctactgtggag aagtcacaaa gactataggc 180
aataatggag accagtccca caagatgaca accagtcggt gtgtgcggt g 231

```

<210> 467

<211> 311

<212> DNA

<213> Homo sapiens

<400> 467

```

gtacaccctg gcacagtcca atctgaactg gttcggcact catctttcat gagatggatg 60
tggcggtttt tctccttttt catcaagact cctcagcagg gagccagac cagcctgcac 120
tgtgccttaa cagaaggctc tgagattcta agtgggaatc atttcagtga ctgtcatgtg 180
gcatgggtct ctgcccaagc tcgtaatgag actatagcaa ggcggctgtg ggacgtcagt 240
tgtgacctgc tgggcctccc aatagactaa caggcagtg cagttggacc caagagaaga 300
ctgcagcaga c 311

```

<210> 468

<211> 3112

<212> DNA

<213> Homo sapiens

<400> 468

```

cattgtgttg ggagaaaaac agaggggaga tttgtgtggc tgcagccgag ggagaccagg 60
aagatctgca tgggtgggaag gacctgatga tacagagttt gataggagac aattaaaggc 120
tgggaaggcac tggatgcctg atgatgaagt ggactttcaa actggggcac tactgaaacg 180
atgggatggc cagagacaca ggagatgagt tggagcaagc tcaataacaa agtgggtcaa 240
cgaggacttg gaattgcatg gagctggagc tgaagtttag cccaattggt tactagttga 300
gtgaatgtgg atgattggat gatcatttct catctctgag cctcaggttc cccatccata 360
aaatgggata cacagtatga tctataaagt gggatatagt atgatctact tcaactgggtt 420
atttgaagga tgaattgaga taatttatct caggtgccta gaacaatgcc cagattagta 480
catttgggtg aactgagaaa tggcataaca ccaaatttaa tatatgtcag atgttactat 540
gattatcatt caatctcata gttttgtcat ggcccaattt atcctcactt gtgcctcaac 600
aaattgaact gttaacaaag gaatctctgg tcttgggtaa tggctgagca ccactgagca 660
tttccattcc agttggcttc ttgggtttgc tagctgcac actagtcac ttaaataaat 720
gaagttttaa catttctcca gtgatttttt tatctcacct ttgaagatac tatgttatgt 780
gattaaataa agaacttgag aagaacaggt ttcattaaac ataaaatcaa ttagacgca 840
aattttctgg atgggcaata cttatgttca caggaaatgc tttaaaatat gcagaagata 900
attaaatggc aatggacaaa gtgaaaaact tagacttttt tttttttttt ggaagtatct 960
ggatgttcct tagtcactta aaggagaact gaaaaatagc agtgagttcc acataatcca 1020
acctgtgaga ttaaggctct ttgtggggaa ggacaaagat ctgtaaattt acagtttctt 1080
tccaaagcca acgtcgaatt ttgaaacata tcaaagctct tcttcaagac aaataatcta 1140
tagtacatct ttcttatggg atgcacttat gaaaaatggg ggctgtcaac atctagtcac 1200

```

tttagctctc aaaatgggtc attttaagag aaagtttttag aatctcatat ttattcctgt 1260
ggaaggacag cattgtggct tggactttat aaggctcttta ttcaactaaa taggtgagaa 1320
ataagaaagg ctgctgactt taccatctga ggccacacat ctgctgaaat ggagataatt 1380
aacatcacta gaaacagcaa gatgacaata taatgtctaa gtagtgacat gtttttgcac 1440
atttccagcc cctttaaata tccacacaca caggaagcac aaaaggaagc acagagatcc 1500
ctgggagaaa tgcccggccg ccatcttggg tcatcgatga gcctcgccct gtgcctggtc 1560
ccgcttgtga ggaaggaca ttagaaaatg aattgatgtg ttccttaaag gatgggcagg 1620
aaaacagatc ctgttgtgga tatttatttg aacgggatta cagatttgaa atgaagtcac 1680
aaagtgaagc ttaccaatga gaggaaaaca gacgagaaaa tcttgatggc ttcacaagac 1740
atgcaacaaa caaatggaa tactgtgatg acatgaggca gccaaagctgg ggaggagata 1800
accacggggc agagggtcag gattctggcc ctgctgccta aactgtgctg tcataaccaa 1860
atcatttcat atttctaacc ctcaaaacaa agctgttgta atatctgatc tctacggttc 1920
cttctgggccc caacattctc catatatcca gccacactca tttttaatat ttagttccca 1980
gatctgtact gtgaccttc tacactgtag aataacatta ctcatcttgt tcaaagacct 2040
ttcgtgttgc tgcctaatat gtagctgact gtttttccca aggagtgttc tggcccaggg 2100
gatctgtgaa caggctggga agcatctcaa gatctttcca gggttatact tactagcaca 2160
cagcatgac attacggagt gaattatcta atcaacatca tcctcagtgt ctttgcccat 2220
actgaaattc atttcccact tttgtgccc tttccaagac ctcaaatgt cattccatta 2280
atatcacagg attaaactttt ttttttaacc tggagaatt caatgttaca tgcagctatg 2340
ggaatttaac tacatatattt gttttccagt gcaaagatga ctaagtcctt tatccctccc 2400
ctttgtttga ttttttttcc agtataaagt taaaatgctt agccttgtag tgaggctgta 2460
tacagccaca gcctctcccc atccctccag ccttatctgt catcaccatc aaccctccc 2520
atgcacctaa acaaatctc acttgtaatt ccttgaacat gtcaggcata cattattcct 2580
tctgcctgag aagctcttcc ttgtctctta aatctagaat gatgtaaagt tttgaataag 2640
ttgactatct tacttcatgc aaagaaggga cacatatgag attcatcatc acatgagaca 2700
gcaaatacta aaagtgtaat ttgattataa gagtttagat aaatatatga aatgcaagag 2760
ccacagaggg aatgtttatg gggcacgttt gtaagcctgg gatgtgaagc aaaggcaggg 2820
aacctcatag tatcttatat aatatacttc atttctctat ctctatcaca atatccaaca 2880
agcttttcac agaattcatg cagtgc aaat ccccaaagg aacctttatc catttcatgg 2940
tgagtgcgct ttagaatttt ggcaaatcat actggctact tatctcaact ttgagatgtg 3000
tttgtccttg tagttaattg aaagaaatag ggcactcttg tgagccactt taggggtcac 3060
tcctggcaat aaagaattta caaagagcaa aaaaaaaaaa aaaaaaaaaa aa 3112

<210> 469

<211> 2229

<212> DNA

<213> Homo sapiens

<400> 469

agctctttgt aaattcttta ttgccaggag tgaaccctaa agtggctcac aagagtgtccc 60
tatttctttc aattaactac aaggacaaac acatctcaaa gttgagataa gtgaccagta 120
tgatttgcca aaattctaaa gcgcactcac catgaaatgg ataaagggtta cctttgggga 180
tttgactgct atgaattctg tgaaaagctt gttggatatt gtgatagaga tagagaaatg 240
aagtatatta tataagatac tatgagggtc cctgcctttg cttcacatcc caggcttaca 300
aacgtgtccc ataaacattc cctctgtggc tcttgcatct catatatatta tctaaactct 360
tataatcaaa tacactttta gtatttgcgt tctcatgtga tgatgaatct catatgtgtc 420
ccttctttgc atgaagtaag atagtcaact tattcaaaac tttacatcat tctagattta 480
agagacaagg aagagcttct caggcagaag gaataatgta tgcttgacat gttcaaggaa 540
ttacaagtta gattttgttt aggtgcatgg gaggggttga tgggtgatgac agataaggct 600
ggaggggatgg ggagaggctg tggctgtata cagcctcagt acaaggctaa gcattttaac 660
tttatactgg aaaaaaaaaa aaacaaaggg gagggataaa ggacttagtc atctttgcac 720
tggaacacaa aatatgtaat taaattccca tagctgcatg taacattgaa tcttccagg 780
ttaaaaaaaaa agttaatcct gtgatattaa tggaaatgaca ttttgagggtc ttgagaatgg 840
gcacaaaagt gggaaatgaa tttcagtatg ggcaagaca ctgaggatga tgttgattag 900
ataattcact ccgtaatgat catgctgtgt gctagtaagt ataaccctgg aaagatcttg 960

agatgcttcc	cagcctgttc	acagatcccc	tgggccagaa	cactccttag	gaaaaacagt	1020
cagctacata	ttaggcagca	acacgaaggg	tctttgaaca	aatgagtaa	tggtattcta	1080
cagtgtagaa	aggtcacagt	acagatctgg	gaactaaata	ttaaaaatga	gtgtggctgg	1140
atatatggag	aatgttgggc	ccagaaggaa	ccgtagagat	cagatattac	aacagctttg	1200
ttttgagggg	tagaaatatg	aaatgatttg	gttatgaacg	cacagttag	gcagcagggc	1260
cagaatcctg	accctctgcc	ccgtgggtat	ctctcccca	gcttggctgc	ctcatgtcat	1320
cacagtattc	cattttgttt	gttgcattgc	ttgtgaagcc	atcaagattt	tctcgtctgt	1380
tttctctca	ttggtaatgc	tcactttgtg	acttcatttc	aaatctgtaa	tcccgttcaa	1440
ataaatatcc	acaacaggat	ctgttttcct	gcccattcct	taagggaacac	atcaattcat	1500
tttctaattg	ccttccctca	caagcgggac	caggcacagg	gcgaggctca	tcgatgaccc	1560
aagatggcgg	ccgggcattt	ctcccaggga	tctctgtgct	tccttttgtg	cttctgtgt	1620
gtgtggatat	ttaaaggggc	tggaaatgtg	caaaaacatg	tcactactta	gacattatat	1680
tgatcatctt	ctgtttctag	tgatgttaat	tatctccatt	tcagcagatg	tgtggcctca	1740
gatggtaaa	tcagcagcct	ttcttatttc	tcacctggaa	atacatacga	ccatttgagg	1800
agacaaatgg	caaggtgtca	gcataccctg	aacttgagtt	gagagctaca	cacaatatta	1860
ttggtttccg	agcatcacia	acaccctctc	tgtttcttca	ctgggcacag	aattttaata	1920
cttatttcag	tgggctgttg	gcaggaacaa	atgaagcaat	ctacataaag	tcactagtgc	1980
agtgcctgac	acacaccatt	ctcttgaggt	ccccctaga	gatcccacag	gtcatatgac	2040
ttcttgggga	gcagtggctc	acacctgtaa	tcccagcact	ttgggaggct	gaggcagggt	2100
ggtcacctga	ggtcaggagt	tcaagaccag	cctggccaat	atggtgaaac	cccatctcta	2160
ctaaaaatac	aaaaattagc	tgggcgtgct	ggtgcatgcc	tgtaatccca	gccccaacac	2220
aatggaatt						2229

<210> 470

<211> 2426

<212> DNA

<213> Homo sapiens

<400> 470

gtaaatctct	tattgccagg	agtgaaccct	aaagtggctc	acaagagtgc	cctatttctt	60
tcaattaact	acaaggacaa	acacatctca	aagttgagat	aagtgaccag	tatgatttgc	120
caaaattcta	aagcgcactc	accatgaaat	ggataaagg	tacctttggg	gatttgcact	180
gcatgaattc	tgtgaaaagc	ttgttggata	ttgtgataga	gatagagaaa	tgaagtatat	240
tatataagat	actatgaggt	tccttgccct	tgcttcacat	cccaggctta	caaacgtgcc	300
ccataaacat	tccctctgtg	gctcttgcat	ttcatataat	tatctaaact	cttataatca	360
aattacactt	ttagtatttg	ctgtctcatg	tgatgatgaa	tctcatatgt	gtcccttctt	420
tgcataaggt	aagatagtca	acttattcaa	aactttacat	cattctagat	ttaagagaca	480
aggaagagct	tctcaggcag	aaggaataat	gtatgcctga	catgttcaag	gaattacaag	540
ttagattttg	tttaggtgca	tgggaggggt	tgatgggtgat	gacagataag	gctggagggg	600
tggggagagg	ctgtggctgt	atacagcctc	agtacaaggc	taagcatttt	aactttatac	660
tggaaaaaaa	atcaaacaaa	ggggagggat	aaaggactta	gtcatctttg	cactggaaaa	720
caaaatattg	aattaaattc	ccatagctgc	atgtaacatt	gaattcttcc	agggtaaaaa	780
aaaaagttaa	tcctgtgata	ttaatggaat	gacattttga	ggtcttgaga	atgggcacaa	840
aagtgggaaa	tgaatttcag	tatgggcaaa	gacactgagg	atgatgttga	ttagataatt	900
cactccgtaa	tgatcatgct	gtgtgctagt	aagtataacc	ctggaaagat	cttgagatgc	960
ttcccagcct	gttcacagat	cccctggggc	agaacactcc	ttaggaaaaa	cagtcagcta	1020
catattaggc	agcaacacga	agggctcttg	aacaaaatga	gtaatgttat	tctacagtgt	1080
agaaagggtca	cagtacagat	ctgggaacta	aatattaaaa	atgagtgtgg	ctggatatat	1140
ggagaatgtt	gggccagaa	ggaaccgtag	agatcagata	ttacaacagc	tttgttttga	1200
gggttagaaa	tatgaaatga	tttggttatg	aacgcacagt	ttaggcagca	gggccagaat	1260
cctgaccctc	tgccccgtgg	ttatctctct	cccagcttgg	ctgcctcatg	tcacacagat	1320
attccatttt	gtttgttgca	tgtcttgtga	agccatcaag	attttctcgt	ctgttttcct	1380
ctcattggta	atgctcactt	tgtgacttca	tttcaaactc	gtaatcccgt	tcaaataaat	1440
atccacaaca	ggatctgttt	tcctgcccac	cctttaagga	acacatcaat	tcattttcta	1500
atgtccttcc	ctcacaagcg	ggaccaggca	cagggcgagg	ctcatcgatg	acccaagatg	1560

```
gcggccgggc atttctccca gggatctctg tgcttccttt tgtgcttctt gtgtgtgtgg 1620
atatattaag gggctggaaa tgtgcaaaaa catgtcacta cttagacatt atattgtcat 1680
cttgctgttt ctagtgatgt taattatctc catttcagca gatgtgtggc ctcagatggg 1740
aaagtcagca gcctttctta tttctcacct ggaaatacat acgaccattt gaggagacaa 1800
atggcaaggt gtcagcatac cctgaacttg agttgagagc tacacacaat attattgggt 1860
tccgagcatc acaaacaccc tctctgtttc ttcactgggc acagaatttt aatacttatt 1920
tcagtgggct gttggcagga acaaataaag caatctacat aaagtcacta gtgcagtgcc 1980
tgacacacac cattctcttg aggtcccttc tagagatccc acaggtcata tgacttcttg 2040
gggagcagtg gctcacacct gtaatcccag cactttggga ggctgaggca ggtgggtcac 2100
ctgaggtcag gagtccaaga ccagcctggc caatatgggt aaaccccatc tctactaaaa 2160
atacaaaaat tagctgggcg tgctgggtgca tgctgtaat ccagctact tgggaggctg 2220
aggcaggaga attgctggaa catgggaggc ggaggttgca gtgagctgta attgtgccat 2280
tgactctgaa cctgggcgac agagtgggac tctgtttcca aaaaacaaac aaacaaaaaa 2340
ggcatagtca gatacaacgt ggggtgggat tgtaaataga agcaggatat aaagggcatg 2400
gggtgacggt tttgccaac acaatg                                     2426
```

<210> 471

<211> 812

<212> DNA

<213> Homo sapiens

<400> 471

```
gaacaaaatg agtaatgtta ttctacagtg tagaaaggtc acagtacaga tctgggaact 60
aaatattaaa aatgagtgtg gctggatata tggagaatgt tgggccaga aggaaccgta 120
gagatcagat attacaacag ctttgttttg agggtagaa atatgaaatg atttgggttat 180
gaacgcacag tttaggcagc agggccagaa tctgaccct ctgccccgtg gttatctcct 240
ccccagcttg gctgctcat gtcacacag tattccattt tgtttggtgc atgtcttggt 300
aagccatcaa gattttctcg tctgttttcc tctcattggg aatgtcact ttgtgacttc 360
atttcaaacc tgtaatcccg ttcaaataaa tatccacaac aggatctgtt ttctgcccc 420
tcctttaagg aacacatcaa ttcatTTTTt aatgtccttc cctcacaagc gggaccaggc 480
acagggcgag gctcatcgat gacccaagat ggccggccggg catttctccc agggatctct 540
gtgcttcctt ttgtgcttcc tgtgtgtgtg gatatttaaa ggggctggaa atgtgcaaaa 600
acatgtcact acttagacat tatattgtca tcttgctgtt tctagtgatg ttaattatct 660
ccatttcagc agatgtgtgg cctcagatgg taaagtcagc agcctttctt atttctcacc 720
tctgtatcat caggtccttc ccaccatgca gatcttctcg gtctcctcgt gctgcagcca 780
cacaaatctc cctctggtt ttctgatgcc ag                                     812
```

<210> 472

<211> 515

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(515)

<223> n = A,T,C or G

<400> 472

```
acggagactt attttctgat attgtctgca tatgtatggt tttaagagtc tggaaatagt 60
cttatgactt tcctatcatg cttattaata aataatacag cccagagaag atgaaaatgg 120
gttcagaat tattggctct tgcagcccgg tgaatctcag caagaggaac caccaactga 180
caatcaggat attgaacctg gacaagagag agaaggaaca cctccgatcg aagaacgtaa 240
agtagaaggt gattgccagg aaatggatct ggaaaagact cggagtgagc gtggagatgg 300
ctctgatgta aaagagaaga ctccacctaa tcctaagcat gctaagacta aagaagcagg 360
agatgggcag ccataagtta aaaagaagac aagctgaagc tacacacatg gctgatgtca 420
```

cattgaaaat gtgactgaaa atttgaaaat tctctcaata aagtttgagt tttctctgaa 480
gaaaaaaaaa naaaaaaaaa aaanaaaaan aaaaa 515



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C12N 15/12, C07K 14/47, C12Q 1/68, A61K 39/395, G01N 33/68, 33/574, C07K 16/30, C12N 15/62, 5/02 // A61P 35/00	A3	(11) International Publication Number: WO 00/04149 (43) International Publication Date: 27 January 2000 (27.01.00)																					
(21) International Application Number: PCT/US99/15838 (22) International Filing Date: 14 July 1999 (14.07.99) (30) Priority Data: <table border="0" style="width: 100%;"> <tr> <td style="width: 30%;">09/115,453</td> <td style="width: 40%;">14 July 1998 (14.07.98)</td> <td style="width: 30%;">US</td> </tr> <tr> <td>09/116,134</td> <td>14 July 1998 (14.07.98)</td> <td>US</td> </tr> <tr> <td>09/159,822</td> <td>23 September 1998 (23.09.98)</td> <td>US</td> </tr> <tr> <td>09/159,812</td> <td>23 September 1998 (23.09.98)</td> <td>US</td> </tr> <tr> <td>09/232,880</td> <td>15 January 1999 (15.01.99)</td> <td>US</td> </tr> <tr> <td>09/232,149</td> <td>15 January 1999 (15.01.99)</td> <td>US</td> </tr> <tr> <td>09/288,946</td> <td>9 April 1999 (09.04.99)</td> <td>US</td> </tr> </table> (71) Applicant: CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US). (72) Inventors: DILLON, Davin, Clifford; 21607 N.E. 24th Street, Redmond, WA 98053 (US). HARLOCKER, Susan, Louise; 6203 20th Avenue N.W., Seattle, WA 98107 (US). YUQIU, Jiang; 5001 South 232nd Street, Kent, WA 98032 (US). XU, Jiangchun; 15805 S.E. 43rd Place, Bellevue, WA 98006 (US). MITCHAM, Jennifer, Lynn; 16677 Northeast 88th Street, Redmond, WA 98052 (US).		09/115,453	14 July 1998 (14.07.98)	US	09/116,134	14 July 1998 (14.07.98)	US	09/159,822	23 September 1998 (23.09.98)	US	09/159,812	23 September 1998 (23.09.98)	US	09/232,880	15 January 1999 (15.01.99)	US	09/232,149	15 January 1999 (15.01.99)	US	09/288,946	9 April 1999 (09.04.99)	US	(74) Agents: MAKI, David, J. et al.; Seed and Berry LLP, 6300 Columbia, 701 Fifth Avenue, Seattle, WA 98104-7092 (US). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> (88) Date of publication of the international search report: 20 July 2000 (20.07.00)
09/115,453	14 July 1998 (14.07.98)	US																					
09/116,134	14 July 1998 (14.07.98)	US																					
09/159,822	23 September 1998 (23.09.98)	US																					
09/159,812	23 September 1998 (23.09.98)	US																					
09/232,880	15 January 1999 (15.01.99)	US																					
09/232,149	15 January 1999 (15.01.99)	US																					
09/288,946	9 April 1999 (09.04.99)	US																					
(54) Title: COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF PROSTATE CANCER (57) Abstract <p>Compositions and methods for the therapy and diagnosis of cancer, such as prostate cancer, are disclosed. Compositions may comprise one or more prostate tumor proteins, immunogenic portions thereof, or polynucleotides that encode such portions. Alternatively, a therapeutic composition may comprise an antigen presenting cell that expresses a prostate tumor protein, or a T cell that is specific for cells expressing such a protein. Such compositions may be used, for example, for the prevention and treatment of diseases such as prostate cancer. Diagnostic methods based on detecting a prostate tumor protein, or mRNA encoding such a protein, in a sample are also provided.</p>																							

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

INTERNATIONAL SEARCH REPORT

International Application No.

PCT/US 99/15838

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/12 C07K14/47 C12Q1/68 A61K39/395 G01N33/68
 G01N33/574 C07K16/30 C12N15/62 C12N5/02
 //A61P35/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C07K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 97 33909 A (CORIXA CORP) 18 September 1997 (1997-09-18) the whole document ---	1-22, 29-31, 35-49, 53-79
A	SJOGREN H O: "Therapeutic immunization against cancer antigens using genetically engineered cells" IMMUNOTECHNOLOGY, vol. 3, no. 3, 1 October 1997 (1997-10-01), pages 161-172, XP004097000 ISSN: 1380-2933 the whole document --- -/--	23-28, 32-34, 53-57

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents :

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

31 January 2000

Date of mailing of the international search report

04.05.00

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

ANDRES S.M.

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>CHU R S ET AL: "CPG OLIGODEOXYNUCLEOTIDES ACT AS ADJUVANTS THAT SWITCH ON T HELPER 1 (TH1) IMMUNITY" JOURNAL OF EXPERIMENTAL MEDICINE, vol. 186, no. 10, 1 November 1997 (1997-11-01), pages 1623-1631, XP002910130 ISSN: 0022-1007 the whole document</p> <p>---</p>	<p>14-20, 25-27, 41-47</p>
A	<p>EP 0 317 141 A (BECTON DICKINSON CO) 24 May 1989 (1989-05-24) the whole document</p> <p>---</p>	<p>50-52</p>
A	<p>ZITVOGEL L ET AL: "Eradication of established murine tumors using a novel cell-free vaccine: dendritic cell-derived exosomes" NATURE MEDICINE, vol. 4, no. 5, 1 May 1998 (1998-05-01), pages 594-600, XP002085387 ISSN: 1078-8956 cited in the application</p> <p>---</p>	
P,X	<p>WO 98 37093 A (CORIXA CORP) 27 August 1998 (1998-08-27)</p> <p>---</p> <p>page 3, line 20 -page 22, line 2 page 35, line 9 - last line page 76, line 34 -page 78, line 22 claims</p> <p>---</p>	<p>1-15, 17-19, 21,22, 29-31, 34,35, 39-42, 44-46, 48,49, 58-79</p>
P,X	<p>WO 98 37418 A (CORIXA CORP) 27 August 1998 (1998-08-27)</p> <p>---</p> <p>page 2 -page 24 example 2 page 35, line 15 -page 36, line 11 page 81, line 14 -page 83, line 11 claims</p> <p>-----</p>	<p>1-15, 17-19, 21,22, 29-31, 34,35, 39-42, 44-46, 48,49, 58-79</p>

INTERNATIONAL SEARCH REPORT

In international application No.

PCT/US 99/ 15838

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☒ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
Remark: Although claims 29-34, 48-49, 52, 55-57
are directed to a method of treatment of the human/animal
body, the search has been carried out and based on the alleged
effects of the compound/composition.
2. ☐ Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such
an extent that no meaningful International Search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all
searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment
of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report
covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is
restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

1-79 all partially

Remark on Protest

☐ The additional search fees were accompanied by the applicant's protest.

☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

.....
Invention 1. Claims: 1-79 (all partially)

A polypeptide comprising at least an immunogenic portion of a prostate tumor protein defined as SEQ ID 108 and which is encoded by the related SEQ IDs 2,3,107 (according to the Description of the Sequence Identifiers), fragments and variants thereof, fusion proteins comprising it, polynucleotides or oligonucleotides derived therefrom, antibodies or fragments thereof binding to the polypeptide, pharmaceutical compositions or vaccines comprising these products and their use in methods for inhibiting, monitoring or diagnosing the development of a prostate cancer, for removing tumor cells from a sample or for expanding and/or stimulating T-cells.

Inventions 2. to 439. Claims: 1-79 (all partially and as far as applicable)

As for subject 1. but concerning respectively SEQ IDs 1,4-106,109-111,115-171,173-175,177,179-305,307-315,326,328, 330,332-335,340-375,381,382 and 384-472.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Publication No

PCT, JS 99/15838

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9733909 A	18-09-1997	AU 2329597 A	01-10-1997
		BR 9708082 A	27-07-1999
		CA 2249742 A	18-09-1997
		EP 0914335 A	12-05-1999
		NO 984229 A	13-11-1998
		US 6034218 A	07-03-2000
EP 0317141 A	24-05-1989	US 5041289 A	20-08-1991
		AT 108659 T	15-08-1994
		DE 3850745 D	25-08-1994
		DE 3850745 T	24-11-1994
		ES 2059537 T	16-11-1994
		JP 2002345 A	08-01-1990
WO 9837093 A	27-08-1998	AU 6181898 A	09-09-1998
		NO 994069 A	22-10-1999
		ZA 9801585 A	04-09-1998
WO 9837418 A	27-08-1998	AU 6536898 A	09-09-1998
		EP 0972201 A	19-01-2000
		ZA 9801536 A	08-01-1999

